

The Natural Remedy Lab

## **Chapter 5 Bibliography**

Skin Remedies

- Abourashed, E. A., & El-Alfy, A. T. (2016). Chemical diversity and pharmacological significance of the secondary metabolites of nutmeg (*Myristica fragrans* Houtt.). *Phytochemistry reviews: proceedings of the Phytochemical Society of Europe*, 15(6), 1035–1056. <https://doi.org/10.1007/s11101-016-9469-x>
- Addor F. A. (2016). Skin barrier in rosacea. *Anais brasileiros de dermatologia*, 91(1), 59–63. <https://doi.org/10.1590/abd1806-4841.20163541>
- Ahmad Z. (2010). The uses and properties of almond oil. *Complementary therapies in clinical practice*, 16(1), 10–12. <https://doi.org/10.1016/j.ctcp.2009.06.015>
- Ahmadraji, F., & Shatalebi, M. A. (2015). Evaluation of the clinical efficacy and safety of an eye counter pad containing caffeine and vitamin K in emulsified Emu oil base. *Advanced biomedical research*, 4, 10. <https://doi.org/10.4103/2277-9175.148292>
- Aissaoui, A., Zizi, S., Israili, Z. H., & Lyoussi, B. (2011). Hypoglycemic and hypolipidemic effects of *Coriandrum sativum* L. in Meriones shawi rats. *Journal of ethnopharmacology*, 137(1), 652–661. <https://doi.org/10.1016/j.jep.2011.06.019>
- Akbik, D., Ghadiri, M., Chrzanowski, W., & Rohanizadeh, R. (2014). Curcumin as a wound healing agent. *Life sciences*, 116(1), 1–7. <https://doi.org/10.1016/j.lfs.2014.08.016>
- Al-Niaimi, F., & Chiang, N. (2017). Topical Vitamin C and the Skin: Mechanisms of Action and Clinical Applications. *The Journal of clinical and aesthetic dermatology*, 10(7), 14–17.
- Al-Obaidi, J. R., Halabi, M. F., AlKhalifah, N. S., Asanar, S., Al-Soqeer, A. A., & Attia, M. F. (2017). A review on plant importance, biotechnological aspects, and cultivation challenges of jojoba plant. *Biological research*, 50(1), 25. <https://doi.org/10.1186/s40659-017-0131-x>
- Alam, F., Islam, M. A., Gan, S. H., & Khalil, M. I. (2014). Honey: a potential therapeutic agent for managing diabetic wounds. *Evidence-based complementary and alternative medicine* 2014. <https://doi.org/10.1155/2014/169130>
- Alangari, A. A., Morris, K., Lwaleed, B. A., Lau, L., Jones, K., Cooper, R., & Jenkins, R. (2017). Honey is potentially effective in the treatment of atopic dermatitis: Clinical and mechanistic studies. *Immunity, inflammation and disease*, 5(2), 190–199. <https://doi.org/10.1002/iid3.153>
- Algier-Zielińska, B., Mucha, P., & Rotsztejn, H. (2019). Lactic and lactobionic acids as typically moisturizing compounds. *International journal of dermatology*, 58(3), 374–379. <https://doi.org/10.1111/ijd.14202>
- Alhashim, M., & Lombardo, J. (2018). Mechanism of Action of Topical Garlic on Wound Healing. *Dermatologic surgery: official publication for American Society for Dermatologic Surgery*, 44(5), 630–634. <https://doi.org/10.1097/DSS.0000000000001382>

Alhashim, M., & Lombardo, J. (2020). Effect of Topical Garlic on Wound Healing and Scarring: A Clinical Trial. *Dermatologic surgery : official publication for American Society for Dermatologic Surgery*, 46(5), 618–627.  
<https://doi.org/10.1097/DSS.0000000000002123>

Alzohairy M. A. (2016). Therapeutics Role of Azadirachta indica (Neem) and Their Active Constituents in Diseases Prevention and Treatment. *Evidence-based complementary and alternative medicine : eCAM*, 2016, 7382506.  
<https://doi.org/10.1155/2016/7382506>

Andersen C. J. (2015). Bioactive Egg Components and Inflammation. *Nutrients*, 7(9), 7889–7913. <https://doi.org/10.3390/nu7095372>

Angelo, G. (2012). *Essential Fatty Acids and Skin Health | Linus Pauling*. Oregon State University. <https://lpi.oregonstate.edu/mic/health-disease/skin-health/essential-fatty-acids>.

Ankri, S., & Mirelman, D. (1999). Antimicrobial properties of allicin from garlic. *Microbes and Infection*, 1(2), 125–129. [https://doi.org/10.1016/s1286-4579\(99\)80003-3](https://doi.org/10.1016/s1286-4579(99)80003-3)

Aprotoisoiae, A. C., Costache, I. I., & Miron, A. (2016). Anethole and Its Role in Chronic Diseases. *Advances in experimental medicine and biology*, 929, 247–267.  
[https://doi.org/10.1007/978-3-319-41342-6\\_11](https://doi.org/10.1007/978-3-319-41342-6_11)

Atmanto, D. (2019). Effectiveness of utilizing VCO oil and castor oil on natural creams for dry skin treatment due to environmental factors. *Journal of Physics: Conference Series*, 1402, 022093. <https://doi.org/10.1088/1742-6596/1402/2/022093>

Badgujar, S. B., Patel, V. V., & Bandivdekar, A. H. (2014). *Foeniculum vulgare Mill: a review of its botany, phytochemistry, pharmacology, contemporary application, and toxicology*. BioMed research international, 2014, 842674.  
<https://doi.org/10.1155/2014/842674>

Bainbridge P. (2013). Wound healing and the role of fibroblasts. *Journal of wound care*, 22(8), 407–412. <https://doi.org/10.12968/jowc.2013.22.8.407>

Bertuccelli, G., Zerbinati, N., Marcellino, M., Nanda Kumar, N. S., He, F., Tsepakolenko, V., Cervi, J., Lorenzetti, A., & Marotta, F. (2016). Effect of a quality-controlled fermented nutraceutical on skin aging markers: An antioxidant-control, double-blind study. *Experimental and therapeutic medicine*, 11(3), 909–916.  
<https://doi.org/10.3892/etm.2016.3011>

Bettaieb, I., Bourgou, S., Wannes, W. A., Hamrouni, I., Limam, F., & Marzouk, B. (2010). Essential oils, phenolics, and antioxidant activities of different parts of cumin (*Cuminum cyminum L.*). *Journal of agricultural and food chemistry*, 58(19), 10410–10418. <https://doi.org/10.1021/jf102248j>

Bhagavathula, N., Warner, R. L., DaSilva, M., McClintock, S. D., Barron, A., Aslam, M. N., Johnson, K. J., & Varani, J. (2009). A combination of curcumin and ginger extract improves abrasion wound healing in corticosteroid-impaired hairless rat skin. *Wound repair and regeneration: official publication of the Wound Healing Society and the European Tissue Repair Society*, 17(3), 360–366. <https://doi.org/10.1111/j.1524-475X.2009.00483.x>

Bi, X., Lim, J., & Henry, C. J. (2017). Spices in the management of diabetes mellitus. *Food chemistry*, 217, 281–293. <https://doi.org/10.1016/j.foodchem.2016.08.111>

Boddu, S. H., Alsaab, H., Umar, S., Bonam, S. P., Gupta, H., & Ahmed, S. (2015). Anti-inflammatory effects of a novel ricinoleic acid poloxamer gel system for transdermal delivery. *International journal of pharmaceutics*, 479(1), 207–211. <https://doi.org/10.1016/j.ijpharm.2014.12.051>

Bordoni, A., Danesi, F., Dardevet, D., Dupont, D., Fernandez, A. S., Gille, D., Nunes Dos Santos, C., Pinto, P., Re, R., Rémond, D., Shahar, D. R., & Vergères, G. (2017). Dairy products and inflammation: A review of the clinical evidence. *Critical reviews in food science and nutrition*, 57(12), 2497–2525. <https://doi.org/10.1080/10408398.2014.967385>

Borkow G. (2014). Using Copper to Improve the Well-Being of the Skin. *Current chemical biology*, 8(2), 89–102. <https://doi.org/10.2174/2212796809666150227223857>

Boskabady, M. H., Shafei, M. N., Saberi, Z., & Amini, S. (2011). Pharmacological effects of rosa damascena. *Iranian journal of basic medical sciences*, 14(4), 295–307.

Bowe, W. P., & Logan, A. C. (2011). Acne vulgaris, probiotics and the gut-brain-skin axis - back to the future?. *Gut pathogens*, 3(1), 1. <https://doi.org/10.1186/1757-4749-3-1>

Brandt S. (2013). The clinical effects of zinc as a topical or oral agent on the clinical response and pathophysiologic mechanisms of acne: a systematic review of the literature. *Journal of drugs in dermatology : JDD*, 12(5), 542–545.

Bukhari, S. B., Iqbal, S., & Bhanger, M. I. (2009). Antioxidant potential of commercially available cumin (*Cuminum cyminum* linn) in Pakistan. *International Journal of Food Sciences and Nutrition*, 60(3), 240–247. <https://doi.org/10.1080/09637480701695583>

Burlando, B., & Cornara, L. (2013). Honey in dermatology and skin care: a review. *Journal of cosmetic dermatology*, 12(4), 306–313. <https://doi.org/10.1111/jocd.12058>

Chatterton, D. E., Nguyen, D. N., Bering, S. B., & Sangild, P. T. (2013). Anti-inflammatory mechanisms of bioactive milk proteins in the intestine of newborns. *The International Journal of Biochemistry & Cell Biology*, 45(8), 1730–1747. <https://doi.org/10.1016/j.biocel.2013.04.028>

Chen, W., Vermaak, I., & Viljoen, A. (2013). Camphor--a fumigant during the Black Death and a coveted fragrant wood in ancient Egypt and Babylon--a review. *Molecules* (Basel, Switzerland), 18(5), 5434–5454. <https://doi.org/10.3390/molecules18055434>

Cho, Y., Kim, K. H., Shim, J. S., & Hwang, J. K. (2008). Inhibitory Effects of Macelignan Isolated from Myristica fragrans HOUTT. on Melanin Biosynthesis. *Biological and Pharmaceutical Bulletin*, 31(5), 986–989. <https://doi.org/10.1248/bpb.31.986>

Chularojanamontri, L., Tuchinda, P., Kulthanon, K., & Pongparit, K. (2014). Moisturizers for Acne: What are their Constituents?. *The Journal of clinical and aesthetic dermatology*, 7(5), 36–44.

Cordain, L. (2005). Implications for the Role of Diet in Acne. *Seminars in Cutaneous Medicine and Surgery*, 24(2), 84–91. <https://doi.org/10.1016/j.sder.2005.04.002>

Cory, H., Passarelli, S., Szeto, J., Tamez, M., & Mattei, J. (2018). The Role of Polyphenols in Human Health and Food Systems: A Mini-Review. *Frontiers in nutrition*, 5, 87. <https://doi.org/10.3389/fnut.2018.00087>

Dal'Belo, S. E., Rigo Gaspar, L., & Berardo Gonçalves Maia Campos, P. M. (2006). Moisturizing effect of cosmetic formulations containing Aloe vera extract in different concentrations assessed by skin bioengineering techniques. *Skin Research and Technology*, 12(4), 241–246. <https://doi.org/10.1111/j.0909-752x.2006.00155.x>

Davis, E. C., & Callender, V. D. (2010). Postinflammatory hyperpigmentation: a review of the epidemiology, clinical features, and treatment options in skin of color. *The Journal of clinical and aesthetic dermatology*, 3(7), 20–31.

Dawid-Pać R. (2013). Medicinal plants used in treatment of inflammatory skin diseases. *Advances in Dermatology and Allergology/Postępy Dermatologii i Alergologii*, 30(3), 170. <https://doi.org/10.5114/pdia.2013.35620>

Dayal, S., Amrani, A., Sahu, P., & Jain, V. K. (2017). Jessner's solution vs. 30% salicylic acid peels: a comparative study of the efficacy and safety in mild-to-moderate acne vulgaris. *Journal of cosmetic dermatology*, 16(1), 43–51. <https://doi.org/10.1111/jocd.12266>

de Cássia da Silveira E Sá, R., Lima, T. C., da Nóbrega, F. R., de Brito, A., & de Sousa, D. P. (2017). Analgesic-Like Activity of Essential Oil Constituents: An Update. *International journal of molecular sciences*, 18(12), 2392. <https://doi.org/10.3390/ijms18122392>

De Dormael, R., Bastien, P., Sextius, P., Gueniche, A., Ye, D., Tran, C., Chevalier, V., Gomes, C., Souverain, L., & Tricaud, C. (2019). Vitamin C Prevents Ultraviolet-induced Pigmentation in Healthy Volunteers: Bayesian Meta-analysis Results from 31 Randomized Controlled versus Vehicle Clinical Studies. *The Journal of clinical and aesthetic dermatology*, 12(2), E53–E59.

de Oliveira, A. P., Franco, E., Rodrigues Barreto, R., Cordeiro, D. P., de Melo, R. G., de Aquino, C. M., E Silva, A. A., de Medeiros, P. L., da Silva, T. G., Góes, A. J., & Maia, M. B. (2013). Effect of semisolid formulation of *persea americana* mill (avocado) oil on wound healing in rats. *Evidence-based complementary and alternative medicine : eCAM*, 2013, 472382. <https://doi.org/10.1155/2013/472382>

Djakaria, S. A., Batubara, I., & Raffiudin, R. (2020). Antioxidant and Antibacterial Activity of Selected Indonesian Honey against Bacteria of Acne. *Jurnal Kimia Sains Dan Aplikasi*, 23(8), 267–275. <https://doi.org/10.14710/jksa.23.8.267-275>

Eidi, M., Eidi, A., Saeidi, A., Molanaei, S., Sadeghipour, A., Bahar, M., & Bahar, K. (2009). Effect of coriander seed (*Coriandrum sativum L.*) ethanol extract on insulin release from pancreatic beta cells in streptozotocin-induced diabetic rats. *Phytotherapy Research*, 23(3), 404–406. <https://doi.org/10.1002/ptr.2642>

El-akawi, Z., Abdel-Latif, N., & Abdul-Razzak, K. (2006). Does the plasma level of vitamins A and E affect acne condition? *Clinical and Experimental Dermatology*, 31(3), 430–434. <https://doi.org/10.1111/j.1365-2230.2006.02106.x>

Ellinger, S., & Stehle, P. (2009). Efficacy of vitamin supplementation in situations with wound healing disorders: results from clinical intervention studies. Current opinion in clinical nutrition and metabolic care, 12(6), 588–595. <https://doi.org/10.1097/MCO.0b013e328331a5b5>

Ferzli, G., Patel, M., Phrsai, N., & Brody, N. (2013). Reduction of facial redness with resveratrol added to topical product containing green tea polyphenols and caffeine. *Journal of drugs in dermatology : JDD*, 12(7), 770–774.

Fowler, J. F., Nebus, J., Wallo, W., & Eichenfield, L. F. (2012). Colloidal oatmeal formulations as adjunct treatments in atopic dermatitis. *Journal of drugs in dermatology*, 11(7), 804–807.

Fox, L. T., du Plessis, J., Gerber, M., van Zyl, S., Boneschans, B., & Hamman, J. H. (2014). In Vivo skin hydration and anti-erythema effects of *Aloe vera*, *Aloe ferox* and *Aloe marlothii* gel materials after single and multiple applications. *Pharmacognosy magazine*, 10(Suppl 2), S392–S403. <https://doi.org/10.4103/0973-1296.133291>

Fu, J., Huang, J., Lin, M., Xie, T., & You, T. (2020). Quercetin Promotes Diabetic Wound Healing via Switching Macrophages From M1 to M2 Polarization. *The Journal of surgical research*, 246, 213–223. <https://doi.org/10.1016/j.jss.2019.09.011>

Gajowik, A., & Dobrzynska, M. M. (2014). Lycopene-antioxidant with radioprotective and anticancer properties. A review. *Roczniki Państwowego Zakładu Higieny*, 65(4).

Gupta, M., Mahajan, V. K., Mehta, K. S., & Chauhan, P. S. (2014). Zinc Therapy in Dermatology: A Review. *Dermatology Research and Practice*, 2014, 1–11. <https://doi.org/10.1155/2014/709152>

Hajheydari, Z., Saeedi, M., Morteza-Semnani, K., & Soltani, A. (2014). Effect of *Aloe vera* topical gel combined with tretinoin in treatment of mild and moderate acne vulgaris: a randomized, double-blind, prospective trial. *The Journal of dermatological treatment*, 25(2), 123–129. <https://doi.org/10.3109/09546634.2013.768328>

- Hakozaki, T., Minwalla, L., Zhuang, J., Chhoa, M., Matsubara, A., Miyamoto, K., ... & Boissy, R. E. (2002). The effect of niacinamide on reducing cutaneous pigmentation and suppression of melanosome transfer. *British Journal of Dermatology*, 147(1), 20-31.
- Handog, E. B., Datuin, M. S., & Singzon, I. A. (2012). Chemical peels for acne and acne scars in asians: evidence based review. *Journal of cutaneous and aesthetic surgery*, 5(4), 239–246. <https://doi.org/10.4103/0974-2077.104911>
- Hashemi, S. A., Madani, S. A., & Abediankenari, S. (2015). The Review on Properties of Aloe Vera in Healing of Cutaneous Wounds. *BioMed research international*, 2015, 714216. <https://doi.org/10.1155/2015/714216>
- Hekmatpou, D., Mehrabi, F., Rahzani, K., & Aminiyan, A. (2019). The Effect of Aloe Vera Clinical Trials on Prevention and Healing of Skin Wound: A Systematic Review. *Iranian journal of medical sciences*, 44(1), 1–9.
- Hewlings, S. J., & Kalman, D. S. (2017). Curcumin: A Review of Its Effects on Human Health. *Foods* (Basel, Switzerland), 6(10), 92. <https://doi.org/10.3390/foods6100092>
- Hollinger, J. C., Angra, K., & Halder, R. M. (2018). Are Natural Ingredients Effective in the Management of Hyperpigmentation? A Systematic Review. *The Journal of clinical and aesthetic dermatology*, 11(2), 28–37.
- How to treat corns and calluses.* (2021). American Academy of Dermatology Association. <https://www.aad.org/public/everyday-care/injured-skin/burns/treat-corns-calluses>
- Huh, C. H., Seo, K. I., Park, J. Y., Lim, J. G., Eun, H. C., & Park, K. C. (2003). A Randomized, Double-Blind, Placebo-Controlled Trial of Vitamin C Iontophoresis in Melasma. *Dermatology*, 206(4), 316–320. <https://doi.org/10.1159/000069943>
- Ilnytska, O., Kaur, S., Chon, S., Reynertson, K. A., Nebus, J., Garay, M., Mahmood, K., & Southall, M. D. (2016). Colloidal Oatmeal (*Avena Sativa*) Improves Skin Barrier Through Multi-Therapy Activity. *Journal of drugs in dermatology*, 15(6), 684–690.
- Intahphuak, S., Khonsung, P., & Panthong, A. (2009). Anti-inflammatory, analgesic, and antipyretic activities of virgin coconut oil. *Pharmaceutical Biology*, 48(2), 151–157. <https://doi.org/10.3109/13880200903062614>
- Jadhav, S., Jaykar, R., Makam, S., & Patankar, S. (2015). Study of management of superficial burn wounds (up to 30%), using camphor and coconut oil, in 2000 patients. *International Journal of Recent Trends in Science and Technology*, 14(2).
- Jae-kwan, H., Yu-mi, C., Hoi, K. G., Hwan, K. J., Ji, L. H., & In, O. H. (2008). Novel use of lignan-type compounds or extract of nutmeg or aril of nutmeg comprising the same. *World Intellectual Property Organization*.
- Jafari, S., Sattari, R., & Ghavamzadeh, S. (2016). Evaluation the effect of 50 and 100 mg doses of Cuminum cyminum essential oil on glycemic indices, insulin resistance and serum inflammatory factors on patients with diabetes type II: A double-blind

randomized placebo-controlled clinical trial. *Journal of traditional and complementary medicine*, 7(3), 332–338. <https://doi.org/10.1016/j.jtcme.2016.08.004>

Jinjarak, S., Olabi, A., Jiménez-Flores, R., Sodini, I., & Walker, J. H. (2006). Sensory Evaluation of Whey and Sweet Cream Buttermilk. *Journal of Dairy Science*, 89(7), 2441–2450. [https://doi.org/10.3168/jds.s0022-0302\(06\)72317-7](https://doi.org/10.3168/jds.s0022-0302(06)72317-7)

Julianti, E., Rajah, K. K., & Fidrianny, I. (2017). Antibacterial Activity of Ethanolic Extract of Cinnamon Bark, Honey, and Their Combination Effects against Acne-Causing Bacteria. *Scientia pharmaceutica*, 85(2), 19. <https://doi.org/10.3390/scipharm85020019>

Jull, A. B., Cullum, N., Dumville, J. C., Westby, M. J., Deshpande, S., & Walker, N. (2015). Honey as a topical treatment for wounds. *Cochrane Database of Systematic Reviews*, 1–10. <https://doi.org/10.1002/14651858.cd005083.pub4>

Kabara, J. J., Swieczkowski, D. M., Conley, A. J., & Truant, J. P. (1972). Fatty acids and derivatives as antimicrobial agents. *Antimicrobial agents and chemotherapy*, 2(1), 23–28. <https://doi.org/10.1128/aac.2.1.23>

Kapoor, S., & Saraf, S. (2010). Assessment of viscoelasticity and hydration effect of herbal moisturizers using bioengineering techniques. *Pharmacognosy magazine*, 6(24), 298–304. <https://doi.org/10.4103/0973-1296.71797>

Katiyar S. K. (2011). Green tea prevents non-melanoma skin cancer by enhancing DNA repair. *Archives of biochemistry and biophysics*, 508(2), 152–158. <https://doi.org/10.1016/j.abb.2010.11.015>

Keen, M. A., & Hassan, I. (2016). Vitamin E in dermatology. *Indian dermatology online journal*, 7(4), 311–315. <https://doi.org/10.4103/2229-5178.185494>

Khiljee, S., Rehman, N., Khiljee, T., Loebenberg, R., & Ahmad, R. S. (2015). Formulation and clinical evaluation of topical dosage forms of Indian Penny Wort, walnut and turmeric in eczema. *Pakistan journal of pharmaceutical sciences*, 28(6), 2001–2007.

Kim, B., Lee, J. Y., Lee, H. Y., Nam, K. Y., Park, J., Lee, S. M., Kim, J. E., Lee, J. D., & Hwang, J. S. (2013). Hesperidin Suppresses Melanosome Transport by Blocking the Interaction of Rab27A-Melanophilin. *Biomolecules & therapeutics*, 21(5), 343–348. <https://doi.org/10.4062/biomolther.2013.032>

Kober, M. M., & Bowe, W. P. (2015). The effect of probiotics on immune regulation, acne, and photoaging. *International journal of women's dermatology*, 1(2), 85–89. <https://doi.org/10.1016/j.ijwd.2015.02.001>

Kodad, O., & Socias i Company, R. (2008). Variability of Oil Content and of Major Fatty Acid Composition in Almond (*Prunus amygdalus* Batsch) and Its Relationship with Kernel Quality. *Journal of Agricultural and Food Chemistry*, 56(11), 4096–4101. <https://doi.org/10.1021/jf8001679>

Kadu, M., Vishwasrao, S., & Singh, S. (2015). Review on natural lip balm. *International Journal of Research in Cosmetic Science*, 5(1), 1-7.

Kunnumakkara, A. B., Sailo, B. L., Banik, K., Harsha, C., Prasad, S., Gupta, S. C., Bharti, A. C., & Aggarwal, B. B. (2018). Chronic diseases, inflammation, and spices: how are they linked?. *Journal of translational medicine*, 16(1), 14. <https://doi.org/10.1186/s12967-018-1381-2>

Lalla, J. K., Nandedkar, S. Y., Paranjape, M. H., & Talreja, N. B. (2001). Clinical trials of ayurvedic formulations in the treatment of acne vulgaris. *Journal of Ethnopharmacology*, 78(1), 99–102. [https://doi.org/10.1016/s0378-8741\(01\)00323-3](https://doi.org/10.1016/s0378-8741(01)00323-3)

Lee, H. J., Lee, W. J., Chang, S. E., & Lee, G. Y. (2015). Hesperidin, A Popular Antioxidant Inhibits Melanogenesis via Erk1/2 Mediated MITF Degradation. *International journal of molecular sciences*, 16(8), 18384–18395. <https://doi.org/10.3390/ijms160818384>

Lee, J. W., Gadiraju, P., Park, J. H., Allen, M. G., & Prausnitz, M. R. (2011). Microsecond thermal ablation of skin for transdermal drug delivery. *Journal of controlled release : official journal of the Controlled Release Society*, 154(1), 58–68. <https://doi.org/10.1016/j.jconrel.2011.05.003>

Lee, K. E., Mun, S., Pyun, H. B., Kim, M. S., & Hwang, J. K. (2012). Effects of macelignan isolated from Myristica fragrans (Nutmeg) on expression of matrix metalloproteinase-1 and type I procollagen in UVB-irradiated human skin fibroblasts. *Biological & pharmaceutical bulletin*, 35(10), 1669–1675. <https://doi.org/10.1248/bpb.b12-00037>

Lee, M. H., Nam, T. G., Lee, I., Shin, E. J., Han, A. R., Lee, P., Lee, S. Y., & Lim, T. G. (2018). Skin anti-inflammatory activity of rose petal extract (*Rosa gallica*) through reduction of MAPK signaling pathway. *Food science & nutrition*, 6(8), 2560–2567. <https://doi.org/10.1002/fsn3.870>

Lee, S. J., Seok, J., Jeong, S. Y., Park, K. Y., Li, K., & Seo, S. J. (2016). Facial Pores: Definition, Causes, and Treatment Options. *Dermatologic surgery: official publication for American Society for Dermatologic Surgery [et al.]*, 42(3), 277–285. <https://doi.org/10.1097/DSS.0000000000000657>

Lee, Y. B., Byun, E. J., & Kim, H. S. (2019). Potential Role of the Microbiome in Acne: A Comprehensive Review. *Journal of clinical medicine*, 8(7), 987. <https://doi.org/10.3390/jcm8070987>

Lim, S. K., Ha, J. M., Lee, Y. H., Lee, Y., Seo, Y. J., Kim, C. D., Lee, J. H., & Im, M. (2016). Comparison of Vitamin D Levels in Patients with and without Acne: A Case-Control Study Combined with a Randomized Controlled Trial. *PloS one*, 11(8), e0161162. <https://doi.org/10.1371/journal.pone.0161162>

Lin, T. K., Zhong, L., & Santiago, J. (2017). Anti-Inflammatory and Skin Barrier Repair Effects of Topical Application of Some Plant Oils. *International Journal of Molecular Sciences*, 19(1), 70. <https://doi.org/10.3390/ijms19010070>

Liu, C. H., & Huang, H. Y. (2013). In vitro anti-propionibacterium activity by curcumin containing vesicle system. *Chemical & pharmaceutical bulletin*, 61(4), 419–425. <https://doi.org/10.1248/cpb.c12-01043>

Liu, H., Yu, H., Xia, J., Liu, L., Liu, G. J., Sang, H., & Peinemann, F. (2020). Topical azelaic acid, salicylic acid, nicotinamide, sulphur, zinc and fruit acid (alpha-hydroxy acid) for acne. *Cochrane Database of Systematic Reviews*.  
<https://doi.org/10.1002/14651858.cd011368.pub2>

Lodish, H., Berk, A., Zipursky, S. L., Matsudaira, P., Baltimore, D., & Darnell, J. (2000). Collagen: the fibrous proteins of the matrix. *Molecular cell biology*, 4.

Lu, X., Rasco, B. A., Jabal, J. M., Aston, D. E., Lin, M., & Konkel, M. E. (2011). Investigating antibacterial effects of garlic (*Allium sativum*) concentrate and garlic-derived organosulfur compounds on *Campylobacter jejuni* by using Fourier transform infrared spectroscopy, Raman spectroscopy, and electron microscopy. *Applied and environmental microbiology*, 77(15), 5257–5269. <https://doi.org/10.1128/AEM.02845-10>

Luo, X., Zhang, H., Wei, X., Shi, M., Fan, P., Xie, W., Zhang, Y., & Xu, N. (2018). Aloin Suppresses Lipopolysaccharide-Induced Inflammatory Response and Apoptosis by Inhibiting the Activation of NF-κB. *Molecules* (Basel, Switzerland), 23(3), 517.  
<https://doi.org/10.3390/molecules23030517>

Maenthaisong, R., Chaiyakunapruk, N., Niruntraporn, S., & Kongkaew, C. (2007). The efficacy of aloe vera used for burn wound healing: A systematic review. *Burns*, 33(6), 713–718. <https://doi.org/10.1016/j.burns.2006.10.384>

Mahmood, T., Akhtar, N., Khan, B. A., Khan, H. M., & Saeed, T. (2010). Outcomes of 3% green tea emulsion on skin sebum production in male volunteers. *Bosnian journal of basic medical sciences*, 10(3), 260–264. <https://doi.org/10.17305/bjbms.2010.2697>

Man, M. Q., Yang, B., & Elias, P. M. (2019). Benefits of Hesperidin for Cutaneous Functions. *Evidence-Based Complementary and Alternative Medicine*, 2019, 1–19.  
<https://doi.org/10.1155/2019/2676307>

Mandal, M. D., & Mandal, S. (2011). Honey: its medicinal property and antibacterial activity. *Asian Pacific journal of tropical biomedicine*, 1(2), 154–160.  
[https://doi.org/10.1016/S2221-1691\(11\)60016-6](https://doi.org/10.1016/S2221-1691(11)60016-6)

McLoone, P., Oluwadun, A., Warnock, M., & Fyfe, L. (2016). Honey: A Therapeutic Agent for Disorders of the Skin. *Central Asian journal of global health*, 5(1), 241.  
<https://doi.org/10.5195/cajgh.2016.241>

Melvin, L., Elson, M. D., & Nacht, S. (1999). Treatment of Periorbital Hyperpigmentation with Topical Vitamin K/Vitamin A. *Cosmetic Dermatology*, 1–4.  
<https://sadpas.co.za/wp-content/uploads/2016/02/1999-Cosmetic-Dermatology-Vit-K-eye-Hyperpigmentation.pdf>

Menon, V. P., & Sudheer, A. R. (2007). Antioxidant and anti-inflammatory properties of curcumin. *Advances in Experimental Medicine and Biology*, 105–125.  
[https://doi.org/10.1007/978-0-387-46401-5\\_3](https://doi.org/10.1007/978-0-387-46401-5_3)

- Mieremet, A., Helder, R., Nadaban, A., Gooris, G., Boiten, W., El Ghalbzouri, A., & Bouwstra, J. A. (2019). Contribution of Palmitic Acid to Epidermal Morphogenesis and Lipid Barrier Formation in Human Skin Equivalents. *International journal of molecular sciences*, 20(23), 6069. <https://doi.org/10.3390/ijms20236069>
- Mitsuishi, T., Shimoda, T., Mitsui, Y., Kuriyama, Y., & Kawana, S. (2004). The effects of topical application of phytonadione, retinol and vitamins C and E on infraorbital dark circles and wrinkles of the lower eyelids. *Journal of Cosmetic Dermatology*, 3(2), 73–75. <https://doi.org/10.1111/j.1473-2130.2004.00070.x>
- Mnif, S., & Aifa, S. (2015). Cumin (*Cuminum cyminum* L.) from traditional uses to potential biomedical applications. *Chemistry & biodiversity*, 12(5), 733–742. <https://doi.org/10.1002/cbdv.201400305>
- Moalla Rekik, D., Ben Khedir, S., Ksouda Moalla, K., Kammoun, N. G., Rebai, T., & Sahnoun, Z. (2016). Evaluation of Wound Healing Properties of Grape Seed, Sesame, and Fenugreek Oils. *Evidence-based complementary and alternative medicine : eCAM*, 2016, 7965689. <https://doi.org/10.1155/2016/7965689>
- Moghadamtousi, S. Z., Kadir, H. A., Hassandarvish, P., Tajik, H., Abubakar, S., & Zandi, K. (2014). A review on antibacterial, antiviral, and antifungal activity of curcumin. *BioMed research international*, 2014, 186864. <https://doi.org/10.1155/2014/186864>
- Molan, P., & Rhodes, T. (2015). Honey: A Biologic Wound Dressing. *Wounds : a compendium of clinical research and practice*, 27(6), 141–151.
- Mori, H. M., Kawanami, H., Kawahata, H., & Aoki, M. (2016). Wound healing potential of lavender oil by acceleration of granulation and wound contraction through induction of TGF- $\beta$  in a rat model. *BMC complementary and alternative medicine*, 16, 144. <https://doi.org/10.1186/s12906-016-1128-7>
- Moy, R. L., & Levenson, C. (2017). Sandalwood Album Oil as a Botanical Therapeutic in Dermatology. *The Journal of clinical and aesthetic dermatology*, 10(10), 34–39.
- Moy, R. L., Levenson, C., So, J. J., & Rock, J. A. (2012). Single-center, open-label study of a proprietary topical 0.5% salicylic acid-based treatment regimen containing sandalwood oil in adolescents and adults with mild to moderate acne. *Journal of drugs in dermatology : JDD*, 11(12), 1403–1408.
- Mukherjee, P. K., Nema, N. K., Maity, N., & Sarkar, B. K. (2013). Phytochemical and therapeutic potential of cucumber. *Fitoterapia*, 84, 227–236. <https://doi.org/10.1016/j.fitote.2012.10.003>
- Nachbar, F., & Korting, H. C. (1995). The role of vitamin E in normal and damaged skin. *Journal of molecular medicine (Berlin, Germany)*, 73(1), 7–17. <https://doi.org/10.1007/BF00203614>

Nagulapalli Venkata, K. C., Swaroop, A., Bagchi, D., & Bishayee, A. (2017). A small plant with big benefits: Fenugreek (*Trigonella foenum-graecum* Linn.) for disease prevention and health promotion. *Molecular nutrition & food research*, 61(6), 10.1002/mnfr.201600950. <https://doi.org/10.1002/mnfr.201600950>

Nevin, K. G., & Rajamohan, T. (2010). Effect of topical application of virgin coconut oil on skin components and antioxidant status during dermal wound healing in young rats. *Skin pharmacology and physiology*, 23(6), 290–297. <https://doi.org/10.1159/000313516>

Ngo, H. T., Hwang, E., Seo, S. A., Park, B., Sun, Z. W., Zhang, M., Shin, Y. K., & Yi, T. H. (2017). Topical application of neem leaves prevents wrinkles formation in UVB-exposed hairless mice. *Journal of Photochemistry and Photobiology B: Biology*, 169, 161–170. <https://doi.org/10.1016/j.jphotobiol.2017.03.010>

Ohishi, T., Goto, S., Monira, P., Isemura, M., & Nakamura, Y. (2016). Anti-inflammatory Action of Green Tea. *Anti-inflammatory & anti-allergy agents in medicinal chemistry*, 15(2), 74–90. <https://doi.org/10.2174/1871523015666160915154443>

Okoh, S. O., Okoh, O. O., & Okoh, A. I. (2019). Inhibitory effects of *Azadirachta indica* secondary metabolites formulated cosmetics on some infectious pathogens and oxidative stress radicals. *BMC complementary and alternative medicine*, 19(1), 123. <https://doi.org/10.1186/s12906-019-2538-0>

Palmieri, B., Vadalà, M., & Laurino, C. (2019). Nutrition in wound healing: investigation of the molecular mechanisms, a narrative review. *Journal of wound care*, 28(10), 683–693. <https://doi.org/10.12968/jowc.2019.28.10.683>

Pandey, S., Cabot, P. J., Shaw, P. N., & Hewavitharana, A. K. (2016). Anti-inflammatory and immunomodulatory properties of *Carica papaya*. *Journal of immunotoxicology*, 13(4), 590–602. <https://doi.org/10.3109/1547691X.2016.1149528>

Pandey, S., Patel, M. K., Mishra, A., & Jha, B. (2015). Physio-Biochemical Composition and Untargeted Metabolomics of Cumin (*Cuminum cyminum* L.) Make It Promising Functional Food and Help in Mitigating Salinity Stress. *PloS one*, 10(12), e0144469. <https://doi.org/10.1371/journal.pone.0144469>

Patel, K. K., Mehta, N. J., Dhandhalia, N. C., Bhanupriy, A. K., Shastri, D. H., Shelat, P. K., & Shah, G. B. (2012). Development and Evaluation of Herbal Anti-Acne Formulation. *Research Journal of Pharmaceutical, Biological and Chemical Sciences*, 3(3), 334-339.

Patel, V. R., Dumancas, G. G., Kasi Viswanath, L. C., Maples, R., & Subong, B. J. (2016). Castor Oil: Properties, Uses, and Optimization of Processing Parameters in Commercial Production. *Lipid insights*, 9, 1–12. <https://doi.org/10.4137/LPI.S40233>

Pazyar, N., & Feily, A. (2011). Garlic in dermatology. *Dermatology reports*, 3(1), e4. <https://doi.org/10.4081/dr.2011.e4>

- Pazyar, N., Feily, A., & Kazerouni, A. (2012). Green tea in dermatology. *Skinmed*, 10(6), 352–355.
- Pazyar, N., Yaghoobi, R., Kazerouni, A., & Feily, A. (2012). Oatmeal in dermatology: a brief review. *Indian journal of dermatology, venereology and leprology*, 78(2), 142–145. <https://doi.org/10.4103/0378-6323.93629>
- Pergolizzi, J. V., Taylor, R., LeQuang, J.-A., & Raffa, R. B. (2018). The role and mechanism of action of menthol in topical analgesic products. *Journal of Clinical Pharmacy and Therapeutics*, 43(3), 313–319. <https://doi.org/10.1111/jcpt.12679>
- Piaru, S. P., Mahmud, R., Abdul Majid, A. M., & Mahmoud Nassar, Z. D. (2012). Antioxidant and antiangiogenic activities of the essential oils of Myristica fragrans and Morinda citrifolia. *Asian Pacific journal of tropical medicine*, 5(4), 294–298. [https://doi.org/10.1016/S1995-7645\(12\)60042-X](https://doi.org/10.1016/S1995-7645(12)60042-X)
- Pinnell, S. R. (2003). Cutaneous photodamage, oxidative stress, and topical antioxidant protection. *Journal of the American Academy of Dermatology*, 48(1), 1–22. <https://doi.org/10.1067/mjd.2003.16>
- Polerà, N., Badolato, M., Perri, F., Carullo, G., & Aiello, F. (2019). Quercetin and its Natural Sources in Wound Healing Management. *Current medicinal chemistry*, 26(31), 5825–5848. <https://doi.org/10.2174/0929867325666180713150626>
- Proksch E. (2018). pH in nature, humans and skin. *The Journal of dermatology*, 45(9), 1044–1052. <https://doi.org/10.1111/1346-8138.14489>
- Prus, E., & Fibach, E. (2012). The antioxidant effect of fermented papaya preparation involves iron chelation. *Journal of biological regulators and homeostatic agents*, 26(2), 203–210.
- Pundarikakshudu, K., Shah, D. H., Panchal, A. H., & Bhavsar, G. C. (2016). Anti-inflammatory activity of fenugreek (*Trigonella foenum-graecum* Linn) seed petroleum ether extract. *Indian journal of pharmacology*, 48(4), 441–444. <https://doi.org/10.4103/0253-7613.186195>
- Purnamawati, S., Indrastuti, N., Danarti, R., & Saefudin, T. (2017). The Role of Moisturizers in Addressing Various Kinds of Dermatitis: A Review. *Clinical medicine & research*, 15(3-4), 75–87. <https://doi.org/10.3121/cmr.2017.1363>
- Rao, P. V., & Gan, S. H. (2014). Cinnamon: a multifaceted medicinal plant. *Evidence-based complementary and alternative medicine: eCAM*, 2014, 642942. <https://doi.org/10.1155/2014/642942>
- Rathnavelu, V., Alitheen, N. B., Sohila, S., Kanagesan, S., & Ramesh, R. (2016). Potential role of bromelain in clinical and therapeutic applications. *Biomedical reports*, 5(3), 283–288. <https://doi.org/10.3892/br.2016.720>

Rawal, R. C., Shah, B. J., Jayaraaman, A. M., & Jaiswal, V. (2009). Clinical Evaluation of an Indian Polyherbal Topical Formulation in the Management of Eczema. *The Journal of Alternative and Complementary Medicine*, 15(6), 669–672.  
<https://doi.org/10.1089/acm.2008.0508>

Reuter, J., Jocher, A., Stump, J., Grossjohann, B., Franke, G., & Schempp, C. (2008). Investigation of the Anti-Inflammatory Potential of *Aloe vera* Gel (97.5%) in the Ultraviolet Erythema Test. *Skin Pharmacology and Physiology*, 21(2), 106–110.  
<https://doi.org/10.1159/000114871>

Ringsdorf, W. M., Jr, & Cheraskin, E. (1982). Vitamin C and human wound healing. *Oral surgery, oral medicine, and oral pathology*, 53(3), 231–236.  
[https://doi.org/10.1016/0030-4220\(82\)90295-x](https://doi.org/10.1016/0030-4220(82)90295-x)

Rostami Mogaddam, M., Safavi Ardabili, N., Maleki, N., & Soflaee, M. (2014). Correlation between the severity and type of acne lesions with serum zinc levels in patients with acne vulgaris. *BioMed research international*, 2014, 474108.  
<https://doi.org/10.1155/2014/474108>

Saeedi, M., Morteza-Semnani, K., & Ghoreishi, M. R. (2003). The treatment of atopic dermatitis with licorice gel. *Journal of Dermatological Treatment*, 14(3), 153–157.  
<https://doi.org/10.1080/09546630310014369>

Saptarini, N. M., & Herawati, I. E. (2017). Development and evaluation of anti-acne gel containing garlic (*Allium sativum*) against *Propionibacterium acnes*. *Asian Journal of Pharmaceutical and Clinical Research*, 10(8), 260.  
<https://doi.org/10.22159/ajpcr.2017.v10i8.19271>

Saric, S., Notay, M., & Sivamani, R. K. (2016). Green Tea and Other Tea Polyphenols: Effects on Sebum Production and Acne Vulgaris. *Antioxidants* (Basel, Switzerland), 6(1), 2. <https://doi.org/10.3390/antiox6010002>

Sarkar, R., Arora, P., & Garg, K. V. (2013). Cosmeceuticals for Hyperpigmentation: What is Available? *Journal of cutaneous and aesthetic surgery*, 6(1), 4–11.  
<https://doi.org/10.4103/0974-2077.110089>

Satralkar, S., & Zagade, T. B. (2018). Effectiveness of Application of Neem Paste on Face Acne among Teenagers in Selected Area of Sangli, Miraj and Kupwad Corporation. *International Journal of Science and Research*, 1(10), 1–10.

Schachner, L., Eaglstein, W., Kittles, C., & Mertz, P. (1990). Topical erythromycin and zinc therapy for acne. *Journal of the American Academy of Dermatology*, 22(2 Pt 1), 253–260. [https://doi.org/10.1016/0190-9622\(90\)70034-f](https://doi.org/10.1016/0190-9622(90)70034-f)

Shalby, A. B., Hamza, A. H., & Ahmed, H. H. (2012). New insights on the anti-inflammatory effect of some Egyptian plants against renal dysfunction induced by cyclosporine. *European review for medical and pharmacological sciences*, 16(4), 455–461.

Shan, B., Cai, Y. Z., Sun, M., & Corke, H. (2005). Antioxidant Capacity of 26 Spice Extracts and Characterization of Their Phenolic Constituents. *Journal of Agricultural and Food Chemistry*, 53(20), 7749–7759. <https://doi.org/10.1021/jf051513y>

Sharif, M. R., Alizarger, J., & Sharif, A. (2013). Evaluation of the wound healing activity of sesame oil extract in rats. *World journal of medical science*, 9(2), 74-78.

Sharma, H., Zhang, X., & Dwivedi, C. (2010). The effect of ghee (clarified butter) on serum lipid levels and microsomal lipid peroxidation. *Ayu*, 31(2), 134–140. <https://doi.org/10.4103/0974-8520.72361>

Sharma, K., Joshi, N., & Goyal, C. (2015). Critical review of Ayurvedic Varṇya herbs and their tyrosinase inhibition effect. *Ancient science of life*, 35(1), 18–25. <https://doi.org/10.4103/0257-7941.165627>

Sharma, K., Mahato, N., & Lee, Y. R. (2018). Systematic study on active compounds as antibacterial and antibiofilm agent in aging onions. *Journal of food and drug analysis*, 26(2), 518–528. <https://doi.org/10.1016/j.jfda.2017.06.009>

Shedoeva, A., Leavesley, D., Upton, Z., & Fan, C. (2019). Wound Healing and the Use of Medicinal Plants. *Evidence-based complementary and alternative medicine : eCAM*, 2019, 2684108. <https://doi.org/10.1155/2019/2684108>

Shenefelt, P. D. (2012). Herbal treatment for dermatologic disorders.

Silva, G. L., Luft, C., Lunardelli, A., Amaral, R. H., Melo, D. A., Donadio, M. V., Nunes, F. B., de Azambuja, M. S., Santana, J. C., Moraes, C. M., Mello, R. O., Cassel, E., Pereira, M. A., & de Oliveira, J. R. (2015). Antioxidant, analgesic and anti-inflammatory effects of lavender essential oil. *Anais da Academia Brasileira de Ciencias*, 87(2 Suppl), 1397–1408. <https://doi.org/10.1590/0001-3765201520150056>

Simmler, C., Pauli, G. F., & Chen, S. N. (2013). Phytochemistry and biological properties of glabridin. *Fitoterapia*, 90, 160–184. <https://doi.org/10.1016/j.fitote.2013.07.003>

Smith W. P. (1996). Epidermal and dermal effects of topical lactic acid. *Journal of the American Academy of Dermatology*, 35(3 Pt 1), 388–391. [https://doi.org/10.1016/s0190-9622\(96\)90602-7](https://doi.org/10.1016/s0190-9622(96)90602-7)

Smith, C. H., Jackson, K., Chinn, S., Angus, K., & Barker, J. N. (2000). A double blind, randomized, controlled clinical trial to assess the efficacy of a new coal tar preparation (Exorex) in the treatment of chronic, plaque type psoriasis. *Clinical and Experimental Dermatology*, 25(8), 580–583. <https://doi.org/10.1046/j.1365-2230.2000.00710.x>

Smith, R., Mann, N., Mäkeläinen, H., Roper, J., Braue, A., & Varigos, G. (2008). A pilot study to determine the short-term effects of a low glycemic load diet on hormonal markers of acne: A nonrandomized, parallel, controlled feeding trial. *Molecular Nutrition & Food Research*, 52(6), 718–726. <https://doi.org/10.1002/mnfr.200700307>

Spada, F., Barnes, T. M., & Greive, K. A. (2018). Skin hydration is significantly increased by a cream formulated to mimic the skin's own natural moisturizing systems. *Clinical, cosmetic and investigational dermatology*, 11, 491–497.  
<https://doi.org/10.2147/CCID.S177697>

Srinivasan, K. (2005). Plant foods in the management of diabetes mellitus: Spices as beneficial antidiabetic food adjuncts. *International Journal of Food Sciences and Nutrition*, 56(6), 399–414. <https://doi.org/10.1080/09637480500512872>

Stremnitzer, C., Manzano-Szalai, K., Willensdorfer, A., Starkl, P., Pieper, M., König, P., Mildner, M., Tschachler, E., Reichart, U., & Jensen-Jarolim, E. (2015). Papain Degrades Tight Junction Proteins of Human Keratinocytes In Vitro and Sensitizes C57BL/6 Mice via the Skin Independent of its Enzymatic Activity or TLR4 Activation. *The Journal of investigative dermatology*, 135(7), 1790–1800.  
<https://doi.org/10.1038/jid.2015.58>

Subapriya, R., & Nagini, S. (2005). Medicinal Properties of Neem Leaves: A Review. *Current Medicinal Chemistry-Anti-Cancer Agents*, 5(2), 149–156.  
<https://doi.org/10.2174/1568011053174828>

Subrahmanyam M. (2007). Topical application of honey for burn wound treatment - an overview. *Annals of burns and fire disasters*, 20(3), 137–139.

Sugawara, T., Kikuchi, K., Tagami, H., Aiba, S., & Sakai, S. (2012). Decreased lactate and potassium levels in natural moisturizing factor from the stratum corneum of mild atopic dermatitis patients are involved with the reduced hydration state. *Journal of Dermatological Science*, 66(2), 154–159.  
<https://doi.org/10.1016/j.jdermsci.2012.02.011>

Sur, R., Nigam, A., Grote, D., Liebel, F., & Southall, M. D. (2008). Avenanthramides, polyphenols from oats, exhibit anti-inflammatory and anti-itch activity. *Archives of Dermatological Research*, 300(10), 569–574. <https://doi.org/10.1007/s00403-008-0858-x>

Surjushe, A., Vasani, R., & Saple, D. G. (2008). Aloe vera: a short review. *Indian journal of dermatology*, 53(4), 163–166. <https://doi.org/10.4103/0019-5154.44785>

Takasao, N., Tsuji-Naito, K., Ishikura, S., Tamura, A., & Akagawa, M. (2012). Cinnamon extract promotes type I collagen biosynthesis via activation of IGF-I signaling in human dermal fibroblasts. *Journal of agricultural and food chemistry*, 60(5), 1193–1200. <https://doi.org/10.1021/jf2043357>

Tang, S. C., & Yang, J. H. (2018). Dual Effects of Alpha-Hydroxy Acids on the Skin. *Molecules* (Basel, Switzerland), 23(4), 863.  
<https://doi.org/10.3390/molecules23040863>

Tehrani, S., Lotfi, P., Tehrani, S., Jangholi, E., Aryan, H., & Aidun, A. (2016). Healing Effect of Sesame Ointment on Second-degree Burn Wound in Rats. *Galen Medical Journal*, 5(2), 56-62. Retrieved from  
<https://www.gmj.ir/index.php/gmj/article/view/658>

Tejada, S., Manayi, A., Daglia, M., Nabavi, S. F., Sureda, A., Hajheydari, Z., Gortzi, O., Pazoki-Toroudi, H., & Nabavi, S. M. (2016). Wound Healing Effects of Curcumin: A Short Review. *Current pharmaceutical biotechnology*, 17(11), 1002–1007. <https://doi.org/10.2174/1389201017666160721123109>

Thangapazham, R. L., Sharma, A., & Maheshwari, R. K. (2007). Beneficial role of curcumin in skin diseases. *Advances in Experimental Medicine and Biology*, 343–357. [https://doi.org/10.1007/978-0-387-46401-5\\_15](https://doi.org/10.1007/978-0-387-46401-5_15)

Thring, T. S. A., Hili, P., & Naughton, D. P. (2011). Antioxidant and potential anti-inflammatory activity of extracts and formulations of white tea, rose, and witch hazel on primary human dermal fibroblast cells. *Journal of Inflammation*, 8(1), 27. <https://doi.org/10.1186/1476-9255-8-27>

Trookman, N. S., Rizer, R. L., Ford, R., Mehta, R., & Gotz, V. (2009). Clinical assessment of a combination lip treatment to restore moisturization and fullness. *The Journal of clinical and aesthetic dermatology*, 2(12), 44–48.

Tu, C. X., Lin, M., Lu, S. S., Qi, X. Y., Zhang, R. X., & Zhang, Y. Y. (2012). Curcumin inhibits melanogenesis in human melanocytes. *Phytotherapy research: PTR*, 26(2), 174–179. <https://doi.org/10.1002/ptr.3517>

Vaghardoost, R., Mousavi Majd, S. G., Tebyanian, H., Babavalian, H., Malaei, L., Niazi, M., & Javdani, A. (2018). The Healing Effect of Sesame Oil, Camphor and Honey on Second Degree Burn Wounds in Rat. *World journal of plastic surgery*, 7(1), 67–71.

Valacchi, G., Lim, Y., Belmonte, G., Miracco, C., Zanardi, I., Bocci, V., & Travagli, V. (2011). Ozonated sesame oil enhances cutaneous wound healing in SKH1 mice. *Wound repair and regeneration: official publication of the Wound Healing Society [and] the European Tissue Repair Society*, 19(1), 107–115. <https://doi.org/10.1111/j.1524-475X.2010.00649.x>

Van Aller, G. S., Carson, J. D., Tang, W., Peng, H., Zhao, L., Copeland, R. A., Tummino, P. J., & Luo, L. (2011). Epigallocatechin gallate (EGCG), a major component of green tea, is a dual phosphoinositide-3-kinase/mTOR inhibitor. *Biochemical and biophysical research communications*, 406(2), 194–199. <https://doi.org/10.1016/j.bbrc.2011.02.010>

Vaughn, A. R., Branum, A., & Sivamani, R. K. (2016). Effects of Turmeric (*Curcuma longa*) on Skin Health: A Systematic Review of the Clinical Evidence. *Phytotherapy research : PTR*, 30(8), 1243–1264. <https://doi.org/10.1002/ptr.5640>

Vaughn, A. R., Clark, A. K., Sivamani, R. K., & Shi, V. Y. (2018). Natural Oils for Skin-Barrier Repair: Ancient Compounds Now Backed by Modern Science. *American journal of clinical dermatology*, 19(1), 103–117. <https://doi.org/10.1007/s40257-017-0301-1>

Vázquez, B., Avila, G., Segura, D., & Escalante, B. (1996). Antiinflammatory activity of extracts from Aloe vera gel. *Journal of ethnopharmacology*, 55(1), 69–75. [https://doi.org/10.1016/s0378-8741\(96\)01476-6](https://doi.org/10.1016/s0378-8741(96)01476-6)

- Verallo-Rowell, V., Dillague, K. M., & Syah-Tjundawan, B. S. (2008). Novel antibacterial and emollient effects of coconut and virgin olive oils in adult atopic dermatitis. *Dermatitis : Contact, Atopic, Occupational, Drug*, 19(6), 308–315. <https://pubmed.ncbi.nlm.nih.gov/19134433/>
- Vijaya, K. K., & Nishteswar, K. (2012). Wound healing activity of honey: A pilot study. *Ayu*, 33(3), 374–377. <https://doi.org/10.4103/0974-8520.108827>
- Vijayan, V., Aafreen, S., Sakthivel, S., & Reddy, K. R. (2013). Formulation and characterization of solid lipid nanoparticles loaded Neem oil for topical treatment of acne. *Journal of Acute Disease*, 2(4), 282–286. [https://doi.org/10.1016/s2221-6189\(13\)60144-4](https://doi.org/10.1016/s2221-6189(13)60144-4)
- Visuthikosol, V., Chowchuen, B., Sukwanarat, Y., Sriurairatana, S., & Boonpucknavig, V. (1995). Effect of aloe vera gel to healing of burn wound a clinical and histologic study. *Journal of the Medical Association of Thailand = Chotmaihet thangphaet*, 78(8), 403–409.
- Vollono, L., Falconi, M., Gaziano, R., Iacovelli, F., Dika, E., Terracciano, C., Bianchi, L., & Campione, E. (2019). Potential of Curcumin in Skin Disorders. *Nutrients*, 11(9), 2169. <https://doi.org/10.3390/nu11092169>
- Wang, K., Jiang, H., Li, W., Qiang, M., Dong, T., & Li, H. (2018). Role of Vitamin C in Skin Diseases. *Frontiers in physiology*, 9, 819. <https://doi.org/10.3389/fphys.2018.00819>
- Wang, X. R., Hao, H. G., & Chu, L. (2017). Glycyrrhizin inhibits LPS-induced inflammatory mediator production in endometrial epithelial cells. *Microbial pathogenesis*, 109, 110–113. <https://doi.org/10.1016/j.micpath.2017.05.032>
- Waqas, M. K., Akhtar, N., Ahmad, M., Murtaza, G., Khan, H. M., Iqbal, M., Rasul, A., & Bhatti, N. S. (2010). Formulation and characterization of a cream containing extract of fenugreek seeds. *Acta poloniae pharmaceutica*, 67(2), 173–178.
- Wei, C. K., Zanuldin, F., Pitchai, V., Surukumaran, D., & Imran, I. B. (2020). Effectiveness of Homemade and Commercialised Egg White Mask Amongst Medical Students of Melaka Manipal Medical College – A Parallel Randomized Controlled Study. *American Journal of Food Science and Health*, 6(2), 54–66.
- Wei, J., Zhang, X., Bi, Y., Miao, R., Zhang, Z., & Su, H. (2015). Anti-Inflammatory Effects of Cumin Essential Oil by Blocking JNK, ERK, and NF-κB Signaling Pathways in LPS-Stimulated RAW 264.7 Cells. *Evidence-based complementary and alternative medicine : eCAM*, 2015, 474509. <https://doi.org/10.1155/2015/474509>
- Weinkle, A. P., Doktor, V., & Emer, J. (2015). Update on the management of rosacea. *Clinical, cosmetic and investigational dermatology*, 8, 159–177. <https://doi.org/10.2147/CCID.S58940>
- Werman, M. J., Mokady, S., Ntmni, M. E., & Neeman, I. (1991). The Effect of Various Avocado Oils on Skin Collagen Metabolism. *Connective Tissue Research*, 26(1-2), 1–10. <https://doi.org/10.3109/03008209109152159>

Woolery-Lloyd, H., Baumann, L., & Ikeno, H. (2010). Sodium L-ascorbyl-2-phosphate 5% lotion for the treatment of acne vulgaris: a randomized, double-blind, controlled trial. *Journal of cosmetic dermatology*, 9(1), 22–27. <https://doi.org/10.1111/j.1473-2165.2010.00480.x>

Yadav, S., Trivedi, N. A., & Bhatt, J. D. (2015). Antimicrobial activity of fresh garlic juice: An in vitro study. *Ayu*, 36(2), 203–207. <https://doi.org/10.4103/0974-8520.175548>

Yaghoobi, R., Kazerouni, A., & Kazerouni, O. (2013). Evidence for Clinical Use of Honey in Wound Healing as an Anti-bacterial, Anti-inflammatory Anti-oxidant and Anti-viral Agent: A Review. *Jundishapur journal of natural pharmaceutical products*, 8(3), 100–104. <https://doi.org/10.17795/jjnpp-9487>

Yang, R., Yuan, B. C., Ma, Y. S., Zhou, S., & Liu, Y. (2017). The anti-inflammatory activity of licorice, a widely used Chinese herb. *Pharmaceutical biology*, 55(1), 5–18. <https://doi.org/10.1080/13880209.2016.1225775>

Yehuda, I., Madar, Z., Leikin-Frenkel, A., & Tamir, S. (2015). Glabridin, an isoflavan from licorice root, downregulates iNOS expression and activity under high-glucose stress and inflammation. *Molecular nutrition & food research*, 59(6), 1041–1052. <https://doi.org/10.1002/mnfr.201400876>

Yeom, G., Yun, D. M., Kang, Y. W., Kwon, J. S., Kang, I. O., & Kim, S. Y. (2011). Clinical efficacy of facial masks containing yoghurt and *Opuntia humifusa* Raf. (F-YOP). *Journal of cosmetic science*, 62(5), 505–514.

Yokota, T., Nishio, H., Kubota, Y., & Mizoguchi, M. (1998). The inhibitory effect of glabridin from licorice extracts on melanogenesis and inflammation. *Pigment cell research*, 11(6), 355–361. <https://doi.org/10.1111/j.1600-0749.1998.tb00494.x>

Yoon, J. Y., Kwon, H. H., Min, S. U., Thiboutot, D. M., & Suh, D. H. (2013). Epigallocatechin-3-gallate improves acne in humans by modulating intracellular molecular targets and inhibiting *P. acnes*. *The Journal of investigative dermatology*, 133(2), 429–440. <https://doi.org/10.1038/jid.2012.292>

Yoshizaki, N., Hashizume, R., & Masaki, H. (2017). A polymethoxyflavone mixture extracted from orange peels, mainly containing nobiletin, 3,3',4',5,6,7,8-heptamethoxyflavone and tangeretin, suppresses melanogenesis through the acidification of cell organelles, including melanosomes. *Journal of dermatological science*, 88(1), 78–84. <https://doi.org/10.1016/j.jdermsci.2017.06.008>

Zhang, C. R., Dissanayake, A. A., Kevseroğlu, K., & Nair, M. G. (2015). Evaluation of coriander spice as a functional food by using in vitro bioassays. *Food chemistry*, 167, 24–29. <https://doi.org/10.1016/j.foodchem.2014.06.120>

Zolghadri, S., Bahrami, A., Hassan Khan, M. T., Munoz-Munoz, J., Garcia-Molina, F., Garcia-Canovas, F., & Saboury, A. A. (2019). A comprehensive review on tyrosinase inhibitors. *Journal of enzyme inhibition and medicinal chemistry*, 34(1), 279–309. <https://doi.org/10.1080/14756366.2018.1545767>

Zu, Y., Yu, H., Liang, L., Fu, Y., Efferth, T., Liu, X., & Wu, N. (2010). Activities of ten essential oils towards *Propionibacterium acnes* and PC-3, A-549 and MCF-7 cancer cells. *Molecules* (Basel, Switzerland), 15(5), 3200–3210.  
<https://doi.org/10.3390/molecules15053200>