

The Natural Remedy Lab

Chapter 9 Bibliography

Digestive & Urinary Remedies

- Abbasi, P., Mojalli, M., Kianmehr, M., & Zamani, S. (2019). Effect of acupressure on constipation in patients undergoing hemodialysis: A randomized double-blind controlled clinical trial. *Avicenna journal of phytomedicine*, 9(1), 84–91.
- Agah, S., Taleb, A. M., Moeini, R., Gorji, N., & Nikbakht, H. (2013). Cumin extract for symptom control in patients with irritable bowel syndrome: a case series. *Middle East journal of digestive diseases*, 5(4), 217–222.
- Allen, S. J., Martinez, E. G., Gregorio, G. V., & Dans, L. F. (2010). Probiotics for treating acute infectious diarrhoea. *Cochrane Database of Systematic Reviews*, 1–10. <https://doi.org/10.1002/14651858.cd003048.pub3>
- Altarac, S., & Papeš, D. (2013). Use of d-mannose in prophylaxis of recurrent urinary tract infections (UTIs) in women. *BJU International*, 113(1), 9–10. <https://doi.org/10.1111/bju.12492>
- Amalraj, A., & Gopi, S. (2016). Biological activities and medicinal properties of Asafoetida: A review. *Journal of traditional and complementary medicine*, 7(3), 347–359. <https://doi.org/10.1016/j.jtcme.2016.11.004>
- Arslan, G. G., & Eşer, I. (2011). An examination of the effect of castor oil packs on constipation in the elderly. *Complementary therapies in clinical practice*, 17(1), 58–62. <https://doi.org/10.1016/j.ctcp.2010.04.004>
- Attaluri, A., Donahoe, R., Valestin, J., Brown, K., & Rao, S. S. (2011). Randomised clinical trial: dried plums (prunes) vs. psyllium for constipation. *Alimentary pharmacology & therapeutics*, 33(7), 822–828. <https://doi.org/10.1111/j.1365-2036.2011.04594.x>
- Baek, H. I., Ha, K. C., Kim, H. M., Choi, E. K., Park, E. O., Park, B. H., Yang, H. J., Kim, M. J., Kang, H. J., & Chae, S. W. (2016). Randomized, double-blind, placebo-controlled trial of *Ficus carica* paste for the management of functional constipation. *Asia Pacific journal of clinical nutrition*, 25(3), 487–496. <https://doi.org/10.6133/apjcn.092015.06>
- Bar-Sela G, Cohen M, Ben-Arye E, Epelbaum R. The Medical Use of Wheatgrass: Review of the Gap Between Basic and Clinical Applications. *Mini Rev Med Chem*. 2015;15(12):1002-10. doi: 10.2174/138955751512150731112836. PMID: 26156538.
- Barr, W., & Smith, A. (2014). Acute Diarrhea in Adults. *American Family Physician*, 89(3), 180–189. <https://www.aafp.org/afp/2014/0201/p180.html#sec-4>
- Becker, B., Kuhn, U., & Hardewig-Budny, B. (2011). Double-blind, Randomized Evaluation of Clinical Efficacy and Tolerability of an Apple Pectin-Chamomile Extract in Children with Unspecific Diarrhea. *Arzneimittelforschung*, 56(06), 387–393. <https://doi.org/10.1055/s-0031-1296739>
- Ben-Arye, E., Goldin, E., Wengrower, D., Stamper, A., Kohn, R., & Berry, E. (2002). Wheat Grass Juice in the Treatment of Active Distal Ulcerative Colitis: A Randomized Double-blind Placebo-controlled Trial. *Scandinavian Journal of Gastroenterology*, 37(4), 444–449. <https://doi.org/10.1080/003655202317316088>

- Bergamin, P. A., & Kiosoglous, A. J. (2017). Non-surgical management of recurrent urinary tract infections in women. *Translational andrology and urology*, 6(Suppl 2), S142–S152. <https://doi.org/10.21037/tau.2017.06.09>
- Billing, J., & Sherman, P. W. (1998). Antimicrobial Functions of Spices: Why Some Like it Hot. *The Quarterly Review of Biology*, 73(1), 3–49. <https://www.jstor.org/stable/3036683?seq=1>
- Bisht, D. S., Menon, K., & Singhal, M. K. (2014). Comparative Antimicrobial Activity of Essential oils of *Cuminum cyminum* L. and *Foeniculum vulgare* Mill. seeds against *Salmonella typhimurium* and *Escherichia coli*. *Journal of Essential Oil Bearing Plants*, 17(4), 617–622. <https://doi.org/10.1080/0972060x.2014.956675>
- Boshtam, M., Moshtaghian, J., Naderi, G., Asgary, S., & Nayeri, H. (2011). Antioxidant effects of Citrus aurantifolia (Christm) juice and peel extract on LDL oxidation. *Journal of research in medical sciences : the official journal of Isfahan University of Medical Sciences*, 16(7), 951–955.
- Bradley, L. A., Richter, J. E., Pulliam, T. J., Haile, J. M., Scarinci, I. C., Schan, C. A., Dalton, C. B., & Salley, A. N. (1993). The relationship between stress and symptoms of gastroesophageal reflux: the influence of psychological factors. *The American journal of gastroenterology*, 88(1), 11–19.
- Chen, L. L., Shen, Y. C., Ke, C. C., Imtiyaz, Z., Chen, H. I., Chang, C. H., & Lee, M. H. (2021). Efficacy of cinnamon patch treatment for alleviating symptoms of overactive bladder: A double-blind, randomized, placebo-controlled trial. *Phytomedicine*, 80, 153380. <https://doi.org/10.1016/j.phymed.2020.153380>
- Chen, Y. H., Lin, Y. N., Chen, W. C., Hsieh, W. T., & Chen, H. Y. (2014). Treatment of stress urinary incontinence by cinnamaldehyde, the major constituent of the chinese medicinal herb ramulus cinnamomi. *Evidence-based complementary and alternative medicine: eCAM*, 2014, 280204. <https://doi.org/10.1155/2014/280204>
- Chen, Y. W., & Wang, H. H. (2014). The effectiveness of acupressure on relieving pain: a systematic review. *Pain management nursing : official journal of the American Society of Pain Management Nurses*, 15(2), 539–550. <https://doi.org/10.1016/j.pmn.2012.12.005>
- Cheong, K. B., Zhang, J. P., Huang, Y., & Zhang, Z. J. (2013). The effectiveness of acupuncture in prevention and treatment of postoperative nausea and vomiting--a systematic review and meta-analysis. *PloS one*, 8(12), e82474. <https://doi.org/10.1371/journal.pone.0082474>
- Chernyak, G. V., & Sessler, D. I. (2005). Perioperative acupuncture and related techniques. *Anesthesiology*, 102(5), 1031–1078. <https://doi.org/10.1097/00000542-200505000-00024>
- Choo, M. S., Piao, S., & Oh, S. J. (2018). The preventive effect of a free radical scavenger on oxidative stress after the relief of partial bladder outlet obstruction in a rat model. *PloS one*, 13(10), e0199800. <https://doi.org/10.1371/journal.pone.0199800>

- Chwalisz, K., & Garfield, R. (1997). Treatment of urinary incontinence with nitric oxide synthase substrates and/or nitric oxide donors.
- de Caestecker, J. (2001). ABC of the upper gastrointestinal tract: Oesophagus: Heartburn. *BMJ*, *323*(7315), 736–739. <https://doi.org/10.1136/bmj.323.7315.736>
- Domenici, L., Monti, M., Bracchi, C., Giorgini, M., Colagiovanni, V., Muzii, L., & Benedetti Panici, P. (2016). D-mannose: a promising support for acute urinary tract infections in women. A pilot study. *European review for medical and pharmacological sciences*, *20*(13), 2920–2925.
- Dundee, J. W., Chestnutt, W. N., Ghaly, R. G., & Lynas, A. G. (1986). Traditional Chinese acupuncture: a potentially useful antiemetic?. *British medical journal (Clinical research ed.)*, *293*(6547), 583–584. <https://doi.org/10.1136/bmj.293.6547.583>
- Ebrahimi-Mameghani, M., Sabour, S., Khoshbaten, M., Arefhosseini, S. R., & Saghafi-Asl, M. (2017). Total diet, individual meals, and their association with gastroesophageal reflux disease. *Health promotion perspectives*, *7*(3), 155–162. <https://doi.org/10.15171/hpp.2017.28>
- Ezzo, J., Richardson, M. A., Vickers, A., Allen, C., Dibble, S., Issell, B. F., ... Zhang, G. (2006). Acupuncture-point stimulation for chemotherapy-induced nausea or vomiting. *Cochrane Database of Systematic Reviews*. <https://doi.org/10.1002/14651858.cd002285.pub2>
- Fass, R., Naliboff, B. D., Fass, S. S., Peleg, N., Wendel, C., Malagon, I. B., & Mayer, E. A. (2008). The Effect of Auditory Stress on Perception of Intraesophageal Acid in Patients With Gastroesophageal Reflux Disease. *Gastroenterology*, *134*(3), 696–705. <https://doi.org/10.1053/j.gastro.2007.12.010>
- Freires, I., Murata, R. M., Furletti, V. F., Sartoratto, A., Alencar, S. M., Figueira, G. M., de Oliveira Rodrigues, J. A., Duarte, M. C., & Rosalen, P. L. (2014). Coriandrum sativum L. (Coriander) essential oil: antifungal activity and mode of action on *Candida* spp., and molecular targets affected in human whole-genome expression. *PloS one*, *9*(6), e99086. <https://doi.org/10.1371/journal.pone.0099086>
- Gamé, X., Rischmann, P., Arnal, J. F., & Malavaud, B. (2013). Nitric oxide pathway and female lower urinary tract. Physiological and pathophysiological role. *Progres en urologie: journal de l'Association francaise d'urologie et de la Societe francaise d'urologie*, *23*(11), 926–935. <https://doi.org/10.1016/j.purol.2013.07.005>
- Gažová, A., Valášková, S., Žufková, V., Castejon, A. M., & Kyselovič, J. (2018). Clinical study of effectiveness and safety of CELcomplex® containing Cucurbita Pepo Seed extract and Flax and Casuarina on stress urinary incontinence in women. *Journal of traditional and complementary medicine*, *9*(2), 138–142. <https://doi.org/10.1016/j.jtcme.2017.10.005>

- Ghalayani, P., Emami, H., Pakravan, F., & Nasr Isfahani, M. (2014). Comparison of triamcinolone acetonide mucoadhesive film with licorice mucoadhesive film on radiotherapy-induced oral mucositis: A randomized double-blinded clinical trial. *Asia-Pacific Journal of Clinical Oncology*, 13(2). <https://doi.org/10.1111/ajco.12295>
- Giacosa, A., Guido, D., Grassi, M., Riva, A., Morazzoni, P., Bombardelli, E., Perna, S., Faliva, M. A., & Rondanelli, M. (2015). The Effect of Ginger (*Zingiber officinalis*) and Artichoke (*Cynara cardunculus*) Extract Supplementation on Functional Dyspepsia: A Randomised, Double-Blind, and Placebo-Controlled Clinical Trial. *Evidence-based complementary and alternative medicine : eCAM*, 2015, 915087. <https://doi.org/10.1155/2015/915087>
- Giacosa, A., Morazzoni, P., Bombardelli, E., Riva, A., Bianchi Porro, G., & Rondanelli, M. (2015). Can nausea and vomiting be treated with ginger extract?. *European review for medical and pharmacological sciences*, 19(7), 1291–1296.
- Gil, M. I., Tomás-Barberán, F. A., Hess-Pierce, B., Holcroft, D. M., & Kader, A. A. (2000). Antioxidant Activity of Pomegranate Juice and Its Relationship with Phenolic Composition and Processing. *Journal of Agricultural and Food Chemistry*, 48(10), 4581–4589. <https://doi.org/10.1021/jf000404a>
- Goldenberg, J. Z., Lytvyn, L., Steurich, J., Parkin, P., Mahant, S., & Johnston, B. C. (2015). Probiotics for the prevention of pediatric antibiotic-associated diarrhea. *The Cochrane database of systematic reviews*, (12), CD004827. <https://doi.org/10.1002/14651858.CD004827.pub4>
- Grøntved, A., Brask, T., Kambskard, J., & Hentzer, E. (1988). Ginger root against seasickness. A controlled trial on the open sea. *Acta oto-laryngologica*, 105(1-2), 45–49. <https://doi.org/10.3109/00016488809119444>
- Guillon, F., & Champ, M. M.-J. (2002). Carbohydrate fractions of legumes: uses in human nutrition and potential for health. *British Journal of Nutrition*, 88(S3), 293–306. <https://doi.org/10.1079/bjn2002720>
- Haruma, K., Kinoshita, Y., Sakamoto, S., Sanada, K., Hiroi, S., & Miwa, H. (2015). Lifestyle Factors and Efficacy of Lifestyle Interventions in Gastroesophageal Reflux Disease Patients with Functional Dyspepsia: Primary Care Perspectives from the LEGEND Study. *Internal Medicine*, 54(7), 695–701. <https://doi.org/10.2169/internalmedicine.54.3056>
- Hempel, S., Newberry, S. J., Maher, A. R., Wang, Z., Miles, J. N., Shanman, R., Johnsen, B., & Shekelle, P. G. (2012). Probiotics for the prevention and treatment of antibiotic-associated diarrhea: a systematic review and meta-analysis. *JAMA*, 307(18), 1959–1969. <https://doi.org/10.1001/jama.2012.3507>
- Holloway, R. H., Lyrenas, E., Ireland, A., & Dent, J. (1997). Effect of intraduodenal fat on lower oesophageal sphincter function and gastro-oesophageal reflux. *Gut*, 40(4), 449–453. <https://doi.org/10.1136/gut.40.4.449>

- Hong, H., Kim, C. S., & Maeng, S. (2009). Effects of pumpkin seed oil and saw palmetto oil in Korean men with symptomatic benign prostatic hyperplasia. *Nutrition research and practice*, 3(4), 323–327. <https://doi.org/10.4162/nrp.2009.3.4.323>
- Hooton, T. M., Vecchio, M., Iroz, A., Tack, I., Dornic, Q., Seksek, I., & Lotan, Y. (2018). Effect of Increased Daily Water Intake in Premenopausal Women With Recurrent Urinary Tract Infections. *JAMA Internal Medicine*, 178(11), 1509. <https://doi.org/10.1001/jamainternmed.2018.4204>
- Hu, M. L., Rayner, C. K., Wu, K. L., Chuah, S. K., Tai, W. C., Chou, Y. P., Chiu, Y. C., Chiu, K. W., & Hu, T. H. (2011). Effect of ginger on gastric motility and symptoms of functional dyspepsia. *World journal of gastroenterology*, 17(1), 105–110. <https://doi.org/10.3748/wjg.v17.i1.105>
- Hunt, R., Dienemann, J., Norton, H. J., Hartley, W., Hudgens, A., Stern, T., & Divine, G. (2013). Aromatherapy as Treatment for Postoperative Nausea. *Anesthesia & Analgesia*, 117(3), 597–604. <https://doi.org/10.1213/ane.0b013e31824a0b1c>
- Iwakiri, K., Kobayashi, M., Kotoyori, M., Yamada, H., Sugiura, T., & Nakagawa, Y. (1996). Relationship between postprandial esophageal acid exposure and meal volume and fat content. *Digestive diseases and sciences*, 41(5), 926–930. <https://doi.org/10.1007/BF02091532>
- Jabeen, Q., Bashir, S., Lyoussi, B., & Gilani, A. H. (2009). Coriander fruit exhibits gut modulatory, blood pressure lowering and diuretic activities. *Journal of Ethnopharmacology*, 122(1), 123–130. <https://doi.org/10.1016/j.jep.2008.12.016>
- Jin, Z., Lee, G., Kim, S., Park, C. S., Park, Y. S., & Jin, Y. H. (2014). Ginger and its pungent constituents non-competitively inhibit serotonin currents on visceral afferent neurons. *The Korean journal of physiology & pharmacology: official journal of the Korean Physiological Society and the Korean Society of Pharmacology*, 18(2), 149–153. <https://doi.org/10.4196/kjpp.2014.18.2.149>
- Johri R. K. (2011). *Cuminum cyminum* and *Carum carvi*: An update. *Pharmacognosy reviews*, 5(9), 63–72. <https://doi.org/10.4103/0973-7847.79101>
- Jood, S., Mehta, U., Singh, R., & Bhat, C. M. (1985). Effect of processing on flatus-producing factors in legumes. *Journal of Agricultural and Food Chemistry*, 33(2), 268–271. <https://doi.org/10.1021/jf00062a028>
- Kavuri, V., Raghuram, N., Malamud, A., & Selvan, S. R. (2015). Irritable Bowel Syndrome: Yoga as Remedial Therapy. Evidence-based complementary and alternative medicine: eCAM, 2015, 398156. <https://doi.org/10.1155/2015/398156>
- Kavuri, V., Selvan, P., Malamud, A., Raghuram, N., & Selvan, S. R. (2015). Remedial yoga module remarkably improves symptoms in irritable bowel syndrome patients: A 12-week randomized controlled trial. *European Journal of Integrative Medicine*, 7(6), 595–608. <https://doi.org/10.1016/j.eujim.2015.11.001>

- Khan, I., Samson, S. E., & Grover, A. K. (2017). Antioxidant Supplements and Gastrointestinal Diseases: A Critical Appraisal. *Medical principles and practice : international journal of the Kuwait University, Health Science Centre*, 26(3), 201–217. <https://doi.org/10.1159/000468988>
- Kim, J. S., & Kim, B. W. (2019). Are Diet and Micronutrients Effective in Treating Gastroesophageal Reflux Disease Especially in Women?. *Journal of neurogastroenterology and motility*, 25(1), 1–2. <https://doi.org/10.5056/jnm18198>
- Koromyslova, A. D., White, P. A., & Hansman, G. S. (2015). Treatment of norovirus particles with citrate. *Virology*, 485, 199–204. <https://doi.org/10.1016/j.virol.2015.07.009>
- Kroeger, N., Belldegrun, A. S., & Pantuck, A. J. (2013). Pomegranate Extracts in the Management of Men's Urologic Health: Scientific Rationale and Preclinical and Clinical Data. *Evidence-Based Complementary and Alternative Medicine*, 2013, 1–9. <https://doi.org/10.1155/2013/701434>
- Krueger D. A. (2012). Composition of pomegranate juice. *Journal of AOAC International*, 95(1), 163–168. <https://doi.org/10.5740/jaoacint.11-178>
- Ku, S. H. U. N., Wey, L. S., Steinberg, M. P., Nelson, A. I., & Hymowitz, T. (1976). Extraction of oligosaccharides during cooking of whole soybeans. *Journal of Food Science*, 41(2), 361–364. <https://doi.org/10.1111/j.1365-2621.1976.tb00619.x>
- Kubo, I., Fujita, K.-ichi, Kubo, A., Nihei, K.-ichi, & Ogura, T. (2004). Antibacterial Activity of Coriander Volatile Compounds against *Salmonella choleraesuis*. *Journal of Agricultural and Food Chemistry*, 52(11), 3329–3332. <https://doi.org/10.1021/jf0354186>
- Kulkarni, S. D., Tilak, J. C., Acharya, R., Rajurkar, N. S., Devasagayam, T. P., & Reddy, A. V. (2006). Evaluation of the antioxidant activity of wheatgrass (*Triticum aestivum* L.) as a function of growth under different conditions. *Phytotherapy Research*, 20(3), 218–227. <https://doi.org/10.1002/ptr.1838>
- Kuttner, L., Chambers, C. T., Hardial, J., Israel, D. M., Jacobson, K., & Evans, K. (2006). A randomized trial of yoga for adolescents with irritable bowel syndrome. *Pain research & management*, 11(4), 217–223. <https://doi.org/10.1155/2006/731628>
- Larijani, B., Esfahani, M. M., Moghimi, M., Shams Ardakani, M. R., Keshavarz, M., Kordafshari, G., Nazem, E., Hasani Ranjbar, S., Mohammadi Kenari, H., & Zargaran, A. (2016). Prevention and Treatment of Flatulence From a Traditional Persian Medicine Perspective. *Iranian Red Crescent medical journal*, 18(4), e23664. <https://doi.org/10.5812/ircmj.23664>
- Ledeboer, M., Masclee, A. A., Batstra, M. R., Jansen, J. B., & Lamers, C. B. (1995). Effect of cholecystokinin on lower oesophageal sphincter pressure and transient lower oesophageal sphincter relaxations in humans. *Gut*, 36(1), 39–44. <https://doi.org/10.1136/gut.36.1.39>

- Lee, Y. R., & Shin, H. S. (2017). Effectiveness of Ginger Essential Oil on Postoperative Nausea and Vomiting in Abdominal Surgery Patients. *The Journal of Alternative and Complementary Medicine*, 23(3), 196–200. <https://doi.org/10.1089/acm.2015.0328>
- Lete, I., & Allué, J. (2016). The Effectiveness of Ginger in the Prevention of Nausea and Vomiting during Pregnancy and Chemotherapy. *Integrative medicine insights*, 11, 11–17. <https://doi.org/10.4137/IMI.S36273>
- Lever, E., Cole, J., Scott, S. M., Emery, P. W., & Whelan, K. (2014). Systematic review: the effect of prunes on gastrointestinal function. *Alimentary pharmacology & therapeutics*, 40(7), 750–758. <https://doi.org/10.1111/apt.12913>
- Levin, R. M., Leggett, R. E., Schuler, C., Rehfuss, A., & Hass, M. (2010). Oxidative Stress and Lower Urinary Tract Dysfunctions Primarily Found in Women. *Urological Science*, 21(1), 8–18. [https://doi.org/10.1016/s1879-5226\(10\)60003-6](https://doi.org/10.1016/s1879-5226(10)60003-6)
- Lien, H. C., Sun, W. M., Chen, Y. H., Kim, H., Hasler, W., & Owyang, C. (2003). Effects of ginger on motion sickness and gastric slow-wave dysrhythmias induced by circularvection. *American Journal of Physiology-Gastrointestinal and Liver Physiology*, 284(3). <https://doi.org/10.1152/ajpgi.00164.2002>
- Lua, P. L., & Zakaria, N. S. (2012). A brief review of current scientific evidence involving aromatherapy use for nausea and vomiting. *Journal of alternative and complementary medicine (New York, N.Y.)*, 18(6), 534–540. <https://doi.org/10.1089/acm.2010.0862>
- Lukić, M., Segec, A., Segec, I., Pinotić, L., Pinotić, K., Atalić, B., Solić, K., & Vcev, A. (2012). The impact of the vitamins A, C and E in the prevention of gastroesophageal reflux disease, Barrett's oesophagus and oesophageal adenocarcinoma. *Collegium antropologicum*, 36(3), 867–872.
- Mahmoud, Abobakr & Abd El-Baky, Rehab & Ahmed, Abo Bakr & Fadl, Gamal. (2016). Antibacterial Activity of Essential Oils and in Combination with Some Standard Antimicrobials against Different Pathogens Isolated from Some Clinical Specimens. *American Journal of Microbiological Research*. 4. 16-25.
- Mala, K. N., Thomas, J., Syam, D. S., Maliakel, B., & Krishnakumar, I. M. (2018). Safety and Efficacy of Ferula asafoetida in Functional Dyspepsia: A Randomized, Double-Blinded, Placebo-Controlled Study. *Evidence-based complementary and alternative medicine : eCAM*, 2018, 4813601. <https://doi.org/10.1155/2018/4813601>
- Mamaril, M. E., Windle, P. E., & Burkard, J. F. (2006). Prevention and Management of Postoperative Nausea and Vomiting: A Look at Complementary Techniques. *Journal of PeriAnesthesia Nursing*, 21(6), 404–410. <https://doi.org/10.1016/j.jopan.2006.09.007>
- Marx, W., Ried, K., McCarthy, A. L., Vitetta, L., Sali, A., McKavanagh, D., & Isenring, L. (2017). Ginger-Mechanism of action in chemotherapy-induced nausea and vomiting: A review. *Critical reviews in food science and nutrition*, 57(1), 141–146. <https://doi.org/10.1080/10408398.2013.865590>

- Math, M. V., Khadkikar, R. M., & Kattimani, Y. R. (2013). Honey - a nutrient with medicinal property in reflux. *The Indian journal of medical research*, 138(6), 1020–1021.
- McFarland L. V. (2014). Use of probiotics to correct dysbiosis of normal microbiota following disease or disruptive events: a systematic review. *BMJ open*, 4(8), e005047. <https://doi.org/10.1136/bmjopen-2014-005047>
- McKeon, C., Smith, C., Hardy, J., & Chang, E. (2013). Acupuncture and acupressure for chemotherapy-induced nausea and vomiting: A systematic review. *Australian Acupuncture and Chinese Medicine Association*, 8(1), 2–27.
- Miyata, Y., Matsuo, T., Mitsunari, K., Asai, A., Ohba, K., & Sakai, H. (2019). A Review of Oxidative Stress and Urinary Dysfunction Caused by Bladder Outlet Obstruction and Treatments Using Antioxidants. *Antioxidants (Basel, Switzerland)*, 8(5), 132. <https://doi.org/10.3390/antiox8050132>
- Mohammadbeigi, R., Shahgeibi, S., Soufizadeh, N., Rezaie, M., & Farhadifar, F. (2011). Comparing the effects of ginger and metoclopramide on the treatment of pregnancy nausea. *Pakistan journal of biological sciences : PJBS*, 14(16), 817–820. <https://doi.org/10.3923/pjbs.2011.817.820>
- Mowrey, D. B., & Clayson, D. E. (1982). Motion sickness, ginger, and psychophysics. *Lancet (London, England)*, 1(8273), 655–657. [https://doi.org/10.1016/s0140-6736\(82\)92205-x](https://doi.org/10.1016/s0140-6736(82)92205-x)
- Naliboff, B. D., Mayer, M., Fass, R., Fitzgerald, L. Z., Chang, L., Bolus, R., & Mayer, E. A. (2004). The effect of life stress on symptoms of heartburn. *Psychosomatic medicine*, 66(3), 426–434. <https://doi.org/10.1097/01.psy.0000124756.37520.84>
- Nam, S. Y., Park, B. J., Cho, Y. A., & Ryu, K. H. (2019). Gender-specific Effect of Micronutrient on Non-erosive Reflux Disease and Erosive Esophagitis. *Journal of neurogastroenterology and motility*, 25(1), 82–90. <https://doi.org/10.5056/jnm18114>
- Nieto, N., López-Pedrosa, J. M., Mesa, M. D., Torres, M. I., Fernández, M. I., Ríos, A., ... Gil, Á. (2000). Chronic Diarrhea Impairs Intestinal Antioxidant Defense System in Rats at Weaning. *Digestive Diseases and Sciences*, 45(10), 2044–2050. <https://doi.org/10.1023/a:1005603019800>
- Nishimura, M., Ohkawara, T., Sato, H., Takeda, H., & Nishihira, J. (2014). Pumpkin Seed Oil Extracted From Cucurbita maxima Improves Urinary Disorder in Human Overactive Bladder. *Journal of traditional and complementary medicine*, 4(1), 72–74. <https://doi.org/10.4103/2225-4110.124355>
- Nocchi, L., Daly, D. M., Chapple, C., & Grundy, D. (2014). Induction of oxidative stress causes functional alterations in mouse urothelium via a TRPM8-mediated mechanism: implications for aging. *Aging Cell*, 13(3), 540–550. <https://doi.org/10.1111/acer.12208>

- Nomiya, M., Sagawa, K., Yazaki, J., Takahashi, N., Kushida, N., Haga, N., Aikawa, K., Matsui, T., Oka, M., Fukui, T., Andersson, K. E., & Yamaguchi, O. (2012). Increased bladder activity is associated with elevated oxidative stress markers and proinflammatory cytokines in a rat model of atherosclerosis-induced chronic bladder ischemia. *Neurourology and urodynamics*, 31(1), 185–189. <https://doi.org/10.1002/nau.21191>
- Oh, H. G., Lee, H. Y., Seo, M. Y., Kang, Y. R., Kim, J. H., Park, J. W., Kim, O. J., Back, H. I., Kim, S. Y., Oh, M. R., Park, S. H., Kim, M. G., Jeon, J. Y., Hwang, M. H., Shin, S. J., & Chae, S. W. (2011). Effects of *Ficus carica* paste on constipation induced by a high-protein feed and movement restriction in beagles. *Laboratory animal research*, 27(4), 275–281. <https://doi.org/10.5625/lar.2011.27.4.275>
- Oikeh, E. I., Omoregie, E. S., Oviasogie, F. E., & Oriakhi, K. (2015). Phytochemical, antimicrobial, and antioxidant activities of different citrus juice concentrates. *Food science & nutrition*, 4(1), 103–109. <https://doi.org/10.1002/fsn3.268>
- Ozgoli, G., Goli, M., & Simbar, M. (2009). Effects of Ginger Capsules on Pregnancy, Nausea, and Vomiting. *The Journal of Alternative and Complementary Medicine*, 15(3), 243–246. <https://doi.org/10.1089/acm.2008.0406>
- Panahi, Y., Khedmat, H., Valizadegan, G., Mohtashami, R., & Sahebkar, A. (2015). Efficacy and safety of Aloe vera syrup for the treatment of gastroesophageal reflux disease: a pilot randomized positive-controlled trial. *Journal of traditional Chinese medicine = Chung i tsa chih ying wen pan*, 35(6), 632–636. [https://doi.org/10.1016/s0254-6272\(15\)30151-5](https://doi.org/10.1016/s0254-6272(15)30151-5)
- Pandey, S., Patel, M. K., Mishra, A., & Jha, B. (2015). Physio-Biochemical Composition and Untargeted Metabolomics of Cumin (*Cuminum cyminum* L.) Make It Promising Functional Food and Help in Mitigating Salinity Stress. *PloS one*, 10(12), e0144469. <https://doi.org/10.1371/journal.pone.0144469>
- Patel, S., Patel, J., Patel, M., & Sen, D. (2015). Say yes to warm for remove harm: amazing wonders of two stages of water! *EUROPEAN JOURNAL OF PHARMACEUTICAL AND MEDICAL RESEARCH*, 2(4), 444–460. https://www.ejpmr.com/home/abstract_id/220
- Pereira, R. de. (2006). Regression of gastroesophageal reflux disease symptoms using dietary supplementation with melatonin, vitamins and aminoacids: comparison with omeprazole. *Journal of Pineal Research*, 41(3), 195–200. <https://doi.org/10.1111/j.1600-079x.2006.00359.x>
- Pituch, A., Walkowiak, J., & Banaszkiwicz, A. (2013). Butyric acid in functional constipation. *Przegląd gastroenterologiczny*, 8(5), 295–298. <https://doi.org/10.5114/pg.2013.38731>
- Pongrojapaw, C., Somprasit, D., & Chanthasenanont, A. (2007). A randomized comparison of ginger and dimenhydrinate in the treatment of nausea and vomiting in pregnancy. *Journal of the Medical Association of Thailand = Chotmaihet Thangphaet*, 90(9), 1703–1709. <https://pubmed.ncbi.nlm.nih.gov/17957907/>

- Porru, D., Parmigiani, A., Tinelli, C., Barletta, D., Choussos, D., Di Franco, C., ... Rovereto, B. (2014). Oral D-mannose in recurrent urinary tract infections in women: a pilot study. *Journal of Clinical Urology*, 7(3), 208–213. <https://doi.org/10.1177/2051415813518332>
- Rabbani, G. H., Ahmed, S., Hossain, M. I., Islam, R., Marni, F., Akhtar, M., & Majid, N. (2009). Green Banana Reduces Clinical Severity of Childhood Shigellosis. *Pediatric Infectious Disease Journal*, 28(5), 420–425. <https://doi.org/10.1097/inf.0b013e31819510b5>
- Rabbani, G. H., Albert, M. J., Rahman, H., & Chowdhury, A. K. (1999). Short-Chain Fatty Acids Inhibit Fluid and Electrolyte Loss Induced by Cholera Toxin in Proximal Colon of Rabbit In Vivo. <https://doi.org/https://doi.org/10.1023/A:1026650624193>
- Rabbani, G. H., Larson, C. P., Islam, R., Saha, U. R., & Kabir, A. (2010). Green banana-supplemented diet in the home management of acute and prolonged diarrhoea in children: a community-based trial in rural Bangladesh. *Tropical medicine & international health : TM & IH*, 15(10), 1132–1139. <https://doi.org/10.1111/j.1365-3156.2010.02608.x>
- Rabbani, G. H., Teka, T., Saha, S. K., Zaman, B., Majid, N., Khatun, M., Fuchs, G. J. (2004). Green Banana and Pectin Improve Small Intestinal Permeability and Reduce Fluid Loss in Bangladeshi Children with Persistent Diarrhea. *Digestive Diseases and Sciences*, 49(3), 475–484. <https://doi.org/10.1023/b:ddas.0000020507.25910.cf>
- Rabbani, G. H., Teka, T., Zaman, B., Majid, N., Khatun, M., & Fuchs, G. J. (2001). Clinical studies in persistent diarrhea: Dietary management with green banana or pectin in Bangladeshi children. *Gastroenterology*, 121(3), 554–560. <https://doi.org/10.1053/gast.2001.27178>
- Ramakrishna Rao, R., Platel, K., & Srinivasan, K. (2003). In vitro influence of spices and spice-active principles on digestive enzymes of rat pancreas and small intestine. *Nahrung/Food*, 47(6), 408–412. <https://doi.org/10.1002/food.200390091>
- Rath, S., & Padhy, R. N. (2014). Monitoring in vitro antibacterial efficacy of 26 Indian spices against multidrug resistant urinary tract infecting bacteria. *Integrative medicine research*, 3(3), 133–141. <https://doi.org/10.1016/j.imr.2014.04.002>
- Rather, M. A., Dar, B. A., Sofi, S. N., Bhat, B. A., & Qurishi, M. A. (2016). Foeniculum vulgare: A comprehensive review of its traditional use, phytochemistry, pharmacology, and safety. *Arabian Journal of Chemistry*, 9, S1574–S1583. <https://doi.org/10.1016/j.arabjc.2012.04.011>
- Raveendra, K. R., Jayachandra, Srinivasa, V., Sushma, K. R., Allan, J. J., Goudar, K. S., Shivaprasad, H. N., Venkateshwarlu, K., Geetharani, P., Sushma, G., & Agarwal, A. (2012). An Extract of Glycyrrhiza glabra (GutGard) Alleviates Symptoms of Functional Dyspepsia: A Randomized, Double-Blind, Placebo-Controlled Study. *Evidence-based complementary and alternative medicine : eCAM*, 2012, 216970. <https://doi.org/10.1155/2012/216970>

- Rivière, A., Selak, M., Lantin, D., Leroy, F., & De Vuyst, L. (2016). Bifidobacteria and Butyrate-Producing Colon Bacteria: Importance and Strategies for Their Stimulation in the Human Gut. *Frontiers in microbiology*, 7, 979. <https://doi.org/10.3389/fmicb.2016.00979>
- Rodriguez-Stanley, S., Ahmed, T., Zubaidi, S., Riley, S., Akbarali, H. I., Mellow, M. H., & Miner, P. B. (2004). Calcium Carbonate Antacids Alter Esophageal Motility in Heartburn Sufferers. *Digestive Diseases and Sciences*, 49(11-12), 1862–1867. <https://doi.org/10.1007/s10620-004-9584-1>
- Roy, S. K., Akramuzzaman, S. M., Haider, R., Khatun, M., Akbar, M. S., & Eeckels, R. (1994). Persistent diarrhoea: efficacy of a rice-based diet and role of nutritional status in recovery and nutrient absorption. *The British journal of nutrition*, 71(1), 123–134. <https://doi.org/10.1079/bjn19940117>
- Savarino, E., de Bortoli, N., Zentilin, P., Martinucci, I., Bruzzone, L., Furnari, M., Marchi, S., & Savarino, V. (2012). Alginate controls heartburn in patients with erosive and nonerosive reflux disease. *World journal of gastroenterology*, 18(32), 4371–4378. <https://doi.org/10.3748/wjg.v18.i32.4371>
- Schmid, R., Schick, T., Steffen, R., Tschopp, A., & Wilk, T. (1994). Comparison of Seven Commonly Used Agents for Prophylaxis of Seasickness. *Journal of travel medicine*, 1(4), 203–206. <https://doi.org/10.1111/j.1708-8305.1994.tb00596.x>
- Schwertner, H. A., & Rios, D. C. (2007). High-performance liquid chromatographic analysis of 6-gingerol, 8-gingerol, 10-gingerol, and 6-shogaol in ginger-containing dietary supplements, spices, teas, and beverages. *Journal of Chromatography B*, 856(1–2), 41–47. <https://doi.org/10.1016/j.jchromb.2007.05.011>
- Shetty, R. S., Singhal, R. S., & Kulkarni, P. R. (1994). Antimicrobial properties of cumin. *World journal of microbiology & biotechnology*, 10(2), 232–233. <https://doi.org/10.1007/BF00360896>
- Silva, F., Ferreira, S., Queiroz, J. A., & Domingues, F. C. (2011). Coriander (*Coriandrum sativum* L.) essential oil: its antibacterial activity and mode of action evaluated by flow cytometry. *Journal of medical microbiology*, 60(Pt 10), 1479–1486. <https://doi.org/10.1099/jmm.0.034157-0>
- Stacewicz-Sapuntzakis, M., Bowen, P. E., Hussain, E. A., Damayanti-Wood, B. I., & Farnsworth, N. R. (2001). Chemical Composition and Potential Health Effects of Prunes: A Functional Food? *Critical Reviews in Food Science and Nutrition*, 41(4), 251–286. <https://doi.org/10.1080/20014091091814>
- Stott A. (2016). Examining the efficacy of stimulating the PC6 wrist acupuncture point for preventing postoperative nausea and vomiting: A Cochrane review summary. *International journal of nursing studies*, 64, 139–141. <https://doi.org/10.1016/j.ijnurstu.2016.07.004>

- Subramoniam, A., Asha, V. V., Nair, S. A., Sasidharan, S. P., Sureshkumar, P. K., Rajendran, K. N., Karunakaran, D., & Ramalingam, K. (2012). Chlorophyll revisited: anti-inflammatory activities of chlorophyll a and inhibition of expression of TNF- α gene by the same. *Inflammation*, 35(3), 959–966. <https://doi.org/10.1007/s10753-011-9399-0>
- Surdea-Blaga, T., Negrutiu, D. E., Palage, M., & Dumitrascu, D. L. (2019). Food and Gastroesophageal Reflux Disease. *Current medicinal chemistry*, 26(19), 3497–3511. <https://doi.org/10.2174/0929867324666170515123807>
- Tavakoli, H. R., Mashak, Z., Moradi, B., & Sodagari, H. R. (2015). Antimicrobial Activities of the Combined Use of Cuminum Cyminum L. Essential Oil, Nisin and Storage Temperature Against Salmonella typhimurium and Staphylococcus aureus In Vitro. *Jundishapur journal of microbiology*, 8(4), e24838. [https://doi.org/10.5812/jjm.8\(4\)2015.24838](https://doi.org/10.5812/jjm.8(4)2015.24838)
- Tomotake, H., Koga, T., Yamato, M., Kasso, A., & Ota, F. (2006). Antibacterial Activity of Citrus Fruit Juices Against Vibrio Species. *Journal of Nutritional Science and Vitaminology*, 52(2), 157–160. <https://doi.org/10.3177/jnsv.52.157>
- Tsai, Y. S., Tong, Y. C., Cheng, J. T., Lee, C. H., Yang, F. S., & Lee, H. Y. (2006). Pumpkin Seed Oil and Phytosterol-F Can Block Testosterone/Prazosin-Induced Prostate Growth in Rats. *Urologia Internationalis*, 77(3), 269–274. <https://doi.org/10.1159/000094821>
- Tunaru, S., Althoff, T. F., Nüsing, R. M., Diener, M., & Offermanns, S. (2012). Castor oil induces laxation and uterus contraction via ricinoleic acid activating prostaglandin EP3 receptors. *Proceedings of the National Academy of Sciences of the United States of America*, 109(23), 9179–9184. <https://doi.org/10.1073/pnas.1201627109>
- van Marle, J., Aarsen, P. N., Lind, A., & van Weeren-Kramer, J. (1981). Deglycyrrhizinised liquorice (DGL) and the renewal of rat stomach epithelium. *European journal of pharmacology*, 72(2-3), 219–225. [https://doi.org/10.1016/0014-2999\(81\)90276-4](https://doi.org/10.1016/0014-2999(81)90276-4)
- Vejdani, R., Shalmani, H. R., Mir-Fattahi, M., Sajed-Nia, F., Abdollahi, M., Zali, M. R., ... Amin, G. (2006). The Efficacy of an Herbal Medicine, Carmint, on the Relief of Abdominal Pain and Bloating in Patients with Irritable Bowel Syndrome: A Pilot Study. *Digestive Diseases and Sciences*, 51(8), 1501–1507. <https://doi.org/10.1007/s10620-006-9079-3>
- Wanner, J., Bail, S., Jirovetz, L., Buchbauer, G., Schmidt, E., Gochev, V., Girova, T., Atanasova, T., & Stoyanova, A. (2010). Chemical composition and antimicrobial activity of cumin oil (*Cuminum cyminum*, Apiaceae). *Natural product communications*, 5(9), 1355–1358.
- Wong, W. K., Chien, W. T., & Lee, W. M. (2015). Self-administered acupressure for treating adult psychiatric patients with constipation: a randomized controlled trial. *Chinese medicine*, 10, 32. <https://doi.org/10.1186/s13020-015-0064-7>

- Yagi, H., Sato, R., Nishio, K., Arai, G., Soh, S., & Okada, H. (2017a). Effects of a supplement combining Pycnogenol® and l-arginine aspartate on lower urinary dysfunction compared with saw palmetto extract. *Journal of Traditional and Complementary Medicine*, 7(1), 117–120. <https://doi.org/10.1016/j.jtcme.2016.05.008>
- Yanakisawa, E., & Satoh, I. (2003). Study of Effectiveness of Mixed Processed Food Containing Cucurbita Pepo Seed Extract and Soybean Seed Extract on Stress Urinary Incontinence in Women. *Japanese Journal of Medicine and Pharmaceutical Science*, 14(3), 313–322.
- Yavari Kia, P., Safajou, F., Shahnazi, M., & Nazemiyeh, H. (2014). The effect of lemon inhalation aromatherapy on nausea and vomiting of pregnancy: a double-blinded, randomized, controlled clinical trial. *Iranian Red Crescent medical journal*, 16(3), e14360. <https://doi.org/10.5812/ircmj.14360>
- Yoshida N. (2007). Inflammation and oxidative stress in gastroesophageal reflux disease. *Journal of clinical biochemistry and nutrition*, 40(1), 13–23. <https://doi.org/10.3164/jcbn.40.13>