

The Natural Remedy Lab

Chapter 7 Bibliography

Metabolic & Endocrine Remedies

- Allen, R. W., Schwartzman, E., Baker, W. L., Coleman, C. I., & Phung, O. J. (2013). Cinnamon use in type 2 diabetes: an updated systematic review and meta-analysis. *Annals of family medicine*, 11(5), 452–459. <https://doi.org/10.1370/afm.1517>
- Baba, S., Natsume, M., Yasuda, A., Nakamura, Y., Tamura, T., Osakabe, N., Kanegae, M., & Kondo, K. (2007). Plasma LDL and HDL Cholesterol and Oxidized LDL Concentrations Are Altered in Normo- and Hypercholesterolemic Humans after Intake of Different Levels of Cocoa Powder. *The Journal of Nutrition*, 137(6), 1436–1441. <https://doi.org/10.1093/jn/137.6.1436>
- Berrazaga, I., Micard, V., Gueugneau, M., & Walrand, S. (2019). The Role of the Anabolic Properties of Plant- versus Animal-Based Protein Sources in Supporting Muscle Mass Maintenance: A Critical Review. *Nutrients*, 11(8), 1825. <https://doi.org/10.3390/nu11081825>
- Boschmann, M., Steiniger, J., Franke, G., Birkenfeld, A. L., Luft, F. C., & Jordan, J. (2007). Water Drinking Induces Thermogenesis through Osmosensitive Mechanisms. *The Journal of Clinical Endocrinology & Metabolism*, 92(8), 3334–3337. <https://doi.org/10.1210/jc.2006-1438>
- Boschmann, M., Steiniger, J., Hille, U., Tank, J., Adams, F., Sharma, A. M., ... Jordan, J. (2003). Water-Induced Thermogenesis. *The Journal of Clinical Endocrinology & Metabolism*, 88(12), 6015–6019. <https://doi.org/10.1210/jc.2003-030780>
- Bray, G. A., Smith, S. R., de Jonge, L., Xie, H., Rood, J., Martin, C. K., Most, M., Brock, C., Mancuso, S., & Redman, L. M. (2012). Effect of dietary protein content on weight gain, energy expenditure, and body composition during overeating: a randomized controlled trial. *JAMA*, 307(1), 47–55. <https://doi.org/10.1001/jama.2011.1918>
- Brown, C. M., Dulloo, A. G., & Montani, J. P. (2006). Water-Induced Thermogenesis Reconsidered: The Effects of Osmolality and Water Temperature on Energy Expenditure after Drinking. *The Journal of Clinical Endocrinology & Metabolism*, 91(9), 3598–3602. <https://doi.org/10.1210/jc.2006-0407>
- Chevassus, H., Gaillard, J. B., Farret, A., Costa, F., Gabillaud, I., Mas, E., Dupuy, A. M., Michel, F., Cantié, C., Renard, E., Galtier, F., & Petit, P. (2010). A fenugreek seed extract selectively reduces spontaneous fat intake in overweight subjects. *European journal of clinical pharmacology*, 66(5), 449–455. <https://doi.org/10.1007/s00228-009-0770-0>
- Chevassus, H., Molinier, N., Costa, F., Galtier, F., Renard, E., & Petit, P. (2009). A fenugreek seed extract selectively reduces spontaneous fat consumption in healthy volunteers. *European journal of clinical pharmacology*, 65(12), 1175–1178. <https://doi.org/10.1007/s00228-009-0733-5>
- Chu, P., Gotink, R. A., Yeh, G. Y., Goldie, S. J., & Hunink, M. G. M. (2014). The effectiveness of yoga in modifying risk factors for cardiovascular disease and metabolic syndrome: A systematic review and meta-analysis of randomized controlled trials. *European Journal of Preventive Cardiology*, 23(3), 291–307. <https://doi.org/10.1177/2047487314562741>

- Crozier, S. J., Preston, A. G., Hurst, J. W., Payne, M. J., Mann, J., Hainly, L., & Miller, D. L. (2011). Cacao seeds are a "Super Fruit": A comparative analysis of various fruit powders and products. *Chemistry Central Journal*, 5(1). <https://doi.org/10.1186/1752-153x-5-5>
- Daniels, M. C., & Popkin, B. M. (2010). Impact of water intake on energy intake and weight status: a systematic review. *Nutrition reviews*, 68(9), 505–521. <https://doi.org/10.1111/j.1753-4887.2010.00311.x>
- Davy, B. M., Dennis, E. A., Dengo, A. L., Wilson, K. L., & Davy, K. P. (2008). Water Consumption Reduces Energy Intake at a Breakfast Meal in Obese Older Adults. *Journal of the American Dietetic Association*, 108(7), 1236–1239. <https://doi.org/10.1016/j.jada.2008.04.013>
- Dennis, E. A., Dengo, A. L., Comber, D. L., Flack, K. D., Savla, J., Davy, K. P., & Davy, B. M. (2010). Water consumption increases weight loss during a hypocaloric diet intervention in middle-aged and older adults. *Obesity (Silver Spring, Md.)*, 18(2), 300–307. <https://doi.org/10.1038/oby.2009.235>
- DiSantis, K. I., Birch, L. L., Davey, A., Serrano, E. L., Zhang, J., Bruton, Y., & Fisher, J. O. (2013). Plate size and children's appetite: effects of larger dishware on self-served portions and intake. *Pediatrics*, 131(5), e1451–e1458. <https://doi.org/10.1542/peds.2012-2330>
- Francis, A. A., Deniset, J. F., Austria, J. A., LaValleé, R. K., Maddaford, G. G., Hedley, T. E., Dibrov, E., & Pierce, G. N. (2013). Effects of dietary flaxseed on atherosclerotic plaque regression. *American journal of physiology. Heart and circulatory physiology*, 304(12), H1743–H1751. <https://doi.org/10.1152/ajpheart.00606.2012>
- Gaddam, A., Galla, C., Thummiseti, S., Marikanty, R. K., Palanisamy, U. D., & Rao, P. V. (2015). Role of Fenugreek in the prevention of type 2 diabetes mellitus in prediabetes. *Journal of diabetes and metabolic disorders*, 14, 74. <https://doi.org/10.1186/s40200-015-0208-4>
- Ghorbani, Z., Hekmatdoost, A., & Mirmiran, P. (2014). Anti-hyperglycemic and insulin sensitizer effects of turmeric and its principal constituent curcumin. *International journal of endocrinology and metabolism*. 12(4), e18081. <https://doi.org/10.5812/ijem.18081>
- Guo, J., Lou, Y., Zhang, X., & Song, Y. (2015). Effect of aerobic exercise training on cardiometabolic risk factors among professional athletes in the heaviest-weight class. *Diabetology & metabolic syndrome*, 7, 78. <https://doi.org/10.1186/s13098-015-0071-y>
- Hadi, A., Arab, A., Hajianfar, H., Talaei, B., Miraghajani, M., Babajafari, S., Marx, W., & Tavakoly, R. (2020). The effect of fenugreek seed supplementation on serum irisin levels, blood pressure, and liver and kidney function in patients with type 2 diabetes mellitus: A parallel randomized clinical trial. *Complementary therapies in medicine*, 49, 102315. <https://doi.org/10.1016/j.ctim.2020.102315>

- Heo, M., Kim, R. S., Wylie-Rosett, J., Allison, D. B., Heymsfield, S. B., & Faith, M. S. (2011). Inverse association between fruit and vegetable intake and BMI even after controlling for demographic, socioeconomic and lifestyle factors. *Obesity facts*, 4(6), 449–455. <https://doi.org/10.1159/000335279>
- Hodaie, H., Adibian, M., Nikpayam, O., Hedayati, M., & Sohrab, G. (2019). The effect of curcumin supplementation on anthropometric indices, insulin resistance and oxidative stress in patients with type 2 diabetes: a randomized, double-blind clinical trial. *Diabetology & metabolic syndrome*, 11, 41. <https://doi.org/10.1186/s13098-019-0437-7>
- Hollands, G. J., Shemilt, I., Marteau, T. M., Jebb, S. A., Lewis, H. B., Wei, Y., Higgins, J. P., & Ogilvie, D. (2015). Portion, package or tableware size for changing selection and consumption of food, alcohol and tobacco. *The Cochrane database of systematic reviews*, 2015(9), CD011045. <https://doi.org/10.1002/14651858.CD011045.pub2>
- Hunter, G. R., Byrne, N. M., Sirikul, B., Fernández, J. R., Zuckerman, P. A., Darnell, B. E., & Gower, B. A. (2008). Resistance Training Conserves Fat-free Mass and Resting Energy Expenditure Following Weight Loss. *Obesity*, 16(5), 1045–1051. <https://doi.org/10.1038/oby.2008.38>
- Ismail, I., Keating, S. E., Baker, M. K., & Johnson, N. A. (2012). A systematic review and meta-analysis of the effect of aerobic vs. resistance exercise training on visceral fat. *Obesity reviews : an official journal of the International Association for the Study of Obesity*, 13(1), 68–91. <https://doi.org/10.1111/j.1467-789X.2011.00931.x>
- Johannsen, D. L., Knuth, N. D., Huizenga, R., Rood, J. C., Ravussin, E., & Hall, K. D. (2012). Metabolic slowing with massive weight loss despite preservation of fat-free mass. *The Journal of clinical endocrinology and metabolism*, 97(7), 2489–2496. <https://doi.org/10.1210/jc.2012-1444>
- Kassaian, N., Azadbakht, L., Forghani, B., & Amini, M. (2009). Effect of fenugreek seeds on blood glucose and lipid profiles in type 2 diabetic patients. *International journal for vitamin and nutrition research. Internationale Zeitschrift für Vitamin- und Ernährungsforschung. Journal international de vitaminologie et de nutrition*, 79(1), 34–39. <https://doi.org/10.1024/0300-9831.79.1.34>
- Khan, A., Safdar, M., Ali Khan, M. M., Khattak, K. N., & Anderson, R. A. (2003). Cinnamon Improves Glucose and Lipids of People With Type 2 Diabetes. *Diabetes Care*, 26(12), 3215–3218. <https://doi.org/10.2337/diacare.26.12.3215>
- Khandouzi, N., Shidfar, F., Rajab, A., Rahideh, T., Hosseini, P., & Mir Taheri, M. (2015). The effects of ginger on fasting blood sugar, hemoglobin a1c, apolipoprotein B, apolipoprotein a-I and malondialdehyde in type 2 diabetic patients. *Iranian journal of pharmaceutical research : IJPR*, 14(1), 131–140.
- Kirkham, S., Akilen, R., Sharma, S., & Tsiami, A. (2009). The potential of cinnamon to reduce blood glucose levels in patients with type 2 diabetes and insulin resistance. *Diabetes, obesity & metabolism*, 11(12), 1100–1113. <https://doi.org/10.1111/j.1463-1326.2009.01094.x>

- Kiss, R., Szabó, K., Gesztelyi, R., Somodi, S., Kovács, P., Szabó, Z., Németh, J., Priksz, D., Kurucz, A., Juhász, B., & Szilvássy, Z. (2018). Insulin-Sensitizer Effects of Fenugreek Seeds in Parallel with Changes in Plasma MCH Levels in Healthy Volunteers. *International journal of molecular sciences*, 19(3), 771. <https://doi.org/10.3390/ijms19030771>
- Kristensen M, Jensen MG, Aarestrup J, Petersen KE, Søndergaard L, Mikkelsen MS, Astrup A. Flaxseed dietary fibers lower cholesterol and increase fecal fat excretion, but magnitude of effect depend on food type. *Nutr Metab (Lond)*. 2012 Feb 3;9:8. doi: 10.1186/1743-7075-9-8. PMID: 22305169; PMCID: PMC3307491.
- Ledoux, T. A., Hingle, M. D., & Baranowski, T. (2011). Relationship of fruit and vegetable intake with adiposity: a systematic review. *Obesity reviews: an official journal of the International Association for the Study of Obesity*, 12(5), e143–e150. <https://doi.org/10.1111/j.1467-789X.2010.00786.x>
- Losso, J. N., Holliday, D. L., Finley, J. W., Martin, R. J., Rood, J. C., Yu, Y., & Greenway, F. L. (2009). Fenugreek bread: a treatment for diabetes mellitus. *Journal of medicinal food*, 12(5), 1046–1049. <https://doi.org/10.1089/jmf.2008.0199>
- Mahluji, S., Attari, V. E., Mobasser, M., Payahoo, L., Ostadrahimi, A., & Golzari, S. E. (2013). Effects of ginger (*Zingiber officinale*) on plasma glucose level, HbA1c and insulin sensitivity in type 2 diabetic patients. *International journal of food sciences and nutrition*, 64(6), 682–686. <https://doi.org/10.3109/09637486.2013.775223>
- Maithili Karpaga Selvi, N., Sridhar, M. G., Swaminathan, R. P., & Sripradha, R. (2015). Efficacy of Turmeric as Adjuvant Therapy in Type 2 Diabetic Patients. *Indian journal of clinical biochemistry: IJCB*, 30(2), 180–186. <https://doi.org/10.1007/s12291-014-0436-2>
- Makhdoomi Arzati, M., Mohammadzadeh Honarvar, N., Saedisomeolia, A., Anvari, S., Effatpanah, M., Makhdoomi Arzati, R., Yekaninejad, M. S., Hashemi, R., & Djalali, M. (2017). The Effects of Ginger on Fasting Blood Sugar, Hemoglobin A1c, and Lipid Profiles in Patients with Type 2 Diabetes. *International journal of endocrinology and metabolism*, 15(4), e57927. <https://doi.org/10.5812/ijem.57927>
- Mang, B., Wolters, M., Schmitt, B., Kelb, K., Lichtinghagen, R., Stichtenoth, D. O., & Hahn, A. (2006). Effects of a cinnamon extract on plasma glucose, HbA1c, and serum lipids in diabetes mellitus type 2. *European Journal of Clinical Investigation*, 36(5), 340–344. <https://doi.org/10.1111/j.1365-2362.2006.01629.x>
- Mani, U. V., Mani, I., Biswas, M., & Kumar, S. N. (2011). An open-label study on the effect of flax seed powder (*Linum usitatissimum*) supplementation in the management of diabetes mellitus. *Journal of dietary supplements*, 8(3), 257–265. <https://doi.org/10.3109/19390211.2011.593615>
- Marks, B. L., Ward, A., Morris, D. H., Castellani, J., & Rippe, J. M. (1995). Fat-free mass is maintained in women following a moderate diet and exercise program. *Medicine and science in sports and exercise*, 27(9), 1243–1251.

- Mathern, J. R., Raatz, S. K., Thomas, W., & Slavin, J. L. (2009). Effect of Fenugreek Fiber on Satiety, Blood Glucose and Insulin Response and Energy Intake in Obese Subjects. *Phytotherapy Research*, 23(11), 1543–1548. <https://doi.org/10.1002/ptr.2795>
- McClain, A. D., van den Bos, W., Matheson, D., Desai, M., McClure, S. M., & Robinson, T. N. (2014). Visual illusions and plate design: the effects of plate rim widths and rim coloring on perceived food portion size. *International journal of obesity* (2005), 38(5), 657–662. <https://doi.org/10.1038/ijo.2013.169>
- Meriga, B., Parim, B., Chunduri, V. R., Naik, R. R., Nemani, H., Suresh, P., Ganapathy, S., & Sathibabu Uddandrao, V. V. (2017). Antiobesity potential of Piperonal: promising modulation of body composition, lipid profiles and obesogenic marker expression in HFD-induced obese rats. *Nutrition & metabolism*, 14, 72. <https://doi.org/10.1186/s12986-017-0228-9>
- Mozaffari-Khosravi, H., Talaei, B., Jalali, B. A., Najarzadeh, A., & Mozayan, M. R. (2014). The effect of ginger powder supplementation on insulin resistance and glycemic indices in patients with type 2 diabetes: a randomized, double-blind, placebo-controlled trial. *Complementary therapies in medicine*, 22(1), 9–16. <https://doi.org/10.1016/j.ctim.2013.12.017>
- Muckelbauer, R., Libuda, L., Clausen, K., Toschke, A. M., Reinehr, T., & Kersting, M. (2009). Promotion and Provision of Drinking Water in Schools for Overweight Prevention: Randomized, Controlled Cluster Trial. *PEDIATRICS*, 123(4), e661–e667. <https://doi.org/10.1542/peds.2008-2186>
- Murabito, J. M., Pedley, A., Massaro, J. M., Vasan, R. S., Esliger, D., Blease, S. J., Hoffman, U., & Fox, C. S. (2015). Moderate-to-vigorous physical activity with accelerometry is associated with visceral adipose tissue in adults. *Journal of the American Heart Association*, 4(3), e001379. <https://doi.org/10.1161/JAHA.114.001379>
- Newmark, L. M. (2015, July). *Milk Nutrients Augment Muscle Growth and Recovery ... Milk Genomics*. <https://milkgenomics.org/article/milk-nutrients-augment-muscle-growth-and-recovery/>.
- Nilakanthan, S., Metri, K., Raghuram, N., & Hongasandra, N. (2016). Effect of 6 months intense Yoga practice on lipid profile, thyroxine medication and serum TSH level in women suffering from hypothyroidism: A pilot study. *Journal of complementary & integrative medicine*, 13(2), 189–193. <https://doi.org/10.1515/jcim-2014-0079>
- Nogara, L., Naber, N., Pate, E., Canton, M., Reggiani, C., & Cooke, R. (2016). Piperine's mitigation of obesity and diabetes can be explained by its up-regulation of the metabolic rate of resting muscle. *Proceedings of the National Academy of Sciences of the United States of America*, 113(46), 13009–13014. <https://doi.org/10.1073/pnas.1607536113>
- Ohkawara, K., Tanaka, S., Miyachi, M., Ishikawa-Takata, K., & Tabata, I. (2007). A dose–response relation between aerobic exercise and visceral fat reduction: systematic review of clinical trials. *International Journal of Obesity*, 31(12), 1786–1797. <https://doi.org/10.1038/sj.ijo.0803683>

- Osakabe, N., Baba, S., Yasuda, A., Iwamoto, T., Kamiyama, M., Takizawa, T., ... Kondo, K. (2001). Daily cocoa intake reduces the susceptibility of low-density lipoprotein to oxidation as demonstrated in healthy human volunteers. *Free Radical Research*, 34(1), 93–99. <https://doi.org/10.1080/10715760100300091>
- Pan, A., Malik, V. S., Hao, T., Willett, W. C., Mozaffarian, D., & Hu, F. B. (2013). Changes in water and beverage intake and long-term weight changes: results from three prospective cohort studies. *International journal of obesity* (2005), 37(10), 1378–1385. <https://doi.org/10.1038/ijo.2012.225>
- Park, U. H., Jeong, H. S., Jo, E. Y., Park, T., Yoon, S. K., Kim, E. J., Jeong, J. C., & Um, S. J. (2012). Piperine, a component of black pepper, inhibits adipogenesis by antagonizing PPAR γ activity in 3T3-L1 cells. *Journal of agricultural and food chemistry*, 60(15), 3853–3860. <https://doi.org/10.1021/jf204514a>
- Patade, A., Devareddy, L., Lucas, E. A., Korlagunta, K., Daggy, B. P., & Arjmandi, B. H. (2008). Flaxseed Reduces Total and LDL Cholesterol Concentrations in Native American Postmenopausal Women. *Journal of Women's Health*, 17(3), 355–366. <https://doi.org/10.1089/jwh.2007.0359>
- Pivari, F., Mingione, A., Brasacchio, C., & Soldati, L. (2019). Curcumin and Type 2 Diabetes Mellitus: Prevention and Treatment. *Nutrients*, 11(8), 1837. <https://doi.org/10.3390/nu11081837>
- Popkin, B. M., Barclay, D. V., & Nielsen, S. J. (2005). Water and Food Consumption Patterns of U.S. Adults from 1999 to 2001. *Obesity Research*, 13(12), 2146–2152. <https://doi.org/10.1038/oby.2005.266>
- Qin, B., Panickar, K. S., & Anderson, R. A. (2010). Cinnamon: potential role in the prevention of insulin resistance, metabolic syndrome, and type 2 diabetes. *Journal of diabetes science and technology*, 4(3), 685–693. <https://doi.org/10.1177/193229681000400324>
- Ranasinghe, P., Jayawardana, R., Galappaththy, P., Constantine, G. R., de Vas Gunawardana, N., & Katulanda, P. (2012). Efficacy and safety of 'true' cinnamon (*Cinnamomum zeylanicum*) as a pharmaceutical agent in diabetes: a systematic review and meta-analysis. *Diabetic medicine : a journal of the British Diabetic Association*, 29(12), 1480–1492. <https://doi.org/10.1111/j.1464-5491.2012.03718.x>
- Rein, D., Lotito, S., Holt, R. R., Keen, C. L., Schmitz, H. H., & Fraga, C. G. (2000). Epicatechin in Human Plasma: In Vivo Determination and Effect of Chocolate Consumption on Plasma Oxidation Status. *The Journal of Nutrition*, 130(8). <https://doi.org/10.1093/jn/130.8.2109s>
- Roberts, S. B. (2003). Glycemic index and satiety . *Nutrition in Clinical Care : an Official Publication of Tufts University*, 6(1), 20–26.
- Roberts, S. B. (2009). High-glycemic Index Foods, Hunger, and Obesity: Is There a Connection? *Nutrition Reviews*, 58(6), 163–169. <https://doi.org/10.1111/j.1753-4887.2000.tb01855.x>

- Rodriguez-Leyva, D., Dupasquier, C. M., McCullough, R., & Pierce, G. N. (2010). The cardiovascular effects of flaxseed and its omega-3 fatty acid, alpha-linolenic acid. *The Canadian journal of cardiology*, 26(9), 489–496. [https://doi.org/10.1016/s0828-282x\(10\)70455-4](https://doi.org/10.1016/s0828-282x(10)70455-4)
- Saxena, S., & Katare, C. (2014). Evaluation of flaxseed formulation as a potential therapeutic agent in mitigation of dyslipidemia. *Biomedical journal*, 37(6), 386–390. <https://doi.org/10.4103/2319-4170.126447>
- Shah, S. S., Shah, G. B., Singh, S. D., Gohil, P. V., Chauhan, K., Shah, K. A., & Chorawala, M. (2011). Effect of piperine in the regulation of obesity-induced dyslipidemia in high-fat diet rats. *Indian journal of pharmacology*, 43(3), 296–299. <https://doi.org/10.4103/0253-7613.81516>
- Shantakumari, N., Sequeira, S., & El deeb, R. (2013). Effects of a yoga intervention on lipid profiles of diabetes patients with dyslipidemia. *Indian heart journal*, 65(2), 127–131. <https://doi.org/10.1016/j.ihj.2013.02.010>
- Sharma, R. D., Raghuram, T. C., & Rao, N. S. (1990). Effect of fenugreek seeds on blood glucose and serum lipids in type I diabetes. *European journal of clinical nutrition*, 44(4), 301–306.
- Singh, P., Singh, B., Dave, R., & Udainiya, R. (2011). The impact of yoga upon female patients suffering from hypothyroidism. *Complementary therapies in clinical practice*, 17(3), 132–134. <https://doi.org/10.1016/j.ctcp.2010.11.004>
- Stookey, J. D., Constant, F., Popkin, B. M., & Gardner, C. D. (2008). Drinking Water Is Associated With Weight Loss in Overweight Dieting Women Independent of Diet and Activity. *Obesity*, 16(11), 2481–2488. <https://doi.org/10.1038/oby.2008.409>
- Vafa, M., Mohammadi, F., Shidfar, F., Sormaghi, M. S., Heidari, I., Golestan, B., & Amiri, F. (2012). Effects of cinnamon consumption on glycemic status, lipid profile and body composition in type 2 diabetic patients. *International journal of preventive medicine*, 3(8), 531–536.
- Van Walleghe, E. L., Orr, J. S., Gentile, C. L., & Davy, B. M. (2007). Pre-meal Water Consumption Reduces Meal Energy Intake in Older but Not Younger Subjects*. *Obesity*, 15(1), 93–99. <https://doi.org/10.1038/oby.2007.506>
- Vij, V. A., & Joshi, A. S. (2013). Effect of 'water induced thermogenesis' on body weight, body mass index and body composition of overweight subjects. *Journal of clinical and diagnostic research : JCDR*, 7(9), 1894–1896. <https://doi.org/10.7860/JCDR/2013/5862.3344>
- Vij, V. A., & Joshi, A. S. (2014). Effect of excessive water intake on body weight, body mass index, body fat, and appetite of overweight female participants. *Journal of natural science, biology, and medicine*, 5(2), 340–344. <https://doi.org/10.4103/0976-9668.136180>

- Wan, Y., Vinson, J. A., Etherton, T. D., Proch, J., Lazarus, S. A., & Kris-Etherton, P. M. (2001). Effects of cocoa powder and dark chocolate on LDL oxidative susceptibility and prostaglandin concentrations in humans. *The American Journal of Clinical Nutrition*, 74(5), 596–602. <https://doi.org/10.1093/ajcn/74.5.596>
- Wansink, B., & van Ittersum, K. (2013). Portion size me: plate-size induced consumption norms and win-win solutions for reducing food intake and waste. *Journal of experimental psychology. Applied*, 19(4), 320–332. <https://doi.org/10.1037/a0035053>
- Willis, L. H., Slentz, C. A., Bateman, L. A., Shields, A. T., Piner, L. W., Bales, C. W., Houmard, J. A., & Kraus, W. E. (2012). Effects of aerobic and/or resistance training on body mass and fat mass in overweight or obese adults. *Journal of applied physiology* (Bethesda, Md. : 1985), 113(12), 1831–1837. <https://doi.org/10.1152/jappphysiol.01370.2011>
- Yilmaz, Z., Piracha, F., Anderson, L., & Mazzola, N. (2017). Supplements for Diabetes Mellitus: A Review of the Literature. *Journal of pharmacy practice*, 30(6), 631–638. <https://doi.org/10.1177/0897190016663070>
- Zhang, D. W., Fu, M., Gao, S. H., & Liu, J. L. (2013). Curcumin and diabetes: a systematic review. *Evidence-based complementary and alternative medicine : eCAM*, 2013, 636053. <https://doi.org/10.1155/2013/636053>
- Zhu, J., Chen, H., Song, Z., Wang, X., & Sun, Z. (2018). Effects of Ginger (*Zingiber officinale* Roscoe) on Type 2 Diabetes Mellitus and Components of the Metabolic Syndrome: A Systematic Review and Meta-Analysis of Randomized Controlled Trials. *Evidence-based complementary and alternative medicine: eCAM*, 2018, 5692962. <https://doi.org/10.1155/2018/5692962>