

The Natural Remedy Lab

**Full Bibliography**

## Ear & Eye

- Al-Waili, N. S. (2004). Investigating the Antimicrobial Activity of Natural Honey and Its Effects on the Pathogenic Bacterial Infections of Surgical Wounds and Conjunctiva. *Journal of Medicinal Food*, 7(2), 210–222. <https://doi.org/10.1089/1096620041224139>
- Albietz, J. M., & Schmid, K. L. (2017). Randomised controlled trial of topical antibacterial Manuka (*Leptospermum* species) honey for evaporative dry eye due to meibomian gland dysfunction. *Clinical and Experimental Optometry*, 100(6), 603–615. <https://doi.org/10.1111/cxo.12524>
- Boskabady, M. H., Shafei, M. N., Saberi, Z., & Amini, S. (2011). Pharmacological effects of *rosa damascena*. *Iranian journal of basic medical sciences*, 14(4), 295–307.
- Craig, J. P., Rupenthal, I. D., Seyfoddin, A., Cheung, I., Uy, B., Wang, M., Watters, G. A., & Swift, S. (2017). Preclinical development of MGO Manuka Honey microemulsion for blepharitis management. *BMJ open ophthalmology*, 1(1), e000065. <https://doi.org/10.1136/bmjophth-2016-000065>
- Rahmani, A. H. (2014). Active ingredients of ginger as potential candidates in the prevention and treatment of diseases via modulation of biological activities. microemulsion for blepharitis management. *International journal of physiology, pathophysiology and pharmacology*, 6(2), 125.
- Salehi, A., Jabarzare, S., Neurmohamadi, M., Kheiri, S., & Rafieian-Kopaei, M. (2014). A double blind clinical trial on the efficacy of honey drop in vernal keratoconjunctivitis. *Evidence-based complementary and alternative medicine: eCAM*, 2014, 287540. <https://doi.org/10.1155/2014/287540>
- Sarrell, E. M., Mandelberg, A., & Cohen, H. A. (2001). Efficacy of naturopathic extracts in the management of ear pain associated with acute otitis media. *Archives of Pediatrics & Adolescent Medicine*, 155(7), 796. <https://doi.org/10.1001/archpedi.155.7.796>
- Wilson, D. (2019). *Can Rose Water Treat Dry, Itchy Eyes and Other Eye Conditions?* Healthline. <https://www.healthline.com/health/rose-water-for-eyes>

## Cardiovascular & Respiratory

- Abidi, A., Gupta, S., Agarwal, M., Bhalla, H. L., & Saluja, M. (2014). Evaluation of Efficacy of Curcumin as an Add-on therapy in Patients of Bronchial Asthma. *Journal of clinical and diagnostic research : JCDR*, 8(8), HC19–HC24. <https://doi.org/10.7860/JCDR/2014/9273.4705>
- Abuelgasim, H., Albury, C., & Lee, J. (2020). Effectiveness of honey for symptomatic relief in upper respiratory tract infections: a systematic review and meta-analysis. *BMJ Evidence-Based Medicine*, 26(2), 57–64. <https://doi.org/10.1136/bmjebm-2020-111336>
- Ács, K., Bencsik, T., Böszörményi, A., Kocsis, B., & Horváth, G. (2016). Essential Oils and Their Vapors as Potential Antibacterial Agents against Respiratory Tract Pathogens. *Natural product communications*, 11(11), 1709–1712.
- Akazawa, N., Choi, Y., Miyaki, A., Tanabe, Y., Sugawara, J., Ajisaka, R., & Maeda, S. (2012). Curcumin ingestion and exercise training improve vascular endothelial function in postmenopausal women. *Nutrition research (New York, N.Y.)*, 32(10), 795–799. <https://doi.org/10.1016/j.nutres.2012.09.002>
- Akilen, R., Pimlott, Z., Tsiami, A., & Robinson, N. (2013). Effect of short-term administration of cinnamon on blood pressure in patients with prediabetes and type 2 diabetes. *Nutrition (Burbank, Los Angeles County, Calif.)*, 29(10), 1192–1196. <https://doi.org/10.1016/j.nut.2013.03.007>
- Al-Waili, N. S. (2004). Natural Honey Lowers Plasma Glucose, C-Reactive Protein, Homocysteine, and Blood Lipids in Healthy, Diabetic, and Hyperlipidemic Subjects: Comparison with Dextrose and Sucrose. *Journal of Medicinal Food*, 7(1), 100–107. <https://doi.org/10.1089/109662004322984789>
- Alwi, I., Santoso, T., Suyono, S., Sutrisna, B., Suyatna, F. D., Kresno, S. B., & Ernie, S. (2008). The effect of curcumin on lipid level in patients with acute coronary syndrome. *Acta Medica Indonesiana*, 40(4), 201–210. <https://pubmed.ncbi.nlm.nih.gov/19151449/>
- Amrani, S., Harnafi, H., Gadi, D., Mekhfi, H., Legssyer, A., Aziz, M., Martin-Nizard, F., & Bosca, L. (2009). Vasorelaxant and anti-platelet aggregation effects of aqueous *Ocimum basilicum* extract. *Journal of Ethnopharmacology*, 125(1), 157–162. <https://doi.org/10.1016/j.jep.2009.05.043>
- Ankri, S., & Mirelman, D. (1999). Antimicrobial properties of allicin from garlic. *Microbes and Infection*, 1(2), 125–129. [https://doi.org/10.1016/s1286-4579\(99\)80003-3](https://doi.org/10.1016/s1286-4579(99)80003-3)
- Arreola, R., Quintero-Fabián, S., López-Roa, R. I., Flores-Gutiérrez, E. O., Reyes-Grajeda, J. P., Carrera-Quintanar, L., & Ortuño-Sahagún, D. (2015). Immunomodulation and anti-inflammatory effects of garlic compounds. *Journal of immunology research*, 2015, 401630. <https://doi.org/10.1155/2015/401630>

- Ashraf, R., Khan, R. A., Ashraf, I., & Qureshi, A. A. (2013). Effects of *Allium sativum* (garlic) on systolic and diastolic blood pressure in patients with essential hypertension. *Pakistan journal of pharmaceutical sciences*, 26(5), 859–863.
- Aswar, U., Shintre, S., Chepurwar, S., & Aswar, M. (2015). Antiallergic effect of piperine on ovalbumin-induced allergic rhinitis in mice. *Pharmaceutical biology*, 53(9), 1358–1366. <https://doi.org/10.3109/13880209.2014.982299>
- Bahrami, M., Ataie-Jafari, A., Hosseini, S., Foruzanfar, M. H., Rahmani, M., & Pajouhi, M. (2009). Effects of natural honey consumption in diabetic patients: an 8-week randomized clinical trial. *International journal of food sciences and nutrition*, 60(7), 618–626. <https://doi.org/10.3109/09637480801990389>
- Bang, J. S., Oh, D. H., Choi, H. M., Sur, B. J., Lim, S. J., Kim, J. Y., Yang, H. I., Yoo, M. C., Hahm, D. H., & Kim, K. S. (2009). Anti-inflammatory and antiarthritic effects of piperine in human interleukin 1 $\beta$ -stimulated fibroblast-like synoviocytes and in rat arthritis models. *Arthritis Research & Therapy*, 11(2), R49. <https://doi.org/10.1186/ar2662>
- Bayan, L., Koulivand, P. H., & Gorji, A. (2014). Garlic: a review of potential therapeutic effects. *Avicenna journal of phytomedicine*, 4(1), 1–14.
- Ben-Arye, E., Dudai, N., Eini, A., Torem, M., Schiff, E., & Rakover, Y. (2011). Treatment of upper respiratory tract infections in primary care: a randomized study using aromatic herbs. *Evidence-based complementary and alternative medicine : eCAM*, 2011, 690346. <https://doi.org/10.1155/2011/690346>
- Bhattacharjee, M., & Mathur, R. (2005). Antinociceptive effect of sucrose ingestion in the human. *Indian Journal of Physiology and Pharmacology*, 49(4), 383–394.
- Boukhatem, M. N., Ferhat, M. A., Kameli, A., Saidi, F., & Kebir, H. T. (2014). Lemon grass (*Cymbopogon citratus*) essential oil as a potent anti-inflammatory and antifungal drugs. *The Libyan journal of medicine*, 9, 25431. <https://doi.org/10.3402/ljm.v9.25431>
- Chang, J. S., Wang, K. C., Yeh, C. F., Shieh, D. E., & Chiang, L. C. (2013). Fresh ginger (*Zingiber officinale*) has anti-viral activity against human respiratory syncytial virus in human respiratory tract cell lines. *Journal of ethnopharmacology*, 145(1), 146–151. <https://doi.org/10.1016/j.jep.2012.10.043>
- Chang, J. S., Wang, K. C., Yeh, C. F., Shieh, D. E., & Chiang, L. C. (2013). Fresh ginger (*Zingiber officinale*) has anti-viral activity against human respiratory syncytial virus in human respiratory tract cell lines. *Journal of ethnopharmacology*, 145(1), 146–151. <https://doi.org/10.1016/j.jep.2012.10.043>
- Cheel, J., Theoduloz, C., Rodríguez, J., & Schmeda-Hirschmann, G. (2005). Free Radical Scavengers and Antioxidants from Lemongrass (*Cymbopogon citratus*(DC.) Stapf.). *Journal of Agricultural and Food Chemistry*, 53(7), 2511–2517. <https://doi.org/10.1021/jf0479766>

- Collins, J. K., Wu, G., Perkins-Veazie, P., Spears, K., Claypool, P. L., Baker, R. A., & Clevidence, B. A. (2007). Watermelon consumption increases plasma arginine concentrations in adults. *Nutrition*, 23(3), 261–266. <https://doi.org/10.1016/j.nut.2007.01.005>
- Damodaran, A., Malathi, A., Patil, N., Shah, N., Suryavanshi, & Marathe, S. (2002). Therapeutic potential of yoga practices in modifying cardiovascular risk profile in middle aged men and women. *The Journal of the Association of Physicians of India*, 50(5), 633–640.
- Dhawan, V., & Jain, S. (2005). Garlic supplementation prevents oxidative DNA damage in essential hypertension. *Molecular and Cellular Biochemistry*, 275(1-2), 85–94. <https://doi.org/10.1007/s11010-005-0824-2>
- DiMango, E. (2019). *Ginger's Therapeutic Potential in Asthma (GINGER)*. ClinicalTrials. <https://clinicaltrials.gov/ct2/show/NCT03705832>.
- Engleman, E. G., Lankton, J., & Lankton, B. (1971). Granulated sugar as treatment for hiccups in conscious patients. *The New England journal of medicine*, 285(26), 1489.
- Erejuwa, O. O., Sulaiman, S. A., Ab Wahab, M. S., Sirajudeen, K. N., Salleh, S., & Gurtu, S. (2012). Honey supplementation in spontaneously hypertensive rats elicits antihypertensive effect via amelioration of renal oxidative stress. *Oxidative medicine and cellular longevity*, 2012, 374037. <https://doi.org/10.1155/2012/374037>
- Erejuwa, O. O., Sulaiman, S. A., Wahab, M. S., Sirajudeen, K. N., Salleh, M. S., & Gurtu, S. (2011). Differential responses to blood pressure and oxidative stress in streptozotocin-induced diabetic Wistar-Kyoto rats and spontaneously hypertensive rats: effects of antioxidant (honey) treatment. *International journal of molecular sciences*, 12(3), 1888–1907. <https://doi.org/10.3390/ijms12031888>
- Figuroa, A., Wong, A., Hooshmand, S., & Sanchez-Gonzalez, M. A. (2013). Effects of watermelon supplementation on arterial stiffness and wave reflection amplitude in postmenopausal women. *Menopause (New York, N.Y.)*, 20(5), 573–577. <https://doi.org/10.1097/GME.0b013e3182733794>
- García-Trejo, E. M., Arellano-Buendía, A. S., Argüello-García, R., Loredó-Mendoza, M. L., García-Arroyo, F. E., Arellano-Mendoza, M. G., Castillo-Hernández, M. C., Guevara-Balcázar, G., Tapia, E., Sánchez-Lozada, L. G., & Osorio-Alonso, H. (2016). Effects of Allicin on Hypertension and Cardiac Function in Chronic Kidney Disease. *Oxidative medicine and cellular longevity*, 2016, 3850402. <https://doi.org/10.1155/2016/3850402>
- Ghayur, M. N., & Gilani, A. H. (2005). Ginger Lowers Blood Pressure Through Blockade of Voltage-Dependent Calcium Channels. *Journal of Cardiovascular Pharmacology*, 45(1), 74–80. <https://doi.org/10.1097/00005344-200501000-00013>
- Goyal, R., Lata, H., Walia, L., & Narula, M. K. (2014). Effect of pranayama on rate pressure product in mild hypertensives. *International journal of applied & basic medical research*, 4(2), 67–71. <https://doi.org/10.4103/2229-516X.136776>

- Gull, I., Saeed, M., Shaukat, H., Aslam, S. M., Samra, Z. Q., & Athar, A. M. (2012). Inhibitory effect of *Allium sativum* and *Zingiber officinale* extracts on clinically important drug resistant pathogenic bacteria. *Annals of clinical microbiology and antimicrobials*, 11, 8. <https://doi.org/10.1186/1476-0711-11-8>
- Gull, I., Saeed, M., Shaukat, H., Aslam, S. M., Samra, Z. Q., & Athar, A. M. (2012). Inhibitory effect of *Allium sativum* and *Zingiber officinale* extracts on clinically important drug resistant pathogenic bacteria. *Annals of clinical microbiology and antimicrobials*, 11, 8. <https://doi.org/10.1186/1476-0711-11-8>
- Gupta, S. C., Patchva, S., & Aggarwal, B. B. (2013). Therapeutic roles of curcumin: lessons learned from clinical trials. *The AAPS journal*, 15(1), 195–218. <https://doi.org/10.1208/s12248-012-9432-8>
- Hammond, C. (2014). *Which hiccup remedies really work?* BBC Future. <https://www.bbc.com/future/article/20140127-do-hiccup-remedies-work>
- Hasani, H., Arab, A., Hadi, A., Pourmasoumi, M., Ghavami, A., & Miraghajani, M. (2019). Does ginger supplementation lower blood pressure? A systematic review and meta-analysis of clinical trials. *Phytotherapy research : PTR*, 33(6), 1639–1647. <https://doi.org/10.1002/ptr.6362>
- Hewlings, S. J., & Kalman, D. S. (2017). Curcumin: A Review of Its Effects on Human Health. *Foods (Basel, Switzerland)*, 6(10), 92. <https://doi.org/10.3390/foods6100092>
- Hlavačková, L., Janegová, A., Uličná, O., Janega, P., Cerná, A., & Babál, P. (2011). Spice up the hypertension diet - curcumin and piperine prevent remodeling of aorta in experimental L-NAME induced hypertension. *Nutrition & metabolism*, 8, 72. <https://doi.org/10.1186/1743-7075-8-72>
- Hlavackova, L., Urbanova, A., Ulicna, O., Janega, P., Cerna, A., & Babal, P. (2010). Piperine, active substance of black pepper, alleviates hypertension induced by NO synthase inhibition. *Bratislavske lekarske listy*, 111(8), 426–431.
- Horváth, G., & Ács, K. (2015). Essential oils in the treatment of respiratory tract diseases highlighting their role in bacterial infections and their anti-inflammatory action: a review. *Flavour and fragrance journal*, 30(5), 331–341. <https://doi.org/10.1002/ffj.3252>
- Jackson, R., Brennan, S., Fielding, P., Sims, M. W., Challiss, R. A., Adlam, D., Squire, I. B., & Rainbow, R. D. (2016). Distinct and complementary roles for  $\alpha$  and  $\beta$  isoenzymes of PKC in mediating vasoconstrictor responses to acutely elevated glucose. *British journal of pharmacology*, 173(5), 870–887. <https://doi.org/10.1111/bph.13399>
- Jäger, R., Lowery, R. P., Calvanese, A. V., Joy, J. M., Purpura, M., & Wilson, J. M. (2014). Comparative absorption of curcumin formulations. *Nutrition journal*, 13, 11. <https://doi.org/10.1186/1475-2891-13-11>
- Josling, P. (2001). Preventing the common cold with a garlic supplement: A double-blind, placebo-controlled survey. *Advances in Therapy*, 18(4), 189–193. <https://doi.org/10.1007/bf02850113>

- Jurenka J. S. (2009). Anti-inflammatory properties of curcumin, a major constituent of *Curcuma longa*: a review of preclinical and clinical research. *Alternative medicine review: a journal of clinical therapeutic*, 14(2), 141–153.
- Karupiah, P., & Rajaram, S. (2012). Antibacterial effect of *Allium sativum* cloves and *Zingiber officinale* rhizomes against multiple-drug resistant clinical pathogens. *Asian Pacific journal of tropical biomedicine*, 2(8), 597–601. [https://doi.org/10.1016/S2221-1691\(12\)60104-X](https://doi.org/10.1016/S2221-1691(12)60104-X)
- Karupiah, P., & Rajaram, S. (2012). Antibacterial effect of *Allium sativum* cloves and *Zingiber officinale* rhizomes against multiple-drug resistant clinical pathogens. *Asian Pacific journal of tropical biomedicine*, 2(8), 597–601. [https://doi.org/10.1016/S2221-1691\(12\)60104-X](https://doi.org/10.1016/S2221-1691(12)60104-X)
- Kawatra, P., & Rajagopalan, R. (2015). Cinnamon: Mystic powers of a minute ingredient. *Pharmacognosy research*, 7(Suppl 1), S1–S6. <https://doi.org/10.4103/0974-8490.157990>
- Kenia, P., Houghton, T., & Beardsmore, C. (2008). Does inhaling menthol affect nasal patency or cough? *Pediatric Pulmonology*, 43(6), 532–537. <https://doi.org/10.1002/ppul.20797>
- Khalil, M. I., & Sulaiman, S. A. (2010). The potential role of honey and its polyphenols in preventing heart diseases: a review. *African journal of traditional, complementary, and alternative medicines : AJTCAM*, 7(4), 315–321. <https://doi.org/10.4314/ajtcam.v7i4.56693>
- Khalil, M. I., Tanvir, E. M., Afroz, R., Sulaiman, S. A., & Gan, S. H. (2015). Cardioprotective Effects of Tualang Honey: Amelioration of Cholesterol and Cardiac Enzymes Levels. *BioMed research international*, 2015, 286051. <https://doi.org/10.1155/2015/286051>
- Khan, A. M., Shahzad, M., Raza Asim, M. B., Imran, M., & Shabbir, A. (2015). *Zingiber officinale* ameliorates allergic asthma via suppression of Th2-mediated immune response. *Pharmaceutical biology*, 53(3), 359–367. <https://doi.org/10.3109/13880209.2014.920396>
- Kim, S. H., & Lee, Y. C. (2009). Piperine inhibits eosinophil infiltration and airway hyperresponsiveness by suppressing T cell activity and Th2 cytokine production in the ovalbumin-induced asthma model. *Journal of Pharmacy and Pharmacology*, 61(3), 353–359. <https://doi.org/10.1211/jpp/61.03.0010>
- Kunnumakkara, A. B., Sailo, B. L., Banik, K., Harsha, C., Prasad, S., Gupta, S. C., Bharti, A. C., & Aggarwal, B. B. (2018). Chronic diseases, inflammation, and spices: how are they linked?. *Journal of translational medicine*, 16(1), 14. <https://doi.org/10.1186/s12967-018-1381-2>
- Lal, B., Kapoor, A., Asthana, O., Agrawal, P., Prasad, R., Kumar, P., & Srimal, R. (1999). Efficacy of Curcumin in the Management of Chronic Anterior Uveitis. *Phytother Res*.

- Lindemann, J., Tsakiropoulou, E., Scheithauer, M. O., Konstantinidis, I., & Wiesmiller, K. M. (2008). Impact of Menthol Inhalation on Nasal Mucosal Temperature and Nasal Patency. *American Journal of Rhinology*, 22(4), 402–405.  
<https://doi.org/10.2500/ajr.2008.22.3194>
- Mashhadi, N. S., Ghiasvand, R., Askari, G., Hariri, M., Darvishi, L., & Mofid, M. R. (2013). Anti-oxidative and anti-inflammatory effects of ginger in health and physical activity: review of current evidence. *International journal of preventive medicine*, 4(Suppl 1), S36–S42.
- Mashhadi, N. S., Ghiasvand, R., Askari, G., Hariri, M., Darvishi, L., & Mofid, M. R. (2013). Anti-oxidative and anti-inflammatory effects of ginger in health and physical activity: review of current evidence. *International journal of preventive medicine*, 4(Suppl 1), S36–S42.
- McCaffrey, R., Ruknui, P., Hatthakit, U., & Kasetsoomboon, P. (2005). The Effects of Yoga on Hypertensive Persons in Thailand. *Holistic Nursing Practice*, 19(4), 173–180.  
<https://doi.org/10.1097/00004650-200507000-00009>
- Miguel, M. G., Antunes, M. D., & Faleiro, M. L. (2017). Honey as a Complementary Medicine. *Integrative medicine insights*, 12, 1178633717702869.  
<https://doi.org/10.1177/1178633717702869>
- Mikaili, P., Mojaverrostami, S., Moloudizargari, M., & Aghajanshakeri, S. (2013). Pharmacological and therapeutic effects of *Mentha Longifolia* L. and its main constituent, menthol. *Ancient science of life*, 33(2), 131–138.  
<https://doi.org/10.4103/0257-7941.139059>
- Moghadamtousi, S. Z., Kadir, H. A., Hassandarvish, P., Tajik, H., Abubakar, S., & Zandi, K. (2014). A review on antibacterial, antiviral, and antifungal activity of curcumin. *BioMed research international*, 2014, 186864. <https://doi.org/10.1155/2014/186864>
- Mousavi, S. M., Karimi, E., Hajishafiee, M., Milajerdi, A., Amini, M. R., & Esmailzadeh, A. (2020). Anti-hypertensive effects of cinnamon supplementation in adults: A systematic review and dose-response Meta-analysis of randomized controlled trials. *Critical reviews in food science and nutrition*, 60(18), 3144–3154.  
<https://doi.org/10.1080/10408398.2019.1678012>
- Murugesan, R., Govindarajulu, N., & Bera, T. K. (2000). Effect of selected yogic practices on the management of hypertension. *Indian Journal of Physiology and Pharmacology*, 44(2), 207–210.
- Myths and Realities: Does holding your breath really cure hiccups? – Clinical Correlations.* (2009, August 6). *Clinical Correlations*.  
<https://www.clinicalcorrelations.org/2009/08/06/myths-and-realities-does-holding-your-breath-really-cure-hiccups/>
- Nagpal, M., & Sood, S. (2013). Role of curcumin in systemic and oral health: An overview. *Journal of natural science, biology, and medicine*, 4(1), 3–7.  
<https://doi.org/10.4103/0976-9668.107253>



- Nantz, M. P., Rowe, C. A., Muller, C. E., Creasy, R. A., Stanilka, J. M., & Percival, S. S. (2012). Supplementation with aged garlic extract improves both NK and  $\gamma\delta$ -T cell function and reduces the severity of cold and flu symptoms: a randomized, double-blind, placebo-controlled nutrition intervention. *Clinical nutrition (Edinburgh, Scotland)*, 31(3), 337–344. <https://doi.org/10.1016/j.clnu.2011.11.019>
- Naz, A., Butt, M. S., Sultan, M. T., Qayyum, M. M., & Niaz, R. S. (2014). Watermelon lycopene and allied health claims. *EXCLI journal*, 13, 650–660.
- Nikkhah Bodagh, M., Maleki, I., & Hekmatdoost, A. (2018). Ginger in gastrointestinal disorders: A systematic review of clinical trials. *Food science & nutrition*, 7(1), 96–108. <https://doi.org/10.1002/fsn3.807>
- Nishino, T., Tagaito, Y., & Sakurai, Y. (1997). Nasal inhalation of l-menthol reduces respiratory discomfort associated with loaded breathing. *American journal of respiratory and critical care medicine*, 156(1), 309–313. <https://doi.org/10.1164/ajrccm.156.1.9609059>
- Paul, I. M. (2007). Effect of Honey, Dextromethorphan, and No Treatment on Nocturnal Cough and Sleep Quality for Coughing Children and Their Parents. *Archives of Pediatrics & Adolescent Medicine*, 161(12), 1140. <https://doi.org/10.1001/archpedi.161.12.1140>
- Peixoto-Neves, D., Leal-Cardoso, J. H., & Jaggar, J. H. (2014). Eugenol dilates rat cerebral arteries by inhibiting smooth muscle cell voltage-dependent calcium channels. *Journal of cardiovascular pharmacology*, 64(5), 401–406. <https://doi.org/10.1097/FJC.0000000000000131>
- Pepino, Y. M., & Mennella, J. A. (2005). Sucrose-induced analgesia is related to sweet preferences in children but not adults. *Pain*, 119(1-3), 210–218. <https://doi.org/10.1016/j.pain.2005.09.029>
- Pramanik, T., Sharma, H. O., Mishra, S., Mishra, A., Prajapati, R., & Singh, S. (2009). Immediate Effect of Slow Pace Bhastrika Pranayama on Blood Pressure and Heart Rate. *The Journal of Alternative and Complementary Medicine*, 15(3), 293–295. <https://doi.org/10.1089/acm.2008.0440>
- Prasad, S., Tyagi, A. K., & Aggarwal, B. B. (2014). Recent developments in delivery, bioavailability, absorption and metabolism of curcumin: the golden pigment from golden spice. *Cancer research and treatment*, 46(1), 2–18. <https://doi.org/10.4143/crt.2014.46.1.2>
- Qin, S., Huang, L., Gong, J., Shen, S., Huang, J., Ren, H., & Hu, H. (2017). Efficacy and safety of turmeric and curcumin in lowering blood lipid levels in patients with cardiovascular risk factors: a meta-analysis of randomized controlled trials. *Nutrition journal*, 16(1), 68. <https://doi.org/10.1186/s12937-017-0293-y>
- Ried K. (2020). Garlic lowers blood pressure in hypertensive subjects, improves arterial stiffness and gut microbiota: A review and meta-analysis. *Experimental and therapeutic medicine*, 19(2), 1472–1478. <https://doi.org/10.3892/etm.2019.8374>

- Ried, K., & Fakler, P. (2014). Potential of garlic (*Allium sativum*) in lowering high blood pressure: mechanisms of action and clinical relevance. *Integrated blood pressure control*, 7, 71–82. <https://doi.org/10.2147/IBPC.S51434>
- Ried, K., Toben, C., & Fakler, P. (2013). Effect of garlic on serum lipids: an updated meta-analysis. *Nutrition reviews*, 71(5), 282–299. <https://doi.org/10.1111/nure.12012>
- Rouhi, H., Forouzan, G., & Hamid, N. (2006). Effects of Ginger on the Improvement of Asthma [The Evaluation of Its` Treatmental Effects]. *Pakistan Journal of Nutrition*, 5(4), 373–376. <https://doi.org/10.3923/pjn.2006.373.376>
- Samarghandian, S., Farkhondeh, T., & Samini, F. (2017). Honey and Health: A Review of Recent Clinical Research. *Pharmacognosy research*, 9(2), 121–127. <https://doi.org/10.4103/0974-8490.204647>
- Selvamurthy, W., Sridharan, K., Ray, U. S., Tiwary, R. S., Hegde, K. S., Radhakrishan, U., & Sinha, K. C. (1998). A new physiological approach to control essential hypertension. *Indian J Physiol Pharmacol*.
- Shamshuddin, N., & Mohd Zohdi, R. (2016). Gelam honey attenuates ovalbumin-induced airway inflammation in a mice model of allergic asthma. *Journal of traditional and complementary medicine*, 8(1), 39–45. <https://doi.org/10.1016/j.jtcme.2016.08.009>
- Silagy, C., & Neil, A. (1994). Garlic as a lipid lowering agent--a meta-analysis. *Journal of the Royal College of Physicians of London*, 28(1), 39–45.
- Somerville, V. S., Braakhuis, A. J., & Hopkins, W. G. (2016). Effect of Flavonoids on Upper Respiratory Tract Infections and Immune Function: A Systematic Review and Meta-Analysis. *Advances in nutrition (Bethesda, Md.)*, 7(3), 488–497. <https://doi.org/10.3945/an.115.010538>
- Somparn, N., Saenthaweeuk, S., Naowaboot, J., Thaeomor, A., & Kukongviriyapan, V. (2018). Effect of lemongrass water extract supplementation on atherogenic index and antioxidant status in rats. *Acta pharmaceutica (Zagreb, Croatia)*, 68(2), 185–197. <https://doi.org/10.2478/acph-2018-0015>
- Tabassum, N., & Ahmad, F. (2011). Role of natural herbs in the treatment of hypertension. *Pharmacognosy reviews*, 5(9), 30–40. <https://doi.org/10.4103/0973-7847.79097>
- Takada, Y., Bhardwaj, A., Potdar, P., & Aggarwal, B. B. (2004). Nonsteroidal anti-inflammatory agents differ in their ability to suppress NF-κB activation, inhibition of expression of cyclooxygenase-2 and cyclin D1, and abrogation of tumor cell proliferation. *Oncogene*, 23(57), 9247–9258. <https://doi.org/10.1038/sj.onc.1208169>
- Taqvi, S. I. H., Shah, A. J., & Gilani, A. H. (2008). Blood Pressure Lowering and Vasomodulator Effects of Piperine. *Journal of Cardiovascular Pharmacology*, 52(5), 452–458. <https://doi.org/10.1097/fjc.0b013e31818d07c0>

- Tohti, I., Tursun, M., Umar, A., Turdi, S., Imin, H., & Moore, N. (2006). Aqueous extracts of *Ocimum basilicum* L. (sweet basil) decrease platelet aggregation induced by ADP and thrombin in vitro and rats arterio-venous shunt thrombosis in vivo. *Thrombosis Research*, 118(6), 733–739. <https://doi.org/10.1016/j.thromres.2005.12.011>
- Townsend, E. A., Siviski, M. E., Zhang, Y., Xu, C., Hoonjan, B., & Emala, C. W. (2013). Effects of ginger and its constituents on airway smooth muscle relaxation and calcium regulation. *American journal of respiratory cell and molecular biology*, 48(2), 157–163. <https://doi.org/10.1165/rcmb.2012-0231OC>
- Townsend, E. A., Zhang, Y., Xu, C., Wakita, R., & Emala, C. W. (2014). Active components of ginger potentiate  $\beta$ -agonist-induced relaxation of airway smooth muscle by modulating cytoskeletal regulatory proteins. *American journal of respiratory cell and molecular biology*, 50(1), 115–124. <https://doi.org/10.1165/rcmb.2013-0133OC>
- Umar, A., Imam, G., Yimin, W., Kerim, P., Tohti, I., Berké, B., & Moore, N. (2010). Antihypertensive effects of *Ocimum basilicum* L. (OBL) on blood pressure in renovascular hypertensive rats. *Hypertension research: official journal of the Japanese Society of Hypertension*, 33(7), 727–730. <https://doi.org/10.1038/hr.2010.64>
- Usharani, P., Mateen, A. A., Naidu, M. U. R., Raju, Y. S. N., & Chandra, N. (2008). Effect of NCB-02, Atorvastatin and Placebo on Endothelial Function, Oxidative Stress and Inflammatory Markers in Patients with Type 2 Diabetes Mellitus. *Drugs in R & D*, 9(4), 243–250. <https://doi.org/10.2165/00126839-200809040-00004>
- Wang, Y., Yu, H., Zhang, X., Feng, Q., Guo, X., Li, S., Li, R., Chu, D., & Ma, Y. (2017). Evaluation of daily ginger consumption for the prevention of chronic diseases in adults: A cross-sectional study. *Nutrition (Burbank, Los Angeles County, Calif.)*, 36, 79–84. <https://doi.org/10.1016/j.nut.2016.05.009>
- Wise, P. M., Breslin, P. A., & Dalton, P. (2012). Sweet taste and menthol increase cough reflex thresholds. *Pulmonary pharmacology & therapeutics*, 25(3), 236–241. <https://doi.org/10.1016/j.pupt.2012.03.005>
- Wongcharoen, W., & Phrommintikul, A. (2009). The protective role of curcumin in cardiovascular diseases. *International Journal of Cardiology*, 133(2), 145–151. <https://doi.org/10.1016/j.ijcard.2009.01.073>
- Wongcharoen, W., Jai-Aue, S., Phrommintikul, A., Nawarawong, W., Woragidpoonpol, S., Tepsuwan, T., Sukonthasarn, A., Apaijai, N., & Chattipakorn, N. (2012). Effects of curcuminoids on frequency of acute myocardial infarction after coronary artery bypass grafting. *The American journal of cardiology*, 110(1), 40–44. <https://doi.org/10.1016/j.amjcard.2012.02.043>
- Wu, K. L., Rayner, C. K., Chuah, S. K., Changchien, C. S., Lu, S. N., Chiu, Y. C., Chiu, K. W., & Lee, C. M. (2008). Effects of ginger on gastric emptying and motility in healthy humans. *European Journal of Gastroenterology & Hepatology*, 20(5), 436–440. <https://doi.org/10.1097/meg.0b013e3282f4b224>

Yaghoobi, N., Al-Waili, N., Ghayour-Mobarhan, M., Parizadeh, S. M. R., Abasalti, Z., Yaghoobi, Z., Yaghoobi, F., Esmaceli, H., Kazemi-Bajestani, S. M. R., Aghasizadeh, R., Saloom, K. Y., & Ferns, G. A. A. (2008). Natural Honey and Cardiovascular Risk Factors; Effects on Blood Glucose, Cholesterol, Triacylglycerole, CRP, and Body Weight Compared with Sucrose. *The Scientific World JOURNAL*, 8, 463–469. <https://doi.org/10.1100/tsw.2008.64>

Zeb, I., Ahmadi, N., Nasir, K., Kadakia, J., Larijani, V. N., Flores, F., Li, D., & Budoff, M. J. (2012). Aged garlic extract and coenzyme Q10 have favorable effect on inflammatory markers and coronary atherosclerosis progression: A randomized clinical trial. *Journal of cardiovascular disease research*, 3(3), 185–190. <https://doi.org/10.4103/0975-3583.98883>

## Hair & Scalp

- Abdel-Ghaffar, F., Al-Quraishy, S., Al-Rasheid, K.A.S. et al. Efficacy of a single treatment of head lice with a neem seed extract: an in vivo and in vitro study on nits and motile stages. *Parasitol Res* 110, 277–280 (2012). <https://doi.org/10.1007/s00436-011-2484-3>
- Arruzazabala, M. D. L., Molina, V., Más, R., Carbajal, D., Marrero, D., González, V., & Rodríguez, E. (2007). Effects of coconut oil on testosterone-induced prostatic hyperplasia in Sprague-Dawley rats. *Journal of Pharmacy and Pharmacology*, 59(7), 995–999. <https://doi.org/10.1211/jpp.59.7.0012>
- Asenov, A., Oliveira, F. A., Speare, R., Liesenfeld, O., Hengge, U. R., & Heukelbach, J. (2010). Efficacy of chemical and botanical over-the-counter pediculicides available in Brazil, and off-label treatments, against head lice ex vivo. *International journal of dermatology*, 49(3), 324–330. <https://doi.org/10.1111/j.1365-4632.2009.04335.x>
- Bonnist, E. Y., Pudney, P. D., Weddell, L. A., Campbell, J., Baines, F. L., Paterson, S. E., & Matheson, J. R. (2014). Understanding the dandruff scalp before and after treatment: an in vivo Raman spectroscopic study. *International journal of cosmetic science*, 36(4), 347–354. <https://doi.org/10.1111/ics.12132>
- Cobb, C. (2019). *What Are the Benefits of Using Bananas for Hair?* Healthline. <https://www.healthline.com/health/banana-hair-mask>
- D'Souza, P., & Rathi, S. K. (2015). Shampoo and Conditioners: What a Dermatologist Should Know?. *Indian journal of dermatology*, 60(3), 248–254. <https://doi.org/10.4103/0019-5154.156355>
- Everts H. B. (2012). Endogenous retinoids in the hair follicle and sebaceous gland. *Biochimica et biophysica acta*, 1821(1), 222–229. <https://doi.org/10.1016/j.bbali.2011.08.017>
- Gavazzoni Dias M. F. (2015). Hair cosmetics: an overview. *International journal of trichology*, 7(1), 2–15. <https://doi.org/10.4103/0974-7753.153450>
- Gode, V., Bhalla, N., Shirhatti, V., Mhaskar, S., & Kamath, Y. (2012). Quantitative measurement of the penetration of coconut oil into human hair using radiolabeled coconut oil. *Journal of cosmetic science*, 63(1), 27–31.
- Gouvinhas, I., Machado, N., Sobreira, C., Domínguez-Perles, R., Gomes, S., Rosa, E., & Barros, A. (2017). Critical Review on the Significance of Olive Phytochemicals in Plant Physiology and Human Health. *Molecules (Basel, Switzerland)*, 22(11), 1986. <https://doi.org/10.3390/molecules22111986>
- Intahphuak, S., Khonsung, P., & Panthong, A. (2009). Anti-inflammatory, analgesic, and antipyretic activities of virgin coconut oil. *Pharmaceutical Biology*, 48(2), 151–157. <https://doi.org/10.3109/13880200903062614>

- Kanazawa, K., & Sakakibara, H. (2000). High Content of Dopamine, a Strong Antioxidant, in Cavendish Banana. *Journal of Agricultural and Food Chemistry*, 48(3), 844–848. <https://doi.org/10.1021/jf9909860>
- Kaur, G., Sarwar Alam, M., & Athar, M. (2004). Nimbidin suppresses functions of macrophages and neutrophils: relevance to its antiinflammatory mechanisms. *Phytotherapy Research*, 18(5), 419–424. <https://doi.org/10.1002/ptr.1474>
- Keis, K., Persaud, D., Kamath, Y. K., & Rele, A. S. (2005). Investigation of penetration abilities of various oils into human hair fibers. *Journal of Cosmetic Science*, 56(5), 283–295.
- Kim, D. H., Lee, J. W., Kim, I. S., Choi, S. Y., Lim, Y. Y., Kim, H. M., Kim, B. J., & Kim, M. N. (2012). Successful treatment of alopecia areata with topical calcipotriol. *Annals of dermatology*, 24(3), 341–344. <https://doi.org/10.5021/ad.2012.24.3.341>
- Kumar, N., Rungseewijitprapa, W., Narkkhong, N. A., Suttajit, M., & Chaiyasut, C. (2012). 5 $\alpha$ -reductase inhibition and hair growth promotion of some Thai plants traditionally used for hair treatment. *Journal of Ethnopharmacology*, 139(3), 765–771. <https://doi.org/10.1016/j.jep.2011.12.010>
- Mahmoud, D. A., Hassanein, N. M., Youssef, K. A., & Abou Zeid, M. A. (2011). Antifungal activity of different neem leaf extracts and the nimonol against some important human pathogens. *Brazilian journal of microbiology : [publication of the Brazilian Society for Microbiology]*, 42(3), 1007–1016. <https://doi.org/10.1590/S1517-838220110003000021>
- Mehlhorn, H., Abdel-Ghaffar, F., Al-Rasheid, K. A., Schmidt, J., & Semmler, M. (2011). Ovicidal effects of a neem seed extract preparation on eggs of body and head lice. *Parasitology research*, 109(5), 1299–1302. <https://doi.org/10.1007/s00436-011-2374-8>
- Nakamura, T., Yamamura, H., Park, K., Pereira, C., Uchida, Y., Horie, N., Kim, M., & Itami, S. (2018). Naturally Occurring Hair Growth Peptide: Water-Soluble Chicken Egg Yolk Peptides Stimulate Hair Growth Through Induction of Vascular Endothelial Growth Factor Production. *Journal of medicinal food*, 21(7), 701–708. <https://doi.org/10.1089/jmf.2017.4101>
- Pazyar, N., Yaghoobi, R., Ghassemi, M. R., Kazerouni, A., Rafeie, E., & Jamshyadian, N. (2013). Jojoba in dermatology: a succinct review. *Giornale italiano di dermatologia e venereologia: organo ufficiale, Societa italiana di dermatologia e sifilografia*, 148(6), 687-691.
- Pullar, J. M., Carr, A. C., & Vissers, M. (2017). The Roles of Vitamin C in Skin Health. *Nutrients*, 9(8), 866. <https://doi.org/10.3390/nu9080866>
- Raynaud, J.-P., Cousse, H., & Martin, P.-M. (2002). Inhibition of type 1 and type 2 5 $\alpha$ -reductase activity by free fatty acids, active ingredients of Permixon®. *The Journal of Steroid Biochemistry and Molecular Biology*, 82(2-3), 233–239. [https://doi.org/10.1016/s0960-0760\(02\)00187-5](https://doi.org/10.1016/s0960-0760(02)00187-5)

- Someya, S., Yoshiki, Y., & Okubo, K. (2002). Antioxidant compounds from bananas (*Musa Cavendish*). *Food Chemistry*, 79(3), 351–354. [https://doi.org/10.1016/s0308-8146\(02\)00186-3](https://doi.org/10.1016/s0308-8146(02)00186-3)
- Trüeb R. M. (2016). Serum Biotin Levels in Women Complaining of Hair Loss. *International journal of trichology*, 8(2), 73–77. <https://doi.org/10.4103/0974-7753.188040>
- Veal L. (1996). The potential effectiveness of essential oils as a treatment for headlice, *Pediculus humanus capitis*. *Complementary therapies in nursing & midwifery*, 2(4), 97–101. [https://doi.org/10.1016/s1353-6117\(96\)80083-7](https://doi.org/10.1016/s1353-6117(96)80083-7)
- Verallo-Rowell, V., Dillague, K. M., & Syah-Tjundawan, B. S. (2008). Novel antibacterial and emollient effects of coconut and virgin olive oils in adult atopic dermatitis. *Dermatitis : Contact, Atopic, Occupational, Drug*, 19(6), 308–315. <https://pubmed.ncbi.nlm.nih.gov/19134433/>
- Wallace T. C. (2019). Health Effects of Coconut Oil-A Narrative Review of Current Evidence. *Journal of the American College of Nutrition*, 38(2), 97–107. <https://doi.org/10.1080/07315724.2018.1497562>
- Yu, J. Y., Gupta, B., Park, H. G., Son, M., Jun, J. H., Yong, C. S., Kim, J. A., & Kim, J. O. (2017). Preclinical and Clinical Studies Demonstrate That the Proprietary Herbal Extract DA-5512 Effectively Stimulates Hair Growth and Promotes Hair Health. *Evidence-Based Complementary and Alternative Medicine*, 2017, 1–11. <https://doi.org/10.1155/2017/4395638>
- Zempleni, J., Hassan, Y. I., & Wijeratne, S. S. (2008). Biotin and biotinidase deficiency. *Expert review of endocrinology & metabolism*, 3(6), 715–724. <https://doi.org/10.1586/17446651.3.6.715>

## Dental

- Al-Dabbagh, B., Elhaty, I. A., Elhaw, M., Murali, C., Al Mansoori, A., Awad, B., & Amin, A. (2019). Antioxidant and anticancer activities of chamomile (*Matricaria recutita* L.). *BMC research notes*, 12(1), 3. <https://doi.org/10.1186/s13104-018-3960-y>
- Albaridi N. A. (2019). Antibacterial Potency of Honey. *International journal of microbiology*, 2019, 2464507. <https://doi.org/10.1155/2019/2464507>
- Bayan, L., Koulivand, P. H., & Gorji, A. (2014). Garlic: a review of potential therapeutic effects. *Avicenna journal of phytomedicine*, 4(1), 1–14.
- Diao, W. R., Hu, Q. P., Zhang, H., & Xu, J. G. (2014). Chemical composition, antibacterial activity and mechanism of action of essential oil from seeds of fennel (*Foeniculum vulgare* Mill.). *Food Control*, 35(1), 109–116. <https://doi.org/10.1016/j.foodcont.2013.06.056>
- El-Haddad, S. A., Asiri, F. Y., Al-Qahtani, H. H., & Al-Ghmlas, A. S. (2014). Efficacy of honey in comparison to topical corticosteroid for treatment of recurrent minor aphthous ulceration: a randomized, blind, controlled, parallel, double-center clinical trial. *Quintessence international* (Berlin, Germany : 1985), 45(8), 691–701. <https://doi.org/10.3290/j.qi.a32241>
- Elmore, L. K., Nance, G., Singleton, S., & Lorenz, L. (2014). Treatment of Dermal Infections With Topical Coconut Oil. *Natural Medicine Journal*, 6(5), 1–10. <https://www.naturalmedicinejournal.com/journal/2014-05/treatment-dermal-infections-topical-coconut-oil>
- Fahrasmane, L., Parfait, B., & Aurore, G. (2014). Bananas, a source of compounds with health properties. *Acta Horticulturae*, 1040, 75–82. <https://doi.org/10.17660/actahortic.2014.1040.9>
- German, J. B., & Dillard, C. J. (2004). Saturated fats: what dietary intake? *The American Journal of Clinical Nutrition*, 80(3), 550–559. <https://doi.org/10.1093/ajcn/80.3.550>
- Goel, R. K., Sairam, K., & Rao, C. V. (2001). Role of gastric antioxidant and anti-*Helicobacter pylori* activities in antiulcerogenic activity of plantain banana (*Musa sapientum* var. *paradisica*). *Indian journal of experimental biology*, 39(7), 719–722.
- Huynh, N. C.-N., Everts, V., Leethanakul, C., Pavasant, P., & Ampornaramveth, R. S. (2016). Rinsing with Saline Promotes Human Gingival Fibroblast Wound Healing In Vitro. *PLOS ONE*, 11(7). <https://doi.org/10.1371/journal.pone.0159843>
- Kleinberg, I., Wolff, M. S., & Codipilly, D. M. (2002). Role of saliva in oral dryness, oral feel and oral malodour. *International Dental Journal*, 52(5), 236–240. <https://doi.org/10.1002/j.1875-595x.2002.tb00932.x>



- Kwiatkowski, P., Pruss, A., Masiuk, H., Mnichowska-Polanowska, M., Kaczmarek, M., Giedrys-Kalemba, S., Dołęgowska, B., Zielińska-Bliźniewska, H., Olszewski, J., & Sienkiewicz, M. (2019). The effect of fennel essential oil and trans-anethole on antibacterial activity of mupirocin against *Staphylococcus aureus* isolated from asymptomatic carriers. *Postepy dermatologii i alergologii*, 36(3), 308–314. <https://doi.org/10.5114/ada.2018.76425>
- LeBel, G., Haas, B., Adam, A. A., Veilleux, M. P., Lagha, A. B., & Grenier, D. (2017). Effect of cinnamon (*Cinnamomum verum*) bark essential oil on the halitosis-associated bacterium *Solobacterium moorei* and in vitro cytotoxicity. *Archives of oral biology*, 83, 97-104. <https://doi.org/10.1016/j.archoralbio.2017.07.005>
- Lim, Y. S., Kwon, S. K., Park, J. H., Cho, C. G., Park, S. W., & Kim, W. K. (2016). Enhanced mucosal healing with curcumin in animal oral ulcer model. *The Laryngoscope*, 126(2), E68–E73. <https://doi.org/10.1002/lary.25649>
- Mali, A. M., Behal, R., & Gilda, S. S. (2012). Comparative evaluation of 0.1% turmeric mouthwash with 0.2% chlorhexidine gluconate in prevention of plaque and gingivitis: A clinical and microbiological study. *Journal of Indian Society of Periodontology*, 16(3), 386–391. <https://doi.org/10.4103/0972-124X.100917>
- Nagpal, M., & Sood, S. (2013). Role of curcumin in systemic and oral health: An overview. *Journal of natural science, biology, and medicine*, 4(1), 3–7. <https://doi.org/10.4103/0976-9668.107253>
- Nieman, D. C., Gillitt, N. D., Sha, W., Esposito, D., & Ramamoorthy, S. (2018). Metabolic recovery from heavy exertion following banana compared to sugar beverage or water only ingestion: A randomized, crossover trial. *PLOS ONE*, 13(3). <https://doi.org/10.1371/journal.pone.0194843>
- Park, C. K., Kim, K., Jung, S. J., Kim, M. J., Ahn, D. K., Hong, S. D., Kim, J. S., & Oh, S. B. (2009). Molecular mechanism for local anesthetic action of eugenol in the rat trigeminal system. *Pain*, 144(1), 84–94. <https://doi.org/10.1016/j.pain.2009.03.016>
- Prabha, P., Karpagam, T., Varalakshmi, B., & Packiavathy, A. S. (2011). Indigenous anti-ulcer activity of *Musa sapientum* on peptic ulcer. *Pharmacognosy research*, 3(4), 232–238. <https://doi.org/10.4103/0974-8490.89742>
- Shilling, M., Matt, L., Rubin, E., Visitacion, M. P., Haller, N. A., Grey, S. F., & Woolverton, C. J. (2013). Antimicrobial Effects of Virgin Coconut Oil and Its Medium-Chain Fatty Acids on *Clostridium difficile*. *Journal of Medicinal Food*, 16(12), 1079–1085. <https://doi.org/10.1089/jmf.2012.0303>
- Singh, V., Pathak, A. K., Pal, M., Sareen, S., & Goel, K. (2015). Comparative evaluation of topical application of turmeric gel and 0.2% chlorhexidine gluconate gel in prevention of gingivitis. *National journal of maxillofacial surgery*, 6(1), 67–71. <https://doi.org/10.4103/0975-5950.168238>

- Spina, L., Cavallaro, F., Fardowza, N., Lagoussis, P., Bona, D., Ciscato, C., Rigante, A., & Vecchi, M. (2007). Butyric acid: pharmacological aspects and routes of administration. *Digestive and Liver Disease Supplements*, 1(1), 7–11. [https://doi.org/10.1016/s1594-5804\(08\)60004-2](https://doi.org/10.1016/s1594-5804(08)60004-2)
- Srivastava, J. K., Shankar, E., & Gupta, S. (2010). Chamomile: A herbal medicine of the past with bright future. *Molecular medicine reports*, 3(6), 895–901. <https://doi.org/10.3892/mmr.2010.377>
- Taher, Y. A., Samud, A. M., El-Taher, F. E., ben-Hussin, G., Elmezogi, J. S., Al-Mehdawi, B. F., & Salem, H. A. (2015). Experimental evaluation of anti-inflammatory, antinociceptive and antipyretic activities of clove oil in mice. *The Libyan journal of medicine*, 10, 28685. <https://doi.org/10.3402/ljm.v10.28685>
- Załęski, A., Banaszkiwicz, A., & Walkowiak, J. (2013). Butyric acid in irritable bowel syndrome. *Przegląd gastroenterologiczny*, 8(6), 350–353. <https://doi.org/10.5114/pg.2013.39917>

## Skin

- Abourashed, E. A., & El-Alfy, A. T. (2016). Chemical diversity and pharmacological significance of the secondary metabolites of nutmeg (*Myristica fragrans* Houtt.). *Phytochemistry reviews: proceedings of the Phytochemical Society of Europe*, 15(6), 1035–1056. <https://doi.org/10.1007/s11101-016-9469-x>
- Addor F. A. (2016). Skin barrier in rosacea. *Anais brasileiros de dermatologia*, 91(1), 59–63. <https://doi.org/10.1590/abd1806-4841.20163541>
- Ahmad Z. (2010). The uses and properties of almond oil. *Complementary therapies in clinical practice*, 16(1), 10–12. <https://doi.org/10.1016/j.ctcp.2009.06.015>
- Ahmadraji, F., & Shatalebi, M. A. (2015). Evaluation of the clinical efficacy and safety of an eye counter pad containing caffeine and vitamin K in emulsified Emu oil base. *Advanced biomedical research*, 4, 10. <https://doi.org/10.4103/2277-9175.148292>
- Aissaoui, A., Zizi, S., Israili, Z. H., & Lyoussi, B. (2011). Hypoglycemic and hypolipidemic effects of *Coriandrum sativum* L. in *Meriones shawi* rats. *Journal of ethnopharmacology*, 137(1), 652–661. <https://doi.org/10.1016/j.jep.2011.06.019>
- Akbik, D., Ghadiri, M., Chrzanowski, W., & Rohanizadeh, R. (2014). Curcumin as a wound healing agent. *Life sciences*, 116(1), 1–7. <https://doi.org/10.1016/j.lfs.2014.08.016>
- Al-Niaimi, F., & Chiang, N. (2017). Topical Vitamin C and the Skin: Mechanisms of Action and Clinical Applications. *The Journal of clinical and aesthetic dermatology*, 10(7), 14–17.
- Al-Obaidi, J. R., Halabi, M. F., AlKhalifah, N. S., Asanar, S., Al-Soqeer, A. A., & Attia, M. F. (2017). A review on plant importance, biotechnological aspects, and cultivation challenges of jojoba plant. *Biological research*, 50(1), 25. <https://doi.org/10.1186/s40659-017-0131-x>
- Alam, F., Islam, M. A., Gan, S. H., & Khalil, M. I. (2014). Honey: a potential therapeutic agent for managing diabetic wounds. *Evidence-based complementary and alternative medicine* 2014. <https://doi.org/10.1155/2014/169130>
- Alangari, A. A., Morris, K., Lwaleed, B. A., Lau, L., Jones, K., Cooper, R., & Jenkins, R. (2017). Honey is potentially effective in the treatment of atopic dermatitis: Clinical and mechanistic studies. *Immunity, inflammation and disease*, 5(2), 190–199. <https://doi.org/10.1002/iid3.153>
- Algiert-Zielińska, B., Mucha, P., & Rotsztein, H. (2019). Lactic and lactobionic acids as typically moisturizing compounds. *International journal of dermatology*, 58(3), 374–379. <https://doi.org/10.1111/ijd.14202>

- Alhashim, M., & Lombardo, J. (2018). Mechanism of Action of Topical Garlic on Wound Healing. *Dermatologic surgery: official publication for American Society for Dermatologic Surgery*, 44(5), 630–634.  
<https://doi.org/10.1097/DSS.0000000000001382>
- Alhashim, M., & Lombardo, J. (2020). Effect of Topical Garlic on Wound Healing and Scarring: A Clinical Trial. *Dermatologic surgery : official publication for American Society for Dermatologic Surgery*, 46(5), 618–627.  
<https://doi.org/10.1097/DSS.0000000000002123>
- Alzohairy M. A. (2016). Therapeutics Role of *Azadirachta indica* (Neem) and Their Active Constituents in Diseases Prevention and Treatment. *Evidence-based complementary and alternative medicine : eCAM*, 2016, 7382506.  
<https://doi.org/10.1155/2016/7382506>
- Andersen C. J. (2015). Bioactive Egg Components and Inflammation. *Nutrients*, 7(9), 7889–7913. <https://doi.org/10.3390/nu7095372>
- Angelo, G. (2012). *Essential Fatty Acids and Skin Health | Linus Pauling*. Oregon State University. <https://lpi.oregonstate.edu/mic/health-disease/skin-health/essential-fatty-acids>.
- Ankri, S., & Mirelman, D. (1999). Antimicrobial properties of allicin from garlic. *Microbes and Infection*, 1(2), 125–129. [https://doi.org/10.1016/s1286-4579\(99\)80003-3](https://doi.org/10.1016/s1286-4579(99)80003-3)
- Aprotosoiaie, A. C., Costache, I. I., & Miron, A. (2016). Anethole and Its Role in Chronic Diseases. *Advances in experimental medicine and biology*, 929, 247–267.  
[https://doi.org/10.1007/978-3-319-41342-6\\_11](https://doi.org/10.1007/978-3-319-41342-6_11)
- Atmanto, D. (2019). Effectiveness of utilizing VCO oil and castor oil on natural creams for dry skin treatment due to environmental factors. *Journal of Physics: Conference Series*, 1402, 022093. <https://doi.org/10.1088/1742-6596/1402/2/022093>
- Badgujar, S. B., Patel, V. V., & Bandivdekar, A. H. (2014). *Foeniculum vulgare* Mill: a review of its botany, phytochemistry, pharmacology, contemporary application, and toxicology. *BioMed research international*, 2014, 842674.  
<https://doi.org/10.1155/2014/842674>
- Bainbridge P. (2013). Wound healing and the role of fibroblasts. *Journal of wound care*, 22(8), 407–412. <https://doi.org/10.12968/jowc.2013.22.8.407>
- Bertuccelli, G., Zerbinati, N., Marcellino, M., Nanda Kumar, N. S., He, F., Tsepakolenko, V., Cervi, J., Lorenzetti, A., & Marotta, F. (2016). Effect of a quality-controlled fermented nutraceutical on skin aging markers: An antioxidant-control, double-blind study. *Experimental and therapeutic medicine*, 11(3), 909–916.  
<https://doi.org/10.3892/etm.2016.3011>

- Bettaieb, I., Bourgou, S., Wannas, W. A., Hamrouni, I., Limam, F., & Marzouk, B. (2010). Essential oils, phenolics, and antioxidant activities of different parts of cumin (*Cuminum cyminum* L.). *Journal of agricultural and food chemistry*, 58(19), 10410–10418. <https://doi.org/10.1021/jf102248j>
- Bhagavathula, N., Warner, R. L., DaSilva, M., McClintock, S. D., Barron, A., Aslam, M. N., Johnson, K. J., & Varani, J. (2009). A combination of curcumin and ginger extract improves abrasion wound healing in corticosteroid-impaired hairless rat skin. *Wound repair and regeneration: official publication of the Wound Healing Society and the European Tissue Repair Society*, 17(3), 360–366. <https://doi.org/10.1111/j.1524-475X.2009.00483.x>
- Bi, X., Lim, J., & Henry, C. J. (2017). Spices in the management of diabetes mellitus. *Food chemistry*, 217, 281–293. <https://doi.org/10.1016/j.foodchem.2016.08.111>
- Boddu, S. H., Alsaab, H., Umar, S., Bonam, S. P., Gupta, H., & Ahmed, S. (2015). Anti-inflammatory effects of a novel ricinoleic acid poloxamer gel system for transdermal delivery. *International journal of pharmaceutics*, 479(1), 207–211. <https://doi.org/10.1016/j.ijpharm.2014.12.051>
- Bordoni, A., Danesi, F., Dardevet, D., Dupont, D., Fernandez, A. S., Gille, D., Nunes Dos Santos, C., Pinto, P., Re, R., Rémond, D., Shahar, D. R., & Vergères, G. (2017). Dairy products and inflammation: A review of the clinical evidence. *Critical reviews in food science and nutrition*, 57(12), 2497–2525. <https://doi.org/10.1080/10408398.2014.967385>
- Borkow G. (2014). Using Copper to Improve the Well-Being of the Skin. *Current chemical biology*, 8(2), 89–102. <https://doi.org/10.2174/2212796809666150227223857>
- Boskabady, M. H., Shafei, M. N., Saberi, Z., & Amini, S. (2011). Pharmacological effects of *rosa damascena*. *Iranian journal of basic medical sciences*, 14(4), 295–307.
- Bowe, W. P., & Logan, A. C. (2011). Acne vulgaris, probiotics and the gut-brain-skin axis - back to the future?. *Gut pathogens*, 3(1), 1. <https://doi.org/10.1186/1757-4749-3-1>
- Brandt S. (2013). The clinical effects of zinc as a topical or oral agent on the clinical response and pathophysiologic mechanisms of acne: a systematic review of the literature. *Journal of drugs in dermatology : JDD*, 12(5), 542–545.
- Bukhari, S. B., Iqbal, S., & Bhangar, M. I. (2009). Antioxidant potential of commercially available cumin (*Cuminum cyminum* L.) in Pakistan. *International Journal of Food Sciences and Nutrition*, 60(3), 240–247. <https://doi.org/10.1080/09637480701695583>
- Burlando, B., & Cornara, L. (2013). Honey in dermatology and skin care: a review. *Journal of cosmetic dermatology*, 12(4), 306–313. <https://doi.org/10.1111/jocd.12058>
- Chatterton, D. E., Nguyen, D. N., Bering, S. B., & Sangild, P. T. (2013). Anti-inflammatory mechanisms of bioactive milk proteins in the intestine of newborns. *The International Journal of Biochemistry & Cell Biology*, 45(8), 1730–1747. <https://doi.org/10.1016/j.biocel.2013.04.028>

- Chen, W., Vermaak, I., & Viljoen, A. (2013). Camphor--a fumigant during the Black Death and a coveted fragrant wood in ancient Egypt and Babylon--a review. *Molecules* (Basel, Switzerland), 18(5), 5434–5454. <https://doi.org/10.3390/molecules18055434>
- Cho, Y., Kim, K. H., Shim, J. S., & Hwang, J. K. (2008). Inhibitory Effects of Macelignan Isolated from *Myristica fragrans* HOUTT. on Melanin Biosynthesis. *Biological and Pharmaceutical Bulletin*, 31(5), 986–989. <https://doi.org/10.1248/bpb.31.986>
- Chularojanamontri, L., Tuchinda, P., Kulthanan, K., & Pongparit, K. (2014). Moisturizers for Acne: What are their Constituents?. *The Journal of clinical and aesthetic dermatology*, 7(5), 36–44.
- Cordain, L. (2005). Implications for the Role of Diet in Acne. *Seminars in Cutaneous Medicine and Surgery*, 24(2), 84–91. <https://doi.org/10.1016/j.sder.2005.04.002>
- Cory, H., Passarelli, S., Szeto, J., Tamez, M., & Mattei, J. (2018). The Role of Polyphenols in Human Health and Food Systems: A Mini-Review. *Frontiers in nutrition*, 5, 87. <https://doi.org/10.3389/fnut.2018.00087>
- Dal'Belo, S. E., Rigo Gaspar, L., & Berardo Gonçalves Maia Campos, P. M. (2006). Moisturizing effect of cosmetic formulations containing Aloe vera extract in different concentrations assessed by skin bioengineering techniques. *Skin Research and Technology*, 12(4), 241–246. <https://doi.org/10.1111/j.0909-752x.2006.00155.x>
- Davis, E. C., & Callender, V. D. (2010). Postinflammatory hyperpigmentation: a review of the epidemiology, clinical features, and treatment options in skin of color. *The Journal of clinical and aesthetic dermatology*, 3(7), 20–31.
- Dawid-Pač R. (2013). Medicinal plants used in treatment of inflammatory skin diseases. *Advances in Dermatology and Allergology/Postępy Dermatologii I Alergologii*, 30(3), 170. <https://doi.org/10.5114/pdia.2013.35620>
- Dayal, S., Amrani, A., Sahu, P., & Jain, V. K. (2017). Jessner's solution vs. 30% salicylic acid peels: a comparative study of the efficacy and safety in mild-to-moderate acne vulgaris. *Journal of cosmetic dermatology*, 16(1), 43–51. <https://doi.org/10.1111/jocd.12266>
- de Cássia da Silveira E Sá, R., Lima, T. C., da Nóbrega, F. R., de Brito, A., & de Sousa, D. P. (2017). Analgesic-Like Activity of Essential Oil Constituents: An Update. *International journal of molecular sciences*, 18(12), 2392. <https://doi.org/10.3390/ijms18122392>
- De Dormael, R., Bastien, P., Sextius, P., Gueniche, A., Ye, D., Tran, C., Chevalier, V., Gomes, C., Souverain, L., & Tricaud, C. (2019). Vitamin C Prevents Ultraviolet-induced Pigmentation in Healthy Volunteers: Bayesian Meta-analysis Results from 31 Randomized Controlled versus Vehicle Clinical Studies. *The Journal of clinical and aesthetic dermatology*, 12(2), E53–E59.

- de Oliveira, A. P., Franco, E., Rodrigues Barreto, R., Cordeiro, D. P., de Melo, R. G., de Aquino, C. M., E Silva, A. A., de Medeiros, P. L., da Silva, T. G., Góes, A. J., & Maia, M. B. (2013). Effect of semisolid formulation of persea americana mill (avocado) oil on wound healing in rats. Evidence-based complementary and alternative medicine : eCAM, 2013, 472382. <https://doi.org/10.1155/2013/472382>
- Djakaria, S. A., Batubara, I., & Raffiudin, R. (2020). Antioxidant and Antibacterial Activity of Selected Indonesian Honey against Bacteria of Acne. *Jurnal Kimia Sains Dan Aplikasi*, 23(8), 267–275. <https://doi.org/10.14710/jksa.23.8.267-275>
- Eidi, M., Eidi, A., Saeidi, A., Molanaei, S., Sadeghipour, A., Bahar, M., & Bahar, K. (2009). Effect of coriander seed (*Coriandrum sativum* L.) ethanol extract on insulin release from pancreatic beta cells in streptozotocin-induced diabetic rats. *Phytotherapy Research*, 23(3), 404–406. <https://doi.org/10.1002/ptr.2642>
- El-akawi, Z., Abdel-Latif, N., & Abdul-Razzak, K. (2006). Does the plasma level of vitamins A and E affect acne condition? *Clinical and Experimental Dermatology*, 31(3), 430–434. <https://doi.org/10.1111/j.1365-2230.2006.02106.x>
- Ellinger, S., & Stehle, P. (2009). Efficacy of vitamin supplementation in situations with wound healing disorders: results from clinical intervention studies. *Current opinion in clinical nutrition and metabolic care*, 12(6), 588–595. <https://doi.org/10.1097/MCO.0b013e328331a5b5>
- Ferzli, G., Patel, M., Phrsai, N., & Brody, N. (2013). Reduction of facial redness with resveratrol added to topical product containing green tea polyphenols and caffeine. *Journal of drugs in dermatology : JDD*, 12(7), 770–774.
- Fowler, J. F., Nebus, J., Wallo, W., & Eichenfield, L. F. (2012). Colloidal oatmeal formulations as adjunct treatments in atopic dermatitis. *Journal of drugs in dermatology*, 11(7), 804–807.
- Fox, L. T., du Plessis, J., Gerber, M., van Zyl, S., Boneschans, B., & Hamman, J. H. (2014). In Vivo skin hydration and anti-erythema effects of Aloe vera, Aloe ferox and Aloe marlothii gel materials after single and multiple applications. *Pharmacognosy magazine*, 10(Suppl 2), S392–S403. <https://doi.org/10.4103/0973-1296.133291>
- Fu, J., Huang, J., Lin, M., Xie, T., & You, T. (2020). Quercetin Promotes Diabetic Wound Healing via Switching Macrophages From M1 to M2 Polarization. *The Journal of surgical research*, 246, 213–223. <https://doi.org/10.1016/j.jss.2019.09.011>
- Gajowik, A., & Dobrzynska, M. M. (2014). Lycopene-antioxidant with radioprotective and anticancer properties. A review. *Roczniki Państwowego Zakładu Higieny*, 65(4).
- Gupta, M., Mahajan, V. K., Mehta, K. S., & Chauhan, P. S. (2014). Zinc Therapy in Dermatology: A Review. *Dermatology Research and Practice*, 2014, 1–11. <https://doi.org/10.1155/2014/709152>

- Hajheydari, Z., Saeedi, M., Morteza-Semnani, K., & Soltani, A. (2014). Effect of Aloe vera topical gel combined with tretinoin in treatment of mild and moderate acne vulgaris: a randomized, double-blind, prospective trial. *The Journal of dermatological treatment*, 25(2), 123–129. <https://doi.org/10.3109/09546634.2013.768328>
- Hakozaki, T., Minwalla, L., Zhuang, J., Chhoa, M., Matsubara, A., Miyamoto, K., ... & Boissy, R. E. (2002). The effect of niacinamide on reducing cutaneous pigmentation and suppression of melanosome transfer. *British Journal of Dermatology*, 147(1), 20–31.
- Handog, E. B., Datuin, M. S., & Singzon, I. A. (2012). Chemical peels for acne and acne scars in asians: evidence based review. *Journal of cutaneous and aesthetic surgery*, 5(4), 239–246. <https://doi.org/10.4103/0974-2077.104911>
- Hashemi, S. A., Madani, S. A., & Abediankenari, S. (2015). The Review on Properties of Aloe Vera in Healing of Cutaneous Wounds. *BioMed research international*, 2015, 714216. <https://doi.org/10.1155/2015/714216>
- Hekmatpou, D., Mehrabi, F., Rahzani, K., & Aminiyan, A. (2019). The Effect of Aloe Vera Clinical Trials on Prevention and Healing of Skin Wound: A Systematic Review. *Iranian journal of medical sciences*, 44(1), 1–9.
- Hewlings, S. J., & Kalman, D. S. (2017). Curcumin: A Review of Its Effects on Human Health. *Foods (Basel, Switzerland)*, 6(10), 92. <https://doi.org/10.3390/foods6100092>
- Hollinger, J. C., Angra, K., & Halder, R. M. (2018). Are Natural Ingredients Effective in the Management of Hyperpigmentation? A Systematic Review. *The Journal of clinical and aesthetic dermatology*, 11(2), 28–37.
- How to treat corns and calluses*. (2021). American Academy of Dermatology Association. <https://www.aad.org/public/everyday-care/injured-skin/burns/treat-corns-calluses>
- Huh, C. H., Seo, K. I., Park, J. Y., Lim, J. G., Eun, H. C., & Park, K. C. (2003). A Randomized, Double-Blind, Placebo-Controlled Trial of Vitamin C Iontophoresis in Melasma. *Dermatology*, 206(4), 316–320. <https://doi.org/10.1159/000069943>
- Ilnytska, O., Kaur, S., Chon, S., Reynertson, K. A., Nebus, J., Garay, M., Mahmood, K., & Southall, M. D. (2016). Colloidal Oatmeal (*Avena Sativa*) Improves Skin Barrier Through Multi-Therapy Activity. *Journal of drugs in dermatology*, 15(6), 684–690.
- Intahphuak, S., Khonsung, P., & Panthong, A. (2009). Anti-inflammatory, analgesic, and antipyretic activities of virgin coconut oil. *Pharmaceutical Biology*, 48(2), 151–157. <https://doi.org/10.3109/13880200903062614>
- Jadhav, S., Jaykar, R., Makam, S., & Patankar, S. (2015). Study of management of superficial burn wounds (up to 30%), using camphor and coconut oil, in 2000 patients. *International Journal of Recent Trends in Science and Technology*, 14(2).



- Jae-kwan, H., Yu-mi, C., Hoi, K. G., Hwan, K. J., Ji, L. H., & In, O. H. (2008). Novel use of lignan-type compounds or extract of nutmeg or aril of nutmeg comprising the same. *World Intellectual Property Organization*.
- Jafari, S., Sattari, R., & Ghavamzadeh, S. (2016). Evaluation the effect of 50 and 100 mg doses of *Cuminum cyminum* essential oil on glycemic indices, insulin resistance and serum inflammatory factors on patients with diabetes type II: A double-blind randomized placebo-controlled clinical trial. *Journal of traditional and complementary medicine*, 7(3), 332–338. <https://doi.org/10.1016/j.jtcme.2016.08.004>
- Jinjarak, S., Olabi, A., Jiménez-Flores, R., Sodini, I., & Walker, J. H. (2006). Sensory Evaluation of Whey and Sweet Cream Buttermilk. *Journal of Dairy Science*, 89(7), 2441–2450. [https://doi.org/10.3168/jds.s0022-0302\(06\)72317-7](https://doi.org/10.3168/jds.s0022-0302(06)72317-7)
- Julianti, E., Rajah, K. K., & Fidrianny, I. (2017). Antibacterial Activity of Ethanollic Extract of Cinnamon Bark, Honey, and Their Combination Effects against Acne-Causing Bacteria. *Scientia pharmaceutica*, 85(2), 19. <https://doi.org/10.3390/scipharm85020019>
- Jull, A. B., Cullum, N., Dumville, J. C., Westby, M. J., Deshpande, S., & Walker, N. (2015). Honey as a topical treatment for wounds. *Cochrane Database of Systematic Reviews*, 1–10. <https://doi.org/10.1002/14651858.cd005083.pub4>
- Kabara, J. J., Swieczkowski, D. M., Conley, A. J., & Truant, J. P. (1972). Fatty acids and derivatives as antimicrobial agents. *Antimicrobial agents and chemotherapy*, 2(1), 23–28. <https://doi.org/10.1128/aac.2.1.23>
- Kapoor, S., & Saraf, S. (2010). Assessment of viscoelasticity and hydration effect of herbal moisturizers using bioengineering techniques. *Pharmacognosy magazine*, 6(24), 298–304. <https://doi.org/10.4103/0973-1296.71797>
- Katiyar S. K. (2011). Green tea prevents non-melanoma skin cancer by enhancing DNA repair. *Archives of biochemistry and biophysics*, 508(2), 152–158. <https://doi.org/10.1016/j.abb.2010.11.015>
- Keen, M. A., & Hassan, I. (2016). Vitamin E in dermatology. *Indian dermatology online journal*, 7(4), 311–315. <https://doi.org/10.4103/2229-5178.185494>
- Khiljee, S., Rehman, N., Khiljee, T., Loebenberg, R., & Ahmad, R. S. (2015). Formulation and clinical evaluation of topical dosage forms of Indian Penny Wort, walnut and turmeric in eczema. *Pakistan journal of pharmaceutical sciences*, 28(6), 2001–2007.
- Kim, B., Lee, J. Y., Lee, H. Y., Nam, K. Y., Park, J., Lee, S. M., Kim, J. E., Lee, J. D., & Hwang, J. S. (2013). Hesperidin Suppresses Melanosome Transport by Blocking the Interaction of Rab27A-Melanophilin. *Biomolecules & therapeutics*, 21(5), 343–348. <https://doi.org/10.4062/biomolther.2013.032>
- Kober, M. M., & Bowe, W. P. (2015). The effect of probiotics on immune regulation, acne, and photoaging. *International journal of women's dermatology*, 1(2), 85–89. <https://doi.org/10.1016/j.ijwd.2015.02.001>

- Kodad, O., & Socias i Company, R. (2008). Variability of Oil Content and of Major Fatty Acid Composition in Almond (*Prunus amygdalus* Batsch) and Its Relationship with Kernel Quality. *Journal of Agricultural and Food Chemistry*, 56(11), 4096–4101. <https://doi.org/10.1021/jf8001679>
- Kadu, M., Vishwasrao, S., & Singh, S. (2015). Review on natural lip balm. *International Journal of Research in Cosmetic Science*, 5(1), 1-7.
- Kunnumakkara, A. B., Sailo, B. L., Banik, K., Harsha, C., Prasad, S., Gupta, S. C., Bharti, A. C., & Aggarwal, B. B. (2018). Chronic diseases, inflammation, and spices: how are they linked?. *Journal of translational medicine*, 16(1), 14. <https://doi.org/10.1186/s12967-018-1381-2>
- Lalla, J. K., Nandedkar, S. Y., Paranjape, M. H., & Talreja, N. B. (2001). Clinical trials of ayurvedic formulations in the treatment of acne vulgaris. *Journal of Ethnopharmacology*, 78(1), 99–102. [https://doi.org/10.1016/s0378-8741\(01\)00323-3](https://doi.org/10.1016/s0378-8741(01)00323-3)
- Lee, H. J., Lee, W. J., Chang, S. E., & Lee, G. Y. (2015). Hesperidin, A Popular Antioxidant Inhibits Melanogenesis via Erk1/2 Mediated MITF Degradation. *International journal of molecular sciences*, 16(8), 18384–18395. <https://doi.org/10.3390/ijms160818384>
- Lee, J. W., Gadiraju, P., Park, J. H., Allen, M. G., & Prausnitz, M. R. (2011). Microsecond thermal ablation of skin for transdermal drug delivery. *Journal of controlled release : official journal of the Controlled Release Society*, 154(1), 58–68. <https://doi.org/10.1016/j.jconrel.2011.05.003>
- Lee, K. E., Mun, S., Pyun, H. B., Kim, M. S., & Hwang, J. K. (2012). Effects of macelignan isolated from *Myristica fragrans* (Nutmeg) on expression of matrix metalloproteinase-1 and type I procollagen in UVB-irradiated human skin fibroblasts. *Biological & pharmaceutical bulletin*, 35(10), 1669–1675. <https://doi.org/10.1248/bpb.b12-00037>
- Lee, M. H., Nam, T. G., Lee, I., Shin, E. J., Han, A. R., Lee, P., Lee, S. Y., & Lim, T. G. (2018). Skin anti-inflammatory activity of rose petal extract (*Rosa gallica*) through reduction of MAPK signaling pathway. *Food science & nutrition*, 6(8), 2560–2567. <https://doi.org/10.1002/fsn3.870>
- Lee, S. J., Seok, J., Jeong, S. Y., Park, K. Y., Li, K., & Seo, S. J. (2016). Facial Pores: Definition, Causes, and Treatment Options. *Dermatologic surgery: official publication for American Society for Dermatologic Surgery [et al.]*, 42(3), 277–285. <https://doi.org/10.1097/DSS.0000000000000657>
- Lee, Y. B., Byun, E. J., & Kim, H. S. (2019). Potential Role of the Microbiome in Acne: A Comprehensive Review. *Journal of clinical medicine*, 8(7), 987. <https://doi.org/10.3390/jcm8070987>
- Lim, S. K., Ha, J. M., Lee, Y. H., Lee, Y., Seo, Y. J., Kim, C. D., Lee, J. H., & Im, M. (2016). Comparison of Vitamin D Levels in Patients with and without Acne: A Case-Control Study Combined with a Randomized Controlled Trial. *PloS one*, 11(8), e0161162. <https://doi.org/10.1371/journal.pone.0161162>

- Lin, T. K., Zhong, L., & Santiago, J. (2017). Anti-Inflammatory and Skin Barrier Repair Effects of Topical Application of Some Plant Oils. *International Journal of Molecular Sciences*, 19(1), 70. <https://doi.org/10.3390/ijms19010070>
- Liu, C. H., & Huang, H. Y. (2013). In vitro anti-propionibacterium activity by curcumin containing vesicle system. *Chemical & pharmaceutical bulletin*, 61(4), 419–425. <https://doi.org/10.1248/cpb.c12-01043>
- Liu, H., Yu, H., Xia, J., Liu, L., Liu, G. J., Sang, H., & Peinemann, F. (2020). Topical azelaic acid, salicylic acid, nicotinamide, sulphur, zinc and fruit acid (alpha-hydroxy acid) for acne. *Cochrane Database of Systematic Reviews*. <https://doi.org/10.1002/14651858.cd011368.pub2>
- Lodish, H., Berk, A., Zipursky, S. L., Matsudaira, P., Baltimore, D., & Darnell, J. (2000). Collagen: the fibrous proteins of the matrix. *Molecular cell biology*, 4.
- Lu, X., Rasco, B. A., Jabal, J. M., Aston, D. E., Lin, M., & Konkel, M. E. (2011). Investigating antibacterial effects of garlic (*Allium sativum*) concentrate and garlic-derived organosulfur compounds on *Campylobacter jejuni* by using Fourier transform infrared spectroscopy, Raman spectroscopy, and electron microscopy. *Applied and environmental microbiology*, 77(15), 5257–5269. <https://doi.org/10.1128/AEM.02845-10>
- Luo, X., Zhang, H., Wei, X., Shi, M., Fan, P., Xie, W., Zhang, Y., & Xu, N. (2018). Aloin Suppresses Lipopolysaccharide-Induced Inflammatory Response and Apoptosis by Inhibiting the Activation of NF- $\kappa$ B. *Molecules (Basel, Switzerland)*, 23(3), 517. <https://doi.org/10.3390/molecules23030517>
- Maenthaisong, R., Chaiyakunapruk, N., Niruntraporn, S., & Kongkaew, C. (2007). The efficacy of aloe vera used for burn wound healing: A systematic review. *Burns*, 33(6), 713–718. <https://doi.org/10.1016/j.burns.2006.10.384>
- Mahmood, T., Akhtar, N., Khan, B. A., Khan, H. M., & Saeed, T. (2010). Outcomes of 3% green tea emulsion on skin sebum production in male volunteers. *Bosnian journal of basic medical sciences*, 10(3), 260–264. <https://doi.org/10.17305/bjbms.2010.2697>
- Man, M. Q., Yang, B., & Elias, P. M. (2019). Benefits of Hesperidin for Cutaneous Functions. *Evidence-Based Complementary and Alternative Medicine*, 2019, 1–19. <https://doi.org/10.1155/2019/2676307>
- Mandal, M. D., & Mandal, S. (2011). Honey: its medicinal property and antibacterial activity. *Asian Pacific journal of tropical biomedicine*, 1(2), 154–160. [https://doi.org/10.1016/S2221-1691\(11\)60016-6](https://doi.org/10.1016/S2221-1691(11)60016-6)
- McLoone, P., Oluwadun, A., Warnock, M., & Fyfe, L. (2016). Honey: A Therapeutic Agent for Disorders of the Skin. *Central Asian journal of global health*, 5(1), 241. <https://doi.org/10.5195/cajgh.2016.241>

- Melvin, L., Elson, M. D., & Nacht, S. (1999). Treatment of Periorbital Hyperpigmentation with Topical Vitamin K/Vitamin A. *Cosmetic Dermatology*, 1–4.  
<https://sadpas.co.za/wp-content/uploads/2016/02/1999-Cosmetic-Dermatology-Vit-K-eye-Hyperpigmentation.pdf>
- Menon, V. P., & Sudheer, A. R. (2007). Antioxidant and anti-inflammatory properties of curcumin. *Advances in Experimental Medicine and Biology*, 105–125.  
[https://doi.org/10.1007/978-0-387-46401-5\\_3](https://doi.org/10.1007/978-0-387-46401-5_3)
- Mieremet, A., Helder, R., Nadaban, A., Gooris, G., Boiten, W., El Ghalbzouri, A., & Bouwstra, J. A. (2019). Contribution of Palmitic Acid to Epidermal Morphogenesis and Lipid Barrier Formation in Human Skin Equivalents. *International journal of molecular sciences*, 20(23), 6069. <https://doi.org/10.3390/ijms20236069>
- Mitsuishi, T., Shimoda, T., Mitsui, Y., Kuriyama, Y., & Kawana, S. (2004). The effects of topical application of phytonadione, retinol and vitamins C and E on infraorbital dark circles and wrinkles of the lower eyelids. *Journal of Cosmetic Dermatology*, 3(2), 73–75. <https://doi.org/10.1111/j.1473-2130.2004.00070.x>
- Mnif, S., & Aifa, S. (2015). Cumin (*Cuminum cyminum* L.) from traditional uses to potential biomedical applications. *Chemistry & biodiversity*, 12(5), 733–742.  
<https://doi.org/10.1002/cbdv.201400305>
- Moalla Rekik, D., Ben Khedir, S., Ksouda Moalla, K., Kammoun, N. G., Rebai, T., & Sahnoun, Z. (2016). Evaluation of Wound Healing Properties of Grape Seed, Sesame, and Fenugreek Oils. *Evidence-based complementary and alternative medicine : eCAM*, 2016, 7965689. <https://doi.org/10.1155/2016/7965689>
- Moghadamtousi, S. Z., Kadir, H. A., Hassandarvish, P., Tajik, H., Abubakar, S., & Zandi, K. (2014). A review on antibacterial, antiviral, and antifungal activity of curcumin. *BioMed research international*, 2014, 186864. <https://doi.org/10.1155/2014/186864>
- Molan, P., & Rhodes, T. (2015). Honey: A Biologic Wound Dressing. *Wounds : a compendium of clinical research and practice*, 27(6), 141–151.
- Mori, H. M., Kawanami, H., Kawahata, H., & Aoki, M. (2016). Wound healing potential of lavender oil by acceleration of granulation and wound contraction through induction of TGF- $\beta$  in a rat model. *BMC complementary and alternative medicine*, 16, 144.  
<https://doi.org/10.1186/s12906-016-1128-7>
- Moy, R. L., & Levenson, C. (2017). Sandalwood Album Oil as a Botanical Therapeutic in Dermatology. *The Journal of clinical and aesthetic dermatology*, 10(10), 34–39.
- Moy, R. L., Levenson, C., So, J. J., & Rock, J. A. (2012). Single-center, open-label study of a proprietary topical 0.5% salicylic acid-based treatment regimen containing sandalwood oil in adolescents and adults with mild to moderate acne. *Journal of drugs in dermatology : JDD*, 11(12), 1403–1408.

- Mukherjee, P. K., Nema, N. K., Maity, N., & Sarkar, B. K. (2013). Phytochemical and therapeutic potential of cucumber. *Fitoterapia*, 84, 227–236. <https://doi.org/10.1016/j.fitote.2012.10.003>
- Nachbar, F., & Korting, H. C. (1995). The role of vitamin E in normal and damaged skin. *Journal of molecular medicine (Berlin, Germany)*, 73(1), 7–17. <https://doi.org/10.1007/BF00203614>
- Nagulapalli Venkata, K. C., Swaroop, A., Bagchi, D., & Bishayee, A. (2017). A small plant with big benefits: Fenugreek (*Trigonella foenum-graecum* Linn.) for disease prevention and health promotion. *Molecular nutrition & food research*, 61(6), 10.1002/mnfr.201600950. <https://doi.org/10.1002/mnfr.201600950>
- Nevin, K. G., & Rajamohan, T. (2010). Effect of topical application of virgin coconut oil on skin components and antioxidant status during dermal wound healing in young rats. *Skin pharmacology and physiology*, 23(6), 290–297. <https://doi.org/10.1159/000313516>
- Ngo, H. T., Hwang, E., Seo, S. A., Park, B., Sun, Z. W., Zhang, M., Shin, Y. K., & Yi, T. H. (2017). Topical application of neem leaves prevents wrinkles formation in UVB-exposed hairless mice. *Journal of Photochemistry and Photobiology B: Biology*, 169, 161–170. <https://doi.org/10.1016/j.jphotobiol.2017.03.010>
- Ohishi, T., Goto, S., Monira, P., Isemura, M., & Nakamura, Y. (2016). Anti-inflammatory Action of Green Tea. *Anti-inflammatory & anti-allergy agents in medicinal chemistry*, 15(2), 74–90. <https://doi.org/10.2174/1871523015666160915154443>
- Okoh, S. O., Okoh, O. O., & Okoh, A. I. (2019). Inhibitory effects of *Azadirachta indica* secondary metabolites formulated cosmetics on some infectious pathogens and oxidative stress radicals. *BMC complementary and alternative medicine*, 19(1), 123. <https://doi.org/10.1186/s12906-019-2538-0>
- Palmieri, B., Vadalà, M., & Laurino, C. (2019). Nutrition in wound healing: investigation of the molecular mechanisms, a narrative review. *Journal of wound care*, 28(10), 683–693. <https://doi.org/10.12968/jowc.2019.28.10.683>
- Pandey, S., Cabot, P. J., Shaw, P. N., & Hewavitharana, A. K. (2016). Anti-inflammatory and immunomodulatory properties of *Carica papaya*. *Journal of immunotoxicology*, 13(4), 590–602. <https://doi.org/10.3109/1547691X.2016.1149528>
- Pandey, S., Patel, M. K., Mishra, A., & Jha, B. (2015). Physio-Biochemical Composition and Untargeted Metabolomics of Cumin (*Cuminum cyminum* L.) Make It Promising Functional Food and Help in Mitigating Salinity Stress. *PloS one*, 10(12), e0144469. <https://doi.org/10.1371/journal.pone.0144469>
- Patel, K. K., Mehta, N. J., Dhandhaliya, N. C., Bhanupriya, A. K., Shastri, D. H., Shelat, P. K., & Shah, G. B. (2012). Development and Evaluation of Herbal Anti-Acne Formulation. *Research Journal of Pharmaceutical, Biological and Chemical Sciences*, 3(3), 334–339.

- Patel, V. R., Dumancas, G. G., Kasi Viswanath, L. C., Maples, R., & Subong, B. J. (2016). Castor Oil: Properties, Uses, and Optimization of Processing Parameters in Commercial Production. *Lipid insights*, 9, 1–12. <https://doi.org/10.4137/LPI.S40233>
- Pazyar, N., & Feily, A. (2011). Garlic in dermatology. *Dermatology reports*, 3(1), e4. <https://doi.org/10.4081/dr.2011.e4>
- Pazyar, N., Feily, A., & Kazerouni, A. (2012). Green tea in dermatology. *Skinmed*, 10(6), 352–355.
- Pazyar, N., Yaghoobi, R., Kazerouni, A., & Feily, A. (2012). Oatmeal in dermatology: a brief review. *Indian journal of dermatology, venereology and leprology*, 78(2), 142–145. <https://doi.org/10.4103/0378-6323.93629>
- Pergolizzi, J. V., Taylor, R., LeQuang, J.-A., & Raffa, R. B. (2018). The role and mechanism of action of menthol in topical analgesic products. *Journal of Clinical Pharmacy and Therapeutics*, 43(3), 313–319. <https://doi.org/10.1111/jcpt.12679>
- Piaru, S. P., Mahmud, R., Abdul Majid, A. M., & Mahmoud Nassar, Z. D. (2012). Antioxidant and antiangiogenic activities of the essential oils of *Myristica fragrans* and *Morinda citrifolia*. *Asian Pacific journal of tropical medicine*, 5(4), 294–298. [https://doi.org/10.1016/S1995-7645\(12\)60042-X](https://doi.org/10.1016/S1995-7645(12)60042-X)
- Pinnell, S. R. (2003). Cutaneous photodamage, oxidative stress, and topical antioxidant protection. *Journal of the American Academy of Dermatology*, 48(1), 1–22. <https://doi.org/10.1067/mjd.2003.16>
- Polerà, N., Badolato, M., Perri, F., Carullo, G., & Aiello, F. (2019). Quercetin and its Natural Sources in Wound Healing Management. *Current medicinal chemistry*, 26(31), 5825–5848. <https://doi.org/10.2174/0929867325666180713150626>
- Proksch E. (2018). pH in nature, humans and skin. *The Journal of dermatology*, 45(9), 1044–1052. <https://doi.org/10.1111/1346-8138.14489>
- Prus, E., & Fibach, E. (2012). The antioxidant effect of fermented papaya preparation involves iron chelation. *Journal of biological regulators and homeostatic agents*, 26(2), 203–210.
- Pundarikakshudu, K., Shah, D. H., Panchal, A. H., & Bhavsar, G. C. (2016). Anti-inflammatory activity of fenugreek (*Trigonella foenum-graecum* Linn) seed petroleum ether extract. *Indian journal of pharmacology*, 48(4), 441–444. <https://doi.org/10.4103/0253-7613.186195>
- Purnamawati, S., Indrastuti, N., Danarti, R., & Saefudin, T. (2017). The Role of Moisturizers in Addressing Various Kinds of Dermatitis: A Review. *Clinical medicine & research*, 15(3-4), 75–87. <https://doi.org/10.3121/cmr.2017.1363>
- Rao, P. V., & Gan, S. H. (2014). Cinnamon: a multifaceted medicinal plant. *Evidence-based complementary and alternative medicine: eCAM*, 2014, 642942. <https://doi.org/10.1155/2014/642942>

- Rathnavelu, V., Alitheen, N. B., Sohila, S., Kanagesan, S., & Ramesh, R. (2016). Potential role of bromelain in clinical and therapeutic applications. *Biomedical reports*, 5(3), 283–288. <https://doi.org/10.3892/br.2016.720>
- Rawal, R. C., Shah, B. J., Jayaraaman, A. M., & Jaiswal, V. (2009). Clinical Evaluation of an Indian Polyherbal Topical Formulation in the Management of Eczema. *The Journal of Alternative and Complementary Medicine*, 15(6), 669–672. <https://doi.org/10.1089/acm.2008.0508>
- Reuter, J., Jocher, A., Stump, J., Grossjohann, B., Franke, G., & Schempp, C. (2008). Investigation of the Anti-Inflammatory Potential of *Aloe vera* Gel (97.5%) in the Ultraviolet Erythema Test. *Skin Pharmacology and Physiology*, 21(2), 106–110. <https://doi.org/10.1159/000114871>
- Ringsdorf, W. M., Jr, & Cheraskin, E. (1982). Vitamin C and human wound healing. Oral surgery, oral medicine, and oral pathology, 53(3), 231–236. [https://doi.org/10.1016/0030-4220\(82\)90295-x](https://doi.org/10.1016/0030-4220(82)90295-x)
- Rostami Mogaddam, M., Safavi Ardabili, N., Maleki, N., & Soflaee, M. (2014). Correlation between the severity and type of acne lesions with serum zinc levels in patients with acne vulgaris. *BioMed research international*, 2014, 474108. <https://doi.org/10.1155/2014/474108>
- Saeedi, M., Morteza-Semnani, K., & Ghoreishi, M. R. (2003). The treatment of atopic dermatitis with licorice gel. *Journal of Dermatological Treatment*, 14(3), 153–157. <https://doi.org/10.1080/09546630310014369>
- Saptarini, N. M., & Herawati, I. E. (2017). Development and evaluation of anti-acne gel containing garlic (*allium sativum*) against propionibacterium acnes. *Asian Journal of Pharmaceutical and Clinical Research*, 10(8), 260. <https://doi.org/10.22159/ajpcr.2017.v10i8.19271>
- Saric, S., Notay, M., & Sivamani, R. K. (2016). Green Tea and Other Tea Polyphenols: Effects on Sebum Production and Acne Vulgaris. *Antioxidants (Basel, Switzerland)*, 6(1), 2. <https://doi.org/10.3390/antiox6010002>
- Sarkar, R., Arora, P., & Garg, K. V. (2013). Cosmeceuticals for Hyperpigmentation: What is Available? *Journal of cutaneous and aesthetic surgery*, 6(1), 4–11. <https://doi.org/10.4103/0974-2077.110089>
- Satralkar, S., & Zagade, T. B. (2018). Effectiveness of Application of Neem Paste on Face Acne among Teenagers in Selected Area of Sangli, Miraj and Kupwad Corporation. *International Journal of Science and Research*, 1(10), 1–10.
- Schachner, L., Eaglstein, W., Kittles, C., & Mertz, P. (1990). Topical erythromycin and zinc therapy for acne. *Journal of the American Academy of Dermatology*, 22(2 Pt 1), 253–260. [https://doi.org/10.1016/0190-9622\(90\)70034-f](https://doi.org/10.1016/0190-9622(90)70034-f)

- Shalby, A. B., Hamza, A. H., & Ahmed, H. H. (2012). New insights on the anti-inflammatory effect of some Egyptian plants against renal dysfunction induced by cyclosporine. *European review for medical and pharmacological sciences*, 16(4), 455–461.
- Shan, B., Cai, Y. Z., Sun, M., & Corke, H. (2005). Antioxidant Capacity of 26 Spice Extracts and Characterization of Their Phenolic Constituents. *Journal of Agricultural and Food Chemistry*, 53(20), 7749–7759. <https://doi.org/10.1021/jf051513y>
- Sharif, M. R., Alizarger, J., & Sharif, A. (2013). Evaluation of the wound healing activity of sesame oil extract in rats. *World journal of medical science*, 9(2), 74–78.
- Sharma, H., Zhang, X., & Dwivedi, C. (2010). The effect of ghee (clarified butter) on serum lipid levels and microsomal lipid peroxidation. *Ayu*, 31(2), 134–140. <https://doi.org/10.4103/0974-8520.72361>
- Sharma, K., Joshi, N., & Goyal, C. (2015). Critical review of Ayurvedic Varnya herbs and their tyrosinase inhibition effect. *Ancient science of life*, 35(1), 18–25. <https://doi.org/10.4103/0257-7941.165627>
- Sharma, K., Mahato, N., & Lee, Y. R. (2018). Systematic study on active compounds as antibacterial and antibiofilm agent in aging onions. *Journal of food and drug analysis*, 26(2), 518–528. <https://doi.org/10.1016/j.jfda.2017.06.009>
- Shedoeva, A., Leavesley, D., Upton, Z., & Fan, C. (2019). Wound Healing and the Use of Medicinal Plants. *Evidence-based complementary and alternative medicine : eCAM*, 2019, 2684108. <https://doi.org/10.1155/2019/2684108>
- Shenefelt, P. D. (2012). Herbal treatment for dermatologic disorders.
- Silva, G. L., Luft, C., Lunardelli, A., Amaral, R. H., Melo, D. A., Donadio, M. V., Nunes, F. B., de Azambuja, M. S., Santana, J. C., Moraes, C. M., Mello, R. O., Cassel, E., Pereira, M. A., & de Oliveira, J. R. (2015). Antioxidant, analgesic and anti-inflammatory effects of lavender essential oil. *Anais da Academia Brasileira de Ciencias*, 87(2 Suppl), 1397–1408. <https://doi.org/10.1590/0001-3765201520150056>
- Simmler, C., Pauli, G. F., & Chen, S. N. (2013). Phytochemistry and biological properties of glabridin. *Fitoterapia*, 90, 160–184. <https://doi.org/10.1016/j.fitote.2013.07.003>
- Smith W. P. (1996). Epidermal and dermal effects of topical lactic acid. *Journal of the American Academy of Dermatology*, 35(3 Pt 1), 388–391. [https://doi.org/10.1016/s0190-9622\(96\)90602-7](https://doi.org/10.1016/s0190-9622(96)90602-7)
- Smith, C. H., Jackson, K., Chinn, S., Angus, K., & Barker, J. N. (2000). A double blind, randomized, controlled clinical trial to assess the efficacy of a new coal tar preparation (Exorex) in the treatment of chronic, plaque type psoriasis. *Clinical and Experimental Dermatology*, 25(8), 580–583. <https://doi.org/10.1046/j.1365-2230.2000.00710.x>



- Smith, R., Mann, N., Mäkeläinen, H., Roper, J., Braue, A., & Varigos, G. (2008). A pilot study to determine the short-term effects of a low glycemic load diet on hormonal markers of acne: A nonrandomized, parallel, controlled feeding trial. *Molecular Nutrition & Food Research*, 52(6), 718–726. <https://doi.org/10.1002/mnfr.200700307>
- Spada, F., Barnes, T. M., & Greive, K. A. (2018). Skin hydration is significantly increased by a cream formulated to mimic the skin's own natural moisturizing systems. *Clinical, cosmetic and investigational dermatology*, 11, 491–497. <https://doi.org/10.2147/CCID.S177697>
- Srinivasan, K. (2005). Plant foods in the management of diabetes mellitus: Spices as beneficial antidiabetic food adjuncts. *International Journal of Food Sciences and Nutrition*, 56(6), 399–414. <https://doi.org/10.1080/09637480500512872>
- Stremnitzer, C., Manzano-Szalai, K., Willensdorfer, A., Starkl, P., Pieper, M., König, P., Mildner, M., Tschachler, E., Reichart, U., & Jensen-Jarolim, E. (2015). Papain Degrades Tight Junction Proteins of Human Keratinocytes In Vitro and Sensitizes C57BL/6 Mice via the Skin Independent of its Enzymatic Activity or TLR4 Activation. *The Journal of investigative dermatology*, 135(7), 1790–1800. <https://doi.org/10.1038/jid.2015.58>
- Subapriya, R., & Nagini, S. (2005). Medicinal Properties of Neem Leaves: A Review. *Current Medicinal Chemistry-Anti-Cancer Agents*, 5(2), 149–156. <https://doi.org/10.2174/1568011053174828>
- Subrahmanyam M. (2007). Topical application of honey for burn wound treatment - an overview. *Annals of burns and fire disasters*, 20(3), 137–139.
- Sugawara, T., Kikuchi, K., Tagami, H., Aiba, S., & Sakai, S. (2012). Decreased lactate and potassium levels in natural moisturizing factor from the stratum corneum of mild atopic dermatitis patients are involved with the reduced hydration state. *Journal of Dermatological Science*, 66(2), 154–159. <https://doi.org/10.1016/j.jdermsci.2012.02.011>
- Sur, R., Nigam, A., Grote, D., Liebel, F., & Southall, M. D. (2008). Avenanthramides, polyphenols from oats, exhibit anti-inflammatory and anti-itch activity. *Archives of Dermatological Research*, 300(10), 569–574. <https://doi.org/10.1007/s00403-008-0858-x>
- Surjushe, A., Vasani, R., & Saple, D. G. (2008). Aloe vera: a short review. *Indian journal of dermatology*, 53(4), 163–166. <https://doi.org/10.4103/0019-5154.44785>
- Takasao, N., Tsuji-Naito, K., Ishikura, S., Tamura, A., & Akagawa, M. (2012). Cinnamon extract promotes type I collagen biosynthesis via activation of IGF-I signaling in human dermal fibroblasts. *Journal of agricultural and food chemistry*, 60(5), 1193–1200. <https://doi.org/10.1021/jf2043357>
- Tang, S. C., & Yang, J. H. (2018). Dual Effects of Alpha-Hydroxy Acids on the Skin. *Molecules (Basel, Switzerland)*, 23(4), 863. <https://doi.org/10.3390/molecules23040863>

- Tehrani, S., Lotfi, P., Tehrani, S., Jangholi, E., Aryan, H., & Aidun, A. (2016). Healing Effect of Sesame Ointment on Second-degree Burn Wound in Rats. *Galen Medical Journal*, 5(2), 56-62. Retrieved from <https://www.gmj.ir/index.php/gmj/article/view/658>
- Tejada, S., Manayi, A., Daglia, M., Nabavi, S. F., Sureda, A., Hajheydari, Z., Gortzi, O., Pazoki-Toroudi, H., & Nabavi, S. M. (2016). Wound Healing Effects of Curcumin: A Short Review. *Current pharmaceutical biotechnology*, 17(11), 1002–1007. <https://doi.org/10.2174/1389201017666160721123109>
- Thangapazham, R. L., Sharma, A., & Maheshwari, R. K. (2007). Beneficial role of curcumin in skin diseases. *Advances in Experimental Medicine and Biology*, 343–357. [https://doi.org/10.1007/978-0-387-46401-5\\_15](https://doi.org/10.1007/978-0-387-46401-5_15)
- Thring, T. S. A., Hili, P., & Naughton, D. P. (2011). Antioxidant and potential anti-inflammatory activity of extracts and formulations of white tea, rose, and witch hazel on primary human dermal fibroblast cells. *Journal of Inflammation*, 8(1), 27. <https://doi.org/10.1186/1476-9255-8-27>
- Trookman, N. S., Rizer, R. L., Ford, R., Mehta, R., & Gotz, V. (2009). Clinical assessment of a combination lip treatment to restore moisturization and fullness. *The Journal of clinical and aesthetic dermatology*, 2(12), 44–48.
- Tu, C. X., Lin, M., Lu, S. S., Qi, X. Y., Zhang, R. X., & Zhang, Y. Y. (2012). Curcumin inhibits melanogenesis in human melanocytes. *Phytotherapy research: PTR*, 26(2), 174–179. <https://doi.org/10.1002/ptr.3517>
- Vaghardoost, R., Mousavi Majd, S. G., Tebyanian, H., Babavalian, H., Malaei, L., Niazi, M., & Javdani, A. (2018). The Healing Effect of Sesame Oil, Camphor and Honey on Second Degree Burn Wounds in Rat. *World journal of plastic surgery*, 7(1), 67–71.
- Valacchi, G., Lim, Y., Belmonte, G., Miracco, C., Zanardi, I., Bocci, V., & Travagli, V. (2011). Ozonated sesame oil enhances cutaneous wound healing in SKH1 mice. *Wound repair and regeneration: official publication of the Wound Healing Society [and] the European Tissue Repair Society*, 19(1), 107–115. <https://doi.org/10.1111/j.1524-475X.2010.00649.x>
- Van Aller, G. S., Carson, J. D., Tang, W., Peng, H., Zhao, L., Copeland, R. A., Tummino, P. J., & Luo, L. (2011). Epigallocatechin gallate (EGCG), a major component of green tea, is a dual phosphoinositide-3-kinase/mTOR inhibitor. *Biochemical and biophysical research communications*, 406(2), 194–199. <https://doi.org/10.1016/j.bbrc.2011.02.010>
- Vaughn, A. R., Branum, A., & Sivamani, R. K. (2016). Effects of Turmeric (*Curcuma longa*) on Skin Health: A Systematic Review of the Clinical Evidence. *Phytotherapy research : PTR*, 30(8), 1243–1264. <https://doi.org/10.1002/ptr.5640>
- Vaughn, A. R., Clark, A. K., Sivamani, R. K., & Shi, V. Y. (2018). Natural Oils for Skin-Barrier Repair: Ancient Compounds Now Backed by Modern Science. *American journal of clinical dermatology*, 19(1), 103–117. <https://doi.org/10.1007/s40257-017-0301-1>

- Vázquez, B., Avila, G., Segura, D., & Escalante, B. (1996). Antiinflammatory activity of extracts from Aloe vera gel. *Journal of ethnopharmacology*, 55(1), 69–75. [https://doi.org/10.1016/s0378-8741\(96\)01476-6](https://doi.org/10.1016/s0378-8741(96)01476-6)
- Verallo-Rowell, V., Dillague, K. M., & Syah-Tjundawan, B. S. (2008). Novel antibacterial and emollient effects of coconut and virgin olive oils in adult atopic dermatitis. *Dermatitis : Contact, Atopic, Occupational, Drug*, 19(6), 308–315. <https://pubmed.ncbi.nlm.nih.gov/19134433/>
- Vijaya, K. K., & Nishteswar, K. (2012). Wound healing activity of honey: A pilot study. *Ayu*, 33(3), 374–377. <https://doi.org/10.4103/0974-8520.108827>
- Vijayan, V., Aafreen, S., Sakthivel, S., & Reddy, K. R. (2013). Formulation and characterization of solid lipid nanoparticles loaded Neem oil for topical treatment of acne. *Journal of Acute Disease*, 2(4), 282–286. [https://doi.org/10.1016/s2221-6189\(13\)60144-4](https://doi.org/10.1016/s2221-6189(13)60144-4)
- Visuthikosol, V., Chowchuen, B., Sukwanarat, Y., Sriurairatana, S., & Boonpucknavig, V. (1995). Effect of aloe vera gel to healing of burn wound a clinical and histologic study. *Journal of the Medical Association of Thailand = Chotmai het thangphaet*, 78(8), 403–409.
- Vollono, L., Falconi, M., Gaziano, R., Iacovelli, F., Dika, E., Terracciano, C., Bianchi, L., & Campione, E. (2019). Potential of Curcumin in Skin Disorders. *Nutrients*, 11(9), 2169. <https://doi.org/10.3390/nu11092169>
- Wang, K., Jiang, H., Li, W., Qiang, M., Dong, T., & Li, H. (2018). Role of Vitamin C in Skin Diseases. *Frontiers in physiology*, 9, 819. <https://doi.org/10.3389/fphys.2018.00819>
- Wang, X. R., Hao, H. G., & Chu, L. (2017). Glycyrrhizin inhibits LPS-induced inflammatory mediator production in endometrial epithelial cells. *Microbial pathogenesis*, 109, 110–113. <https://doi.org/10.1016/j.micpath.2017.05.032>
- Waqas, M. K., Akhtar, N., Ahmad, M., Murtaza, G., Khan, H. M., Iqbal, M., Rasul, A., & Bhatti, N. S. (2010). Formulation and characterization of a cream containing extract of fenugreek seeds. *Acta poloniae pharmaceutica*, 67(2), 173–178.
- Wei, C. K., Zanoludin, F., Pitchai, V., Surukumaran, D., & Imran, I. B. (2020). Effectiveness of Homemade and Commercialised Egg White Mask Amongst Medical Students of Melaka Manipal Medical College – A Parallel Randomized Controlled Study. *American Journal of Food Science and Health*, 6(2), 54–66.
- Wei, J., Zhang, X., Bi, Y., Miao, R., Zhang, Z., & Su, H. (2015). Anti-Inflammatory Effects of Cumin Essential Oil by Blocking JNK, ERK, and NF-κB Signaling Pathways in LPS-Stimulated RAW 264.7 Cells. *Evidence-based complementary and alternative medicine : eCAM*, 2015, 474509. <https://doi.org/10.1155/2015/474509>
- Weinkle, A. P., Doktor, V., & Emer, J. (2015). Update on the management of rosacea. *Clinical, cosmetic and investigational dermatology*, 8, 159–177. <https://doi.org/10.2147/CCID.S58940>

- Werman, M. J., Mokady, S., Ntmni, M. E., & Neeman, I. (1991). The Effect of Various Avocado Oils on Skin Collagen Metabolism. *Connective Tissue Research*, 26(1-2), 1–10. <https://doi.org/10.3109/03008209109152159>
- Woolery-Lloyd, H., Baumann, L., & Ikeno, H. (2010). Sodium L-ascorbyl-2-phosphate 5% lotion for the treatment of acne vulgaris: a randomized, double-blind, controlled trial. *Journal of cosmetic dermatology*, 9(1), 22–27. <https://doi.org/10.1111/j.1473-2165.2010.00480.x>
- Yadav, S., Trivedi, N. A., & Bhatt, J. D. (2015). Antimicrobial activity of fresh garlic juice: An in vitro study. *Ayu*, 36(2), 203–207. <https://doi.org/10.4103/0974-8520.175548>
- Yaghoobi, R., Kazerouni, A., & Kazerouni, O. (2013). Evidence for Clinical Use of Honey in Wound Healing as an Anti-bacterial, Anti-inflammatory Anti-oxidant and Anti-viral Agent: A Review. *Jundishapur journal of natural pharmaceutical products*, 8(3), 100–104. <https://doi.org/10.17795/jjnpp-9487>
- Yang, R., Yuan, B. C., Ma, Y. S., Zhou, S., & Liu, Y. (2017). The anti-inflammatory activity of licorice, a widely used Chinese herb. *Pharmaceutical biology*, 55(1), 5–18. <https://doi.org/10.1080/13880209.2016.1225775>
- Yehuda, I., Madar, Z., Leikin-Frenkel, A., & Tamir, S. (2015). Glabridin, an isoflavan from licorice root, downregulates iNOS expression and activity under high-glucose stress and inflammation. *Molecular nutrition & food research*, 59(6), 1041–1052. <https://doi.org/10.1002/mnfr.201400876>
- Yeom, G., Yun, D. M., Kang, Y. W., Kwon, J. S., Kang, I. O., & Kim, S. Y. (2011). Clinical efficacy of facial masks containing yoghurt and *Opuntia humifusa* Raf. (F-YOP). *Journal of cosmetic science*, 62(5), 505–514.
- Yokota, T., Nishio, H., Kubota, Y., & Mizoguchi, M. (1998). The inhibitory effect of glabridin from licorice extracts on melanogenesis and inflammation. *Pigment cell research*, 11(6), 355–361. <https://doi.org/10.1111/j.1600-0749.1998.tb00494.x>
- Yoon, J. Y., Kwon, H. H., Min, S. U., Thiboutot, D. M., & Suh, D. H. (2013). Epigallocatechin-3-gallate improves acne in humans by modulating intracellular molecular targets and inhibiting *P. acnes*. *The Journal of investigative dermatology*, 133(2), 429–440. <https://doi.org/10.1038/jid.2012.292>
- Yoshizaki, N., Hashizume, R., & Masaki, H. (2017). A polymethoxyflavone mixture extracted from orange peels, mainly containing nobiletin, 3,3',4',5,6,7,8-heptamethoxyflavone and tangeretin, suppresses melanogenesis through the acidification of cell organelles, including melanosomes. *Journal of dermatological science*, 88(1), 78–84. <https://doi.org/10.1016/j.jdermsci.2017.06.008>
- Zhang, C. R., Dissanayake, A. A., Kevseroğlu, K., & Nair, M. G. (2015). Evaluation of coriander spice as a functional food by using in vitro bioassays. *Food chemistry*, 167, 24–29. <https://doi.org/10.1016/j.foodchem.2014.06.120>

Zolghadri, S., Bahrami, A., Hassan Khan, M. T., Munoz-Munoz, J., Garcia-Molina, F., Garcia-Canovas, F., & Saboury, A. A. (2019). A comprehensive review on tyrosinase inhibitors. *Journal of enzyme inhibition and medicinal chemistry*, 34(1), 279–309. <https://doi.org/10.1080/14756366.2018.1545767>

Zu, Y., Yu, H., Liang, L., Fu, Y., Efferth, T., Liu, X., & Wu, N. (2010). Activities of ten essential oils towards *Propionibacterium acnes* and PC-3, A-549 and MCF-7 cancer cells. *Molecules (Basel, Switzerland)*, 15(5), 3200–3210. <https://doi.org/10.3390/molecules15053200>

## Musculoskeletal

- Abdullah, M., Chai, P. S., Loh, C. Y., Chong, M. Y., Quay, H. W., Vidyadaran, S., Seman, Z., Kandiah, M., & Seow, H. F. (2011). Carica papaya increases regulatory T cells and reduces IFN- $\gamma$ <sup>+</sup> CD4<sup>+</sup> T cells in healthy human subjects. *Molecular nutrition & food research*, 55(5), 803–806. <https://doi.org/10.1002/mnfr.201100087>
- Aggarwal, B. B., Gupta, S. C., & Sung, B. (2013). Curcumin: an orally bioavailable blocker of TNF and other pro-inflammatory biomarkers. *British journal of pharmacology*, 169(8), 1672–1692. <https://doi.org/10.1111/bph.12131>
- Akhtar, N. M., Naseer, R., Farooqi, A. Z., Aziz, W., & Nazir, M. (2004). Oral enzyme combination versus diclofenac in the treatment of osteoarthritis of the knee - a double-blind prospective randomized study. *Clinical Rheumatology*, 23(5), 410–415. <https://doi.org/10.1007/s10067-004-0902-y>
- Akyuz, G., & Kenis-Coskun, O. (2018). The Efficacy of Tai Chi and Yoga in Rheumatoid Arthritis and Spondyloarthropathies: A narrative biomedical review. *Rheumatology international*, 38(3), 321–330. <https://doi.org/10.1007/s00296-017-3867-2>
- Al-Nahain, A., Jahan, R., & Rahmatullah, M. (2014). Zingiber officinale: A Potential Plant against Rheumatoid Arthritis. *Arthritis*, 2014, 1–8. <https://doi.org/10.1155/2014/159089>
- Ali, A., Rosenberger, L., Weiss, T. R., Milak, C., & Perlman, A. I. (2017). Massage Therapy and Quality of Life in Osteoarthritis of the Knee: A Qualitative Study. *Pain medicine (Malden, Mass.)*, 18(6), 1168–1175. <https://doi.org/10.1093/pm/pnw217>
- Altman, R. D., & Marcussen, K. C. (2001). Effects of a ginger extract on knee pain in patients with osteoarthritis. *Arthritis and Rheumatism*, 44(11). [https://doi.org/10.1002/1529-0131\(200111\)44:11<2531::aid-art433>3.0.co;2-j](https://doi.org/10.1002/1529-0131(200111)44:11<2531::aid-art433>3.0.co;2-j)
- Amorndoljai, P., Taneepanichskul, S., Niempoog, S., & Nimmannit, U. (2015). Improving of Knee Osteoarthritic Symptom by the Local Application of Ginger Extract Nanoparticles: A Preliminary Report with Short Term Follow-Up. *Journal of the Medical Association of Thailand*, 98(9), 871–877.
- Aryaeian, N., Shahram, F., Mahmoudi, M., Tavakoli, H., Yousefi, B., Arablou, T., & Jafari Karegar, S. (2019). The effect of ginger supplementation on some immunity and inflammation intermediate genes expression in patients with active Rheumatoid Arthritis. *Gene*, 698, 179–185. <https://doi.org/10.1016/j.gene.2019.01.048>
- Astudillo, A., Hong, E., Bye, R., & Navarrete, A. (2004). Antispasmodic activity of extracts and compounds of *Acalypha phleoides* Cav. *Phytotherapy Research*, 18(2), 102–106. <https://doi.org/10.1002/ptr.1414>

- Ban, J. O., Oh, J. H., Kim, T. M., Kim, D. J., Jeong, H. S., Han, S. B., & Hong, J. T. (2009). Anti-inflammatory and arthritic effects of thiacremonone, a novel sulfur compound isolated from garlic via inhibition of NF-kappaB. *Arthritis research & therapy*, 11(5), R145. <https://doi.org/10.1186/ar2819>
- Bang, J. S., Oh, D. H., Choi, H. M., Sur, B. J., Lim, S. J., Kim, J. Y., Yang, H. I., Yoo, M. C., Hahm, D. H., & Kim, K. S. (2009). Anti-inflammatory and antiarthritic effects of piperine in human interleukin 1 $\beta$ -stimulated fibroblast-like synoviocytes and in rat arthritis models. *Arthritis Research & Therapy*, 11(2), R49. <https://doi.org/10.1186/ar2662>
- Bartels, E. M., Folmer, V. N., Bliddal, H., Altman, R. D., Juhl, C., Tarp, S., Zhang, W., & Christensen, R. (2015). Efficacy and safety of ginger in osteoarthritis patients: a meta-analysis of randomized placebo-controlled trials. *Osteoarthritis and cartilage*, 23(1), 13–21. <https://doi.org/10.1016/j.joca.2014.09.024>
- Black, C. D., Herring, M. P., Hurley, D. J., & O'Connor, P. J. (2010). Ginger (*Zingiber officinale*) reduces muscle pain caused by eccentric exercise. *The journal of pain*, 11(9), 894–903. <https://doi.org/10.1016/j.jpain.2009.12.013>
- Bliddal, H., Leeds, A. R., & Christensen, R. (2014). Osteoarthritis, obesity and weight loss: evidence, hypotheses and horizons - a scoping review. *Obesity reviews : an official journal of the International Association for the Study of Obesity*, 15(7), 578–586. <https://doi.org/10.1111/obr.12173>
- Boukhatem, M. N., Ferhat, M. A., Kameli, A., Saidi, F., & Kebir, H. T. (2014). Lemon grass (*Cymbopogon citratus*) essential oil as a potent anti-inflammatory and antifungal drugs. *The Libyan journal of medicine*, 9, 25431. <https://doi.org/10.3402/ljm.v9.25431>
- Brien, S., Lewith, G., Walker, A., Hicks, S. M., & Middleton, D. (2004). Bromelain as a Treatment for Osteoarthritis: a Review of Clinical Studies. *Evidence-based complementary and alternative medicine : eCAM*, 1(3), 251–257. <https://doi.org/10.1093/ecam/neh035>
- Bryer, S. C., & Goldfarb, A. H. (2006). Effect of High Dose Vitamin C Supplementation on Muscle Soreness, Damage, Function, and Oxidative Stress to Eccentric Exercise. *International Journal of Sport Nutrition and Exercise Metabolism*, 16(3), 270–280. <https://doi.org/10.1123/ijsnem.16.3.270>
- Buckwalter, J. A., Anderson, D. D., Brown, T. D., Tochigi, Y., & Martin, J. A. (2013). The Roles of Mechanical Stresses in the Pathogenesis of Osteoarthritis: Implications for Treatment of Joint Injuries. *Cartilage*, 4(4), 286–294. <https://doi.org/10.1177/1947603513495889>
- Burston, J. J., Valdes, A. M., Woodhams, S. G., Mapp, P. I., Stocks, J., Watson, D., Gowler, P., Xu, L., Sagar, D. R., Fernandes, G., Frowd, N., Marshall, L., Zhang, W., Doherty, M., Walsh, D. A., & Chapman, V. (2019). The impact of anxiety on chronic musculoskeletal pain and the role of astrocyte activation. *Pain*, 160(3), 658–669. <https://doi.org/10.1097/j.pain.0000000000001445>

- Busch, V., Magerl, W., Kern, U., Haas, J., Hajak, G., & Eichhammer, P. (2012). The effect of deep and slow breathing on pain perception, autonomic activity, and mood processing--an experimental study. *Pain medicine (Malden, Mass.)*, 13(2), 215–228. <https://doi.org/10.1111/j.1526-4637.2011.01243.x>
- Carr, A. C., & McCall, C. (2017). The role of vitamin C in the treatment of pain: new insights. *Journal of translational medicine*, 15(1), 77. <https://doi.org/10.1186/s12967-017-1179-7>
- Chandran, B., & Goel, A. (2012). A randomized, pilot study to assess the efficacy and safety of curcumin in patients with active rheumatoid arthritis. *Phytotherapy research : PTR*, 26(11), 1719–1725. <https://doi.org/10.1002/ptr.4639>
- Choudhary, M., Kumar, V., Malhotra, H., & Singh, S. (2015). Medicinal plants with potential anti-arthritic activity. *Journal of intercultural ethnopharmacology*, 4(2), 147–179. <https://doi.org/10.5455/jice.20150313021918>
- Cortés-Rojas, D. F., de Souza, C. R., & Oliveira, W. P. (2014). Clove (*Syzygium aromaticum*): a precious spice. *Asian Pacific journal of tropical biomedicine*, 4(2), 90–96. [https://doi.org/10.1016/S2221-1691\(14\)60215-X](https://doi.org/10.1016/S2221-1691(14)60215-X)
- Crawford, C., Boyd, C., Paat, C. F., Price, A., Xenakis, L., Yang, E. & Zhang, W. (2016). The Impact of Massage Therapy on Function in Pain Populations-A Systematic Review and Meta-Analysis of Randomized Controlled Trials: Part I, Patients Experiencing Pain in the General Population. *Pain medicine (Malden, Mass.)*, 17(7), 1353–1375. <https://doi.org/10.1093/pm/pnw099>
- Daily, J. W., Yang, M., & Park, S. (2016). Efficacy of Turmeric Extracts and Curcumin for Alleviating the Symptoms of Joint Arthritis: A Systematic Review and Meta-Analysis of Randomized Clinical Trials. *Journal of medicinal food*, 19(8), 717–729. <https://doi.org/10.1089/jmf.2016.3705>
- de Cássia da Silveira E Sá, R., Lima, T. C., da Nóbrega, F. R., de Brito, A., & de Sousa, D. P. (2017). Analgesic-Like Activity of Essential Oil Constituents: An Update. *International journal of molecular sciences*, 18(12), 2392. <https://doi.org/10.3390/ijms18122392>
- De Silva, V., El-Metwally, A., Ernst, E., Lewith, G., & Macfarlane, G. J. (2010). Evidence for the efficacy of complementary and alternative medicines in the management of osteoarthritis: a systematic review. *Rheumatology*, 50(5), 911–920. <https://doi.org/10.1093/rheumatology/keq379>
- Deal, C. L., Schnitzer, T. J., Lipstein, E., Seibold, J. R., Stevens, R. M., Levy, M. D., Albert, D., & Renold, F. (1991). Treatment of arthritis with topical capsaicin: A double-blind trial. *Clinical Therapeutics*, 13(3), 383–395. <https://pubmed.ncbi.nlm.nih.gov/1954640/>
- Desser, L., Holomanova, D., Zavadova, E., Pavelka, K., Mohr, T., & Herbacek, I. (2001). Oral therapy with proteolytic enzymes decreases excessive TGF- $\beta$  levels in human blood. *Cancer Chemotherapy and Pharmacology*, 47. <https://doi.org/10.1007/s002800170003>



- Engwerda, C. R., Andrew, D., Ladhams, A., & Mynott, T. L. (2001). Bromelain modulates t cell and b cell immune responses in vitro and in vivo. *Cellular Immunology*, 210(1), 66–75. <https://doi.org/10.1006/cimm.2001.1807>
- Evers, A. W., Verhoeven, E. W., van Middendorp, H., Sweep, F. C., Kraaimaat, F. W., Donders, A. R., Eijsbouts, A. E., van Laarhoven, A. I., de Brouwer, S. J., Wirken, L., Radstake, T. R., & van Riel, P. L. (2014). Does stress affect the joints? Daily stressors, stress vulnerability, immune and HPA axis activity, and short-term disease and symptom fluctuations in rheumatoid arthritis. *Annals of the rheumatic diseases*, 73(9), 1683–1688. <https://doi.org/10.1136/annrheumdis-2012-203143>
- Field, T., Diego, M., Delgado, J., Garcia, D., & Funk, C. G. (2013). Rheumatoid arthritis in upper limbs benefits from moderate pressure massage therapy. *Complementary therapies in clinical practice*, 19(2), 101–103. <https://doi.org/10.1016/j.ctcp.2012.12.001>
- Fitzhugh, D. J., Shan, S., Dewhirst, M. W., & Hale, L. P. (2008). Bromelain treatment decreases neutrophil migration to sites of inflammation. *Clinical Immunology*, 128(1), 66–74. <https://doi.org/10.1016/j.clim.2008.02.015>
- Funk, J. L., Oyarzo, J. N., Frye, J. B., Chen, G., Lantz, R. C., Jolad, S. D., ... Timmermann, B. N. (2006). Turmeric Extracts Containing Curcuminoids Prevent Experimental Rheumatoid Arthritis. *Journal of Natural Products*, 69(3), 351–355. <https://doi.org/10.1021/np050327j>
- G, S., G L, S., Pushpan, C. K., Nambisan, B., & A, H. (2018). Evaluation of anti-arthritis potential of *Trigonella foenum graecum* L. (Fenugreek) mucilage against rheumatoid arthritis. *Prostaglandins & other lipid mediators*, 138, 48–53. <https://doi.org/10.1016/j.prostaglandins.2018.08.002>
- Gersing, A. S., Schwaiger, B. J., Nevitt, M. C., Joseph, G. B., Chanchek, N., Guimaraes, J. B., Mbapte Wamba, J., Facchetti, L., McCulloch, C. E., & Link, T. M. (2017). Is Weight Loss Associated with Less Progression of Changes in Knee Articular Cartilage among Obese and Overweight Patients as Assessed with MR Imaging over 48 Months? Data from the Osteoarthritis Initiative. *Radiology*, 284(2), 508–520. <https://doi.org/10.1148/radiol.2017161005>
- Geusens, P., Wouters, C., Nijs, J., Jiang, Y., & Dequeker, J. (1994). Long-term effect of omega-3 fatty acid supplementation in active rheumatoid arthritis. A 12-month, double-blind, controlled study. *Arthritis and rheumatism*, 37(6), 824–829. <https://doi.org/10.1002/art.1780370608>
- Goldberg, R. J., & Katz, J. (2007). A meta-analysis of the analgesic effects of omega-3 polyunsaturated fatty acid supplementation for inflammatory joint pain. *Pain*, 129(1), 210–223. <https://doi.org/10.1016/j.pain.2007.01.020>
- Guo, J., Li, L., Gong, Y., Zhu, R., Xu, J., Zou, J., & Chen, X. (2017). Massage Alleviates Delayed Onset Muscle Soreness after Strenuous Exercise: A Systematic Review and Meta-Analysis. *Frontiers in physiology*, 8, 747. <https://doi.org/10.3389/fphys.2017.00747>

- Haroyan, A., Mukuchyan, V., Mkrtychyan, N., Minasyan, N., Gasparyan, S., Sargsyan, A., Narimanyan, M., & Hovhannisyanyan, A. (2018). Efficacy and safety of curcumin and its combination with boswellic acid in osteoarthritis: a comparative, randomized, double-blind, placebo-controlled study. *BMC complementary and alternative medicine*, 18(1), 7. <https://doi.org/10.1186/s12906-017-2062-z>
- Henrotin, Y., Gharbi, M., Dierckxsens, Y., Priem, F., Marty, M., Seidel, L., Albert, A., Heuse, E., Bonnet, V., & Castermans, C. (2014). Decrease of a specific biomarker of collagen degradation in osteoarthritis, Coll2-1, by treatment with highly bioavailable curcumin during an exploratory clinical trial. *BMC complementary and alternative medicine*, 14, 159. <https://doi.org/10.1186/1472-6882-14-159>
- Hoernecke, R., & Doenicke, A. (1993). Perioperative enzyme therapy. A significant supplement to postoperative pain therapy?. *Der Anaesthesist*, 42(12), 856–861.
- Holmdahl, R., Jansson, L., Meyerson, B., & Klareskog, L. (1987). Oestrogen induced suppression of collagen arthritis: I. Long term oestradiol treatment of DBA/1 mice reduces severity and incidence of arthritis and decreases the anti type II collagen immune response. *Clinical and experimental immunology*, 70(2), 372–378.
- Huang, G., Xu, Z., Huang, Y., Duan, X., Gong, W., Zhang, Y., Fan, J., & He, F. (2013). Curcumin protects against collagen-induced arthritis via suppression of BAFF production. *Journal of clinical immunology*, 33(3), 550–557. <https://doi.org/10.1007/s10875-012-9839-0>
- Ismail, I., Singh, R., & Sirisinghe, R. G. (2007). Rehydration with sodium-enriched coconut water after exercise-induced dehydration. *The Southeast Asian Journal of Tropical Medicine and Public Health*, 38(4), 769–785. <https://pubmed.ncbi.nlm.nih.gov/17883020/>
- Jafari, H., Gholamrezaei, A., Franssen, M., Van Oudenhove, L., Aziz, Q., Van den Bergh, O., Vlaeyen, J., & Van Diest, I. (2020). Can Slow Deep Breathing Reduce Pain? An Experimental Study Exploring Mechanisms. *The journal of pain*, 21(9-10), 1018–1030. <https://doi.org/10.1016/j.jpain.2019.12.010>
- Jeong, M., Cho, J., Shin, J. I., Jeon, Y. J., Kim, J. H., Lee, S. J., Kim, E. S., & Lee, K. (2014). Hempseed oil induces reactive oxygen species- and C/EBP homologous protein-mediated apoptosis in MH7A human rheumatoid arthritis fibroblast-like synovial cells. *Journal of ethnopharmacology*, 154(3), 745–752. <https://doi.org/10.1016/j.jep.2014.04.052>
- Kaithwas, G., & Majumdar, D. K. (2010). Therapeutic effect of *Linum usitatissimum* (flaxseed/linseed) fixed oil on acute and chronic arthritic models in albino rats. *Inflammopharmacology*, 18(3), 127–136. <https://doi.org/10.1007/s10787-010-0033-9>
- Kaithwas, G., Mukherjee, A., Chaurasia, A. K., & Majumdar, D. K. (2011). Anti-inflammatory, analgesic and antipyretic activities of *Linum usitatissimum* L. (flaxseed/linseed) fixed oil. *Indian journal of experimental biology*, 49(12), 932–938.

- Kania, N., Widowati, W., Dewi, F., Christianto, A., Setiawan, B., Budhiparama, N., & Noor, Z. (2018). Cinnamomum burmanini Blume increases bone turnover marker and induces tibia's granule formation in ovariectomized rats. *Journal of Ayurveda and integrative medicine*, 9(1), 20–26. <https://doi.org/10.1016/j.jaim.2017.01.005>
- Larsen, K. L., Brilla, L. R., McLaughlin, W. L., & Li, Y. (2019). Effect of Deep Slow Breathing on Pain-Related Variables in Osteoarthritis. *Pain research & management*, 2019, 5487050. <https://doi.org/10.1155/2019/5487050>
- Laslett, L. L., & Jones, G. (2014). Capsaicin for osteoarthritis pain. *Progress in drug research. Fortschritte der Arzneimittelforschung. Progres des recherches pharmaceutiques*, 68, 277–291. [https://doi.org/10.1007/978-3-0348-0828-6\\_11](https://doi.org/10.1007/978-3-0348-0828-6_11)
- Lau, W. Y., Kato, H., & Nosaka, K. (2019). Water intake after dehydration makes muscles more susceptible to cramp but electrolytes reverse that effect. *BMJ open sport & exercise medicine*, 5(1), e000478. <https://doi.org/10.1136/bmjsem-2018-000478>
- Lee, S. H., Lee, S. Y., Son, D. J., Lee, H., Yoo, H. S., Song, S., Hong, J. T. (2005). Inhibitory effect of 2'-hydroxycinnamaldehyde on nitric oxide production through inhibition of NF- $\kappa$ B activation in RAW 264.7 cells. *Biochemical Pharmacology*, 69(5), 791–799. <https://doi.org/10.1016/j.bcp.2004.11.013>
- Li, H., Huang, L., Zhou, A., Li, X., & Sun, J. (2009). Study on antiinflammatory effect of different chemotype of Cinnamomum camphora on rat arthritis model induced by Freund's adjuvant. *Zhongguo Zhong yao za zhi = Zhongguo zhongyao zazhi = China journal of Chinese materia medica*, 34(24), 3251–3254.
- Li, S., Li, L., Yan, H., Jiang, X., Hu, W., Han, N., & Wang, D. (2019). Anti-gouty arthritis and anti-hyperuricemia properties of celery seed extracts in rodent models. *Molecular medicine reports*, 20(5), 4623–4633. <https://doi.org/10.3892/mmr.2019.10708>
- Martin, J. A., & Buckwalter, J. A. (2006). Post-traumatic osteoarthritis: the role of stress induced chondrocyte damage. *Biorheology*, 43(3), 517–521.
- Mashhadi, N. S., Ghiasvand, R., Askari, G., Feizi, A., Hariri, M., Darvishi, L., Barani, A., Taghiyar, M., Shiranian, A., & Hajishafiee, M. (2013). Influence of ginger and cinnamon intake on inflammation and muscle soreness ended by exercise in Iranian female athletes. *International journal of preventive medicine*, 4(Suppl 1), S11–S15.
- Mashhadi, N. S., Ghiasvand, R., Askari, G., Hariri, M., Darvishi, L., & Mofid, M. R. (2013). Anti-oxidative and anti-inflammatory effects of ginger in health and physical activity: review of current evidence. *International journal of preventive medicine*, 4(Suppl 1), S36–S42.
- McAnulty, L. S., Nieman, D. C., Dumke, C. L., Shooter, L. A., Henson, D. A., Utter, A. C., Milne, G., & McAnulty, S. R. (2011). Effect of blueberry ingestion on natural killer cell counts, oxidative stress, and inflammation prior to and after 2.5 h of running. *Applied physiology, nutrition, and metabolism = Physiologie appliquee, nutrition et metabolisme*, 36(6), 976–984. <https://doi.org/10.1139/h11-120>

- McLeay, Y., Barnes, M. J., Mundel, T., Hurst, S. M., Hurst, R. D., & Stannard, S. R. (2012). Effect of New Zealand blueberry consumption on recovery from eccentric exercise-induced muscle damage. *Journal of the International Society of Sports Nutrition*, 9(1), 19. <https://doi.org/10.1186/1550-2783-9-19>
- Messier, S. P., Gutekunst, D. J., Davis, C., & DeVita, P. (2005). Weight loss reduces knee-joint loads in overweight and obese older adults with knee osteoarthritis. *Arthritis & Rheumatism*, 52(7), 2026–2032. <https://doi.org/10.1002/art.21139>
- Miller, P. C., Bailey, S. P., Barnes, M. E., Derr, S. J., & Hall, E. E. (2004). The effects of protease supplementation on skeletal muscle function and DOMS following downhill running. *Journal of Sports Sciences*, 22(4), 365–372. <https://doi.org/10.1080/02640410310001641584>
- Mohamed, D. A., Mohamed, R. S., & Fouda, K. (2020). Anti-inflammatory potential of chia seeds oil and mucilage against adjuvant-induced arthritis in obese and non-obese rats. *Journal of basic and clinical physiology and pharmacology*, 31(4), /j/jbcpp.2020.31.issue-4/jbcpp-2019-0236/jbcpp-2019-0236.xml. <https://doi.org/10.1515/jbcpp-2019-0236>
- Moosavian, S. P., Paknahad, Z., & Habibagahi, Z. (2020). A randomized, double-blind, placebo-controlled clinical trial, evaluating the garlic supplement effects on some serum biomarkers of oxidative stress, and quality of life in women with rheumatoid arthritis. *International journal of clinical practice*, 74(7), e13498. <https://doi.org/10.1111/ijcp.13498>
- Moosavian, S. P., Paknahad, Z., Habibagahi, Z., & Maracy, M. (2020). The effects of garlic (*Allium sativum*) supplementation on inflammatory biomarkers, fatigue, and clinical symptoms in patients with active rheumatoid arthritis: A randomized, double-blind, placebo-controlled trial. *Phytotherapy research : PTR*, 34(11), 2953–2962. <https://doi.org/10.1002/ptr.6723>
- Mosavat SH, Masoudi N, Hajimehdipoor H, Emami Meybodi MK, Niktabe Z, Tabarrai M, Ghorat F, Khodadoost M. Efficacy of topical *Linum usitatissimum* L. (flaxseed) oil in knee osteoarthritis: A double-blind, randomized, placebo-controlled clinical trial. *Complement Ther Clin Pract*. 2018 May;31:302-307. doi: 10.1016/j.ctcp.2018.03.003. Epub 2018 Mar 14. PMID: 29705472.
- Naderi, Z., Mozaffari-Khosravi, H., Dehghan, A., Nadjarzadeh, A., & Huseini, H. F. (2015). Effect of ginger powder supplementation on nitric oxide and C-reactive protein in elderly knee osteoarthritis patients: A 12-week double-blind randomized placebo-controlled clinical trial. *Journal of traditional and complementary medicine*, 6(3), 199–203. <https://doi.org/10.1016/j.jtcme.2014.12.007>
- Nawaz, A., Sheikh, Z. A., Feroz, M., Alam, K., Nazar, H., & Usmanghani, K. (2015). Clinical efficacy of polyherbal formulation Eezpain spray for muscular pain relief. *Pakistan journal of pharmaceutical sciences*, 28(1), 43–47.

- Nicol, L. M., Rowlands, D. S., Fazakerly, R., & Kellett, J. (2015). Curcumin supplementation likely attenuates delayed onset muscle soreness (DOMS). *European journal of applied physiology*, 115(8), 1769–1777. <https://doi.org/10.1007/s00421-015-3152-6>
- Panahi, Y., Rahimnia, A. R., Sharafi, M., Alishiri, G., Saburi, A., & Sahebkar, A. (2014). Curcuminoid treatment for knee osteoarthritis: a randomized double-blind placebo-controlled trial. *Phytotherapy research : PTR*, 28(11), 1625–1631. <https://doi.org/10.1002/ptr.5174>
- Pandey, S., Cabot, P. J., Shaw, P. N., & Hewavitharana, A. K. (2016). Anti-inflammatory and immunomodulatory properties of *Carica papaya*. *Journal of immunotoxicology*, 13(4), 590–602. <https://doi.org/10.3109/1547691X.2016.1149528>
- Perciavalle, V., Blandini, M., Fecarotta, P., Buscemi, A., Di Corrado, D., Bertolo, L., Fichera, F., & Coco, M. (2017). The role of deep breathing on stress. *Neurological sciences: official journal of the Italian Neurological Society and of the Italian Society of Clinical Neurophysiology*, 38(3), 451–458. <https://doi.org/10.1007/s10072-016-2790-8>
- Powanda, M. C., Whitehouse, M. W., & Rainsford, K. D. (2015). Celery Seed and Related Extracts with Antiarthritic, Antiulcer, and Antimicrobial Activities. *Progress in drug research. Fortschritte der Arzneimittelforschung. Progres des recherches pharmaceutiques*, 70, 133–153. [https://doi.org/10.1007/978-3-0348-0927-6\\_4](https://doi.org/10.1007/978-3-0348-0927-6_4)
- Prasad, S., Tyagi, A. K., & Aggarwal, B. B. (2014). Recent developments in delivery, bioavailability, absorption and metabolism of curcumin: the golden pigment from golden spice. *Cancer research and treatment*, 46(1), 2–18. <https://doi.org/10.4143/crt.2014.46.1.2>
- Priyadharshini, M., & Devi, R. (2017). Effect of lemongrass oil on rheumatoid arthritis . *International Journal of Current Advanced Research*, 2694–2696. <https://doi.org/10.24327/ijcar.2017.2696.0079>
- Pundarikakshudu, K., Shah, D. H., Panchal, A. H., & Bhavsar, G. C. (2016). Anti-inflammatory activity of fenugreek (*Trigonella foenum-graecum* Linn) seed petroleum ether extract. *Indian journal of pharmacology*, 48(4), 441–444. <https://doi.org/10.4103/0253-7613.186195>
- Roman-Blas, J. A., Castañeda, S., Largo, R., & Herrero-Beaumont, G. (2009). Osteoarthritis associated with estrogen deficiency. *Arthritis research & therapy*, 11(5), 241. <https://doi.org/10.1186/ar2791>
- Saat, M., Singh, R., Sirisinghe, R. G., & Nawawi, M. (2002). Rehydration after Exercise with Fresh Young Coconut Water, Carbohydrate-Electrolyte Beverage and Plain Water. *Journal of Physiological Anthropology and Applied Human Science*, 21(2), 93–104. <https://doi.org/10.2114/jpa.21.93>

- Salimzadeh, A., Alipoor, E., Dehghani, S., Yaseri, M., Hosseini, M., Feinle-Bisset, C., & Hosseinzadeh-Attar, M. J. (2018). The effect of 12-week garlic supplementation on symptom relief in overweight or obese women with knee osteoarthritis. *International journal of clinical practice*, 72(6), e13208. <https://doi.org/10.1111/ijcp.13208>
- Savaş, B. B., Alparslan, G. B., & Korkmaz, C. (2019). Effect of flaxseed poultice compress application on pain and hand functions of patients with hand osteoarthritis. *Clinical rheumatology*, 38(7), 1961–1969. <https://doi.org/10.1007/s10067-019-04484-7>
- Setayesh, M., Sadeghifar, A. R., Nakhaee, N., Kamalinejad, M., & Rezaeizadeh, H. (2017). A Topical Gel From Flax Seed Oil Compared With Hand Splint in Carpal Tunnel Syndrome: A Randomized Clinical Trial. *Journal of evidence-based complementary & alternative medicine*, 22(3), 462–467. <https://doi.org/10.1177/2156587216677822>
- Shep, D., Khanwelkar, C., Gade, P., & Karad, S. (2019). Safety and efficacy of curcumin versus diclofenac in knee osteoarthritis: a randomized open-label parallel-arm study. *Trials*, 20(1), 214. <https://doi.org/10.1186/s13063-019-3327-2>
- Shishehbor, F., Rezaeyan Safar, M., Rajaei, E., & Haghizadeh, M. H. (2018). Cinnamon Consumption Improves Clinical Symptoms and Inflammatory Markers in Women With Rheumatoid Arthritis. *Journal of the American College of Nutrition*, 1–6. Advance online publication. <https://doi.org/10.1080/07315724.2018.1460733>
- Shoba, G., Joy, D., Joseph, T., Majeed, M., Rajendran, R., & Srinivas, P. S. (1998). Influence of piperine on the pharmacokinetics of curcumin in animals and human volunteers. *Planta medica*, 64(4), 353–356. <https://doi.org/10.1055/s-2006-957450>
- Sindhu, G., Ratheesh, M., Shyni, G. L., Nambisan, B., & Helen, A. (2012). Anti-inflammatory and antioxidative effects of mucilage of *Trigonella foenum graecum* (Fenugreek) on adjuvant induced arthritic rats. *International immunopharmacology*, 12(1), 205–211. <https://doi.org/10.1016/j.intimp.2011.11.012>
- Singh, S., Nair, V., & Gupta, Y. K. (2012). Linseed oil: an investigation of its antiarthritic activity in experimental models. *Phytotherapy research: PTR*, 26(2), 246–252. <https://doi.org/10.1002/ptr.3535>
- Srivastava, K. C., & Mustafa, T. (1992). Ginger (*Zingiber officinale*) in rheumatism and musculoskeletal disorders. *Medical Hypotheses*, 39(4), 342–348. [https://doi.org/10.1016/0306-9877\(92\)90059-1](https://doi.org/10.1016/0306-9877(92)90059-1)
- Suresh, P., Kavitha, C., Babu, S. M., Reddy, V. P., & Latha, A. K. (2012). Effect of ethanol extract of *Trigonella foenum graecum* (Fenugreek) seeds on Freund's adjuvant-induced arthritis in albino rats. *Inflammation*, 35(4), 1314–1321. <https://doi.org/10.1007/s10753-012-9444-7>
- Tarfarosh, S. F., Lone, B. U., Beigh, M. I., & Manzoor, M. (2016). An Innovative and Portable Multimodal Pain Relief Device for the Management of Neuropathic Low Back Pain - a Study from Kashmir (Southeast Asia). *Cureus*, 8(6), e661. <https://doi.org/10.7759/cureus.661>

- Therkleson T. (2014). Topical Ginger Treatment With a Compress or Patch for Osteoarthritis Symptoms. *Journal of holistic nursing : official journal of the American Holistic Nurses' Association*, 32(3), 173–182. <https://doi.org/10.1177/0898010113512182>
- Thomson, M., Al-Qattan, K. K., Al-Sawan, S. M., Alnaqeeb, M. A., Khan, I., & Ali, M. (2002). The use of ginger (*Zingiber Officinale* Rosc.) as a potential anti-inflammatory and Antithrombotic agent. *Prostaglandins, Leukotrienes and Essential Fatty Acids*, 67(6), 475–478. <https://doi.org/10.1054/plef.2002.0441>
- Tsuji-Naito, K. (2008). Aldehydic components of Cinnamon bark extract suppresses RANKL-induced osteoclastogenesis through NFATc1 downregulation. *Bioorganic & Medicinal Chemistry*, 16(20), 9176–9183. <https://doi.org/10.1016/j.bmc.2008.09.036>
- Twal, W. O., Wahlquist, A. E., & Balasubramanian, S. (2016). Yogic breathing when compared to attention control reduces the levels of pro-inflammatory biomarkers in saliva: a pilot randomized controlled trial. *BMC complementary and alternative medicine*, 16, 294. <https://doi.org/10.1186/s12906-016-1286-7>
- Weiker, M. K., Nielsen, B., Waclawik, A. J., Staples, A. C., & Hansen, K. E. (2017). Muscle Cramps Do Not Improve With Correction of Vitamin D Insufficiency. *WMJ : official publication of the State Medical Society of Wisconsin*, 116(5), 200–204.
- Williams, F. M., Skinner, J., Spector, T. D., Cassidy, A., Clark, I. M., Davidson, R. M., & MacGregor, A. J. (2010). Dietary garlic and hip osteoarthritis: evidence of a protective effect and putative mechanism of action. *BMC musculoskeletal disorders*, 11, 280. <https://doi.org/10.1186/1471-2474-11-280>
- Williams, M. A., Williamson, E. M., Heine, P. J., Nichols, V., Glover, M. J., Dritsaki, M., Adams, J., Dosanjh, S., Underwood, M., Rahman, A., McConkey, C., Lord, J., & Lamb, S. E. (2015). Strengthening and stretching for Rheumatoid Arthritis of the Hand (SARAH). A randomised controlled trial and economic evaluation. *Health technology assessment (Winchester, England)*, 19(19), 1–222. <https://doi.org/10.3310/hta19190>
- Wluka, A. E. (2001). Users of oestrogen replacement therapy have more knee cartilage than non-users. *Annals of the Rheumatic Diseases*, 60(4), 332–336. <https://doi.org/10.1136/ard.60.4.332>
- Wu, Z., Weng, S., Yan, D., Xie, Z., Zhou, Q., Li, H., Bai, B., Boodhun, V., Shen, Z., Tang, J., Zhou, L., Tao, Z., & Yang, L. (2018). Administration of cinnamaldehyde promotes osteogenesis in ovariectomized rats and differentiation of osteoblast in vitro. *Journal of pharmacological sciences*, 138(1), 63–70. <https://doi.org/10.1016/j.jphs.2018.09.002>
- Yong, J. W., Ge, L., Ng, Y. F., & Tan, S. N. (2009). The chemical composition and biological properties of coconut (*Cocos nucifera* L.) water. *Molecules (Basel, Switzerland)*, 14(12), 5144–5164. <https://doi.org/10.3390/molecules14125144>
- Zainuddin, Z., Newton, M., Sacco, P., & Nosaka, K. (2005). Effects of massage on delayed-onset muscle soreness, swelling, and recovery of muscle function. *Journal of athletic training*, 40(3), 174–180.

Žídková, V., Nakládalová, M., & Štěpánek, L. (2019). Effects of Exercise and Enzyme Therapy in Early Occupational Carpal Tunnel Syndrome: A Preliminary Study. *BioMed research international*, 2019, 8720493. <https://doi.org/10.1155/2019/8720493>



## Metabolic & Endocrine

- Allen, R. W., Schwartzman, E., Baker, W. L., Coleman, C. I., & Phung, O. J. (2013). Cinnamon use in type 2 diabetes: an updated systematic review and meta-analysis. *Annals of family medicine*, 11(5), 452–459. <https://doi.org/10.1370/afm.1517>
- Baba, S., Natsume, M., Yasuda, A., Nakamura, Y., Tamura, T., Osakabe, N., Kanegae, M., & Kondo, K. (2007). Plasma LDL and HDL Cholesterol and Oxidized LDL Concentrations Are Altered in Normo- and Hypercholesterolemic Humans after Intake of Different Levels of Cocoa Powder. *The Journal of Nutrition*, 137(6), 1436–1441. <https://doi.org/10.1093/jn/137.6.1436>
- Berrazaga, I., Micard, V., Gueugneau, M., & Walrand, S. (2019). The Role of the Anabolic Properties of Plant- versus Animal-Based Protein Sources in Supporting Muscle Mass Maintenance: A Critical Review. *Nutrients*, 11(8), 1825. <https://doi.org/10.3390/nu11081825>
- Boschmann, M., Steiniger, J., Franke, G., Birkenfeld, A. L., Luft, F. C., & Jordan, J. (2007). Water Drinking Induces Thermogenesis through Osmosensitive Mechanisms. *The Journal of Clinical Endocrinology & Metabolism*, 92(8), 3334–3337. <https://doi.org/10.1210/jc.2006-1438>
- Boschmann, M., Steiniger, J., Hille, U., Tank, J., Adams, F., Sharma, A. M., ... Jordan, J. (2003). Water-Induced Thermogenesis. *The Journal of Clinical Endocrinology & Metabolism*, 88(12), 6015–6019. <https://doi.org/10.1210/jc.2003-030780>
- Bray, G. A., Smith, S. R., de Jonge, L., Xie, H., Rood, J., Martin, C. K., Most, M., Brock, C., Mancuso, S., & Redman, L. M. (2012). Effect of dietary protein content on weight gain, energy expenditure, and body composition during overeating: a randomized controlled trial. *JAMA*, 307(1), 47–55. <https://doi.org/10.1001/jama.2011.1918>
- Brown, C. M., Dulloo, A. G., & Montani, J. P. (2006). Water-Induced Thermogenesis Reconsidered: The Effects of Osmolality and Water Temperature on Energy Expenditure after Drinking. *The Journal of Clinical Endocrinology & Metabolism*, 91(9), 3598–3602. <https://doi.org/10.1210/jc.2006-0407>
- Chevassus, H., Gaillard, J. B., Farret, A., Costa, F., Gabillaud, I., Mas, E., Dupuy, A. M., Michel, F., Cantié, C., Renard, E., Galtier, F., & Petit, P. (2010). A fenugreek seed extract selectively reduces spontaneous fat intake in overweight subjects. *European journal of clinical pharmacology*, 66(5), 449–455. <https://doi.org/10.1007/s00228-009-0770-0>
- Chevassus, H., Molinier, N., Costa, F., Galtier, F., Renard, E., & Petit, P. (2009). A fenugreek seed extract selectively reduces spontaneous fat consumption in healthy volunteers. *European journal of clinical pharmacology*, 65(12), 1175–1178. <https://doi.org/10.1007/s00228-009-0733-5>

- Chu, P., Gotink, R. A., Yeh, G. Y., Goldie, S. J., & Hunink, M. G. M. (2014). The effectiveness of yoga in modifying risk factors for cardiovascular disease and metabolic syndrome: A systematic review and meta-analysis of randomized controlled trials. *European Journal of Preventive Cardiology*, 23(3), 291–307. <https://doi.org/10.1177/2047487314562741>
- Crozier, S. J., Preston, A. G., Hurst, J. W., Payne, M. J., Mann, J., Hainly, L., & Miller, D. L. (2011). Cacao seeds are a "Super Fruit": A comparative analysis of various fruit powders and products. *Chemistry Central Journal*, 5(1). <https://doi.org/10.1186/1752-153x-5-5>
- Daniels, M. C., & Popkin, B. M. (2010). Impact of water intake on energy intake and weight status: a systematic review. *Nutrition reviews*, 68(9), 505–521. <https://doi.org/10.1111/j.1753-4887.2010.00311.x>
- Davy, B. M., Dennis, E. A., Dengo, A. L., Wilson, K. L., & Davy, K. P. (2008). Water Consumption Reduces Energy Intake at a Breakfast Meal in Obese Older Adults. *Journal of the American Dietetic Association*, 108(7), 1236–1239. <https://doi.org/10.1016/j.jada.2008.04.013>
- Dennis, E. A., Dengo, A. L., Comber, D. L., Flack, K. D., Savla, J., Davy, K. P., & Davy, B. M. (2010). Water consumption increases weight loss during a hypocaloric diet intervention in middle-aged and older adults. *Obesity (Silver Spring, Md.)*, 18(2), 300–307. <https://doi.org/10.1038/oby.2009.235>
- DiSantis, K. I., Birch, L. L., Davey, A., Serrano, E. L., Zhang, J., Bruton, Y., & Fisher, J. O. (2013). Plate size and children's appetite: effects of larger dishware on self-served portions and intake. *Pediatrics*, 131(5), e1451–e1458. <https://doi.org/10.1542/peds.2012-2330>
- Francis, A. A., Deniset, J. F., Austria, J. A., LaValleé, R. K., Maddaford, G. G., Hedley, T. E., Dibrov, E., & Pierce, G. N. (2013). Effects of dietary flaxseed on atherosclerotic plaque regression. *American journal of physiology. Heart and circulatory physiology*, 304(12), H1743–H1751. <https://doi.org/10.1152/ajpheart.00606.2012>
- Gaddam, A., Galla, C., Thummiseti, S., Marikanty, R. K., Palanisamy, U. D., & Rao, P. V. (2015). Role of Fenugreek in the prevention of type 2 diabetes mellitus in prediabetes. *Journal of diabetes and metabolic disorders*, 14, 74. <https://doi.org/10.1186/s40200-015-0208-4>
- Ghorbani, Z., Hekmatdoost, A., & Mirmiran, P. (2014). Anti-hyperglycemic and insulin sensitizer effects of turmeric and its principal constituent curcumin. *International journal of endocrinology and metabolism*. 12(4), e18081. <https://doi.org/10.5812/ijem.18081>
- Guo, J., Lou, Y., Zhang, X., & Song, Y. (2015). Effect of aerobic exercise training on cardiometabolic risk factors among professional athletes in the heaviest-weight class. *Diabetology & metabolic syndrome*, 7, 78. <https://doi.org/10.1186/s13098-015-0071-y>

- Hadi, A., Arab, A., Hajianfar, H., Talaei, B., Miraghajani, M., Babajafari, S., Marx, W., & Tavakoly, R. (2020). The effect of fenugreek seed supplementation on serum irisin levels, blood pressure, and liver and kidney function in patients with type 2 diabetes mellitus: A parallel randomized clinical trial. *Complementary therapies in medicine*, 49, 102315. <https://doi.org/10.1016/j.ctim.2020.102315>
- Heo, M., Kim, R. S., Wylie-Rosett, J., Allison, D. B., Heymsfield, S. B., & Faith, M. S. (2011). Inverse association between fruit and vegetable intake and BMI even after controlling for demographic, socioeconomic and lifestyle factors. *Obesity facts*, 4(6), 449–455. <https://doi.org/10.1159/000335279>
- Hodaie, H., Adibian, M., Nikpayam, O., Hedayati, M., & Sohrab, G. (2019). The effect of curcumin supplementation on anthropometric indices, insulin resistance and oxidative stress in patients with type 2 diabetes: a randomized, double-blind clinical trial. *Diabetology & metabolic syndrome*, 11, 41. <https://doi.org/10.1186/s13098-019-0437-7>
- Hollands, G. J., Shemilt, I., Marteau, T. M., Jebb, S. A., Lewis, H. B., Wei, Y., Higgins, J. P., & Ogilvie, D. (2015). Portion, package or tableware size for changing selection and consumption of food, alcohol and tobacco. *The Cochrane database of systematic reviews*, 2015(9), CD011045. <https://doi.org/10.1002/14651858.CD011045.pub2>
- Hunter, G. R., Byrne, N. M., Sirikul, B., Fernández, J. R., Zuckerman, P. A., Darnell, B. E., & Gower, B. A. (2008). Resistance Training Conserves Fat-free Mass and Resting Energy Expenditure Following Weight Loss. *Obesity*, 16(5), 1045–1051. <https://doi.org/10.1038/oby.2008.38>
- Ismail, I., Keating, S. E., Baker, M. K., & Johnson, N. A. (2012). A systematic review and meta-analysis of the effect of aerobic vs. resistance exercise training on visceral fat. *Obesity reviews : an official journal of the International Association for the Study of Obesity*, 13(1), 68–91. <https://doi.org/10.1111/j.1467-789X.2011.00931.x>
- Johannsen, D. L., Knuth, N. D., Huizenga, R., Rood, J. C., Ravussin, E., & Hall, K. D. (2012). Metabolic slowing with massive weight loss despite preservation of fat-free mass. *The Journal of clinical endocrinology and metabolism*, 97(7), 2489–2496. <https://doi.org/10.1210/jc.2012-1444>
- Kassaian, N., Azadbakht, L., Forghani, B., & Amini, M. (2009). Effect of fenugreek seeds on blood glucose and lipid profiles in type 2 diabetic patients. *International journal for vitamin and nutrition research. Internationale Zeitschrift für Vitamin- und Ernährungsforschung. Journal international de vitaminologie et de nutrition*, 79(1), 34–39. <https://doi.org/10.1024/0300-9831.79.1.34>
- Khan, A., Safdar, M., Ali Khan, M. M., Khattak, K. N., & Anderson, R. A. (2003). Cinnamon Improves Glucose and Lipids of People With Type 2 Diabetes. *Diabetes Care*, 26(12), 3215–3218. <https://doi.org/10.2337/diacare.26.12.3215>
- Khandouzi, N., Shidfar, F., Rajab, A., Rahideh, T., Hosseini, P., & Mir Taheri, M. (2015). The effects of ginger on fasting blood sugar, hemoglobin a1c, apolipoprotein B, apolipoprotein a-I and malondialdehyde in type 2 diabetic patients. *Iranian journal of pharmaceutical research : IJPR*, 14(1), 131–140.

- Kirkham, S., Akilen, R., Sharma, S., & Tsiami, A. (2009). The potential of cinnamon to reduce blood glucose levels in patients with type 2 diabetes and insulin resistance. *Diabetes, obesity & metabolism*, 11(12), 1100–1113. <https://doi.org/10.1111/j.1463-1326.2009.01094.x>
- Kiss, R., Szabó, K., Gesztelyi, R., Somodi, S., Kovács, P., Szabó, Z., Németh, J., Priksz, D., Kurucz, A., Juhász, B., & Szilvássy, Z. (2018). Insulin-Sensitizer Effects of Fenugreek Seeds in Parallel with Changes in Plasma MCH Levels in Healthy Volunteers. *International journal of molecular sciences*, 19(3), 771. <https://doi.org/10.3390/ijms19030771>
- Kristensen M, Jensen MG, Aarestrup J, Petersen KE, Søndergaard L, Mikkelsen MS, Astrup A. Flaxseed dietary fibers lower cholesterol and increase fecal fat excretion, but magnitude of effect depend on food type. *Nutr Metab (Lond)*. 2012 Feb 3;9:8. doi: 10.1186/1743-7075-9-8. PMID: 22305169; PMCID: PMC3307491.
- Ledoux, T. A., Hingle, M. D., & Baranowski, T. (2011). Relationship of fruit and vegetable intake with adiposity: a systematic review. *Obesity reviews: an official journal of the International Association for the Study of Obesity*, 12(5), e143–e150. <https://doi.org/10.1111/j.1467-789X.2010.00786.x>
- Losso, J. N., Holliday, D. L., Finley, J. W., Martin, R. J., Rood, J. C., Yu, Y., & Greenway, F. L. (2009). Fenugreek bread: a treatment for diabetes mellitus. *Journal of medicinal food*, 12(5), 1046–1049. <https://doi.org/10.1089/jmf.2008.0199>
- Mahluji, S., Attari, V. E., Mobasser, M., Payahoo, L., Ostadrahimi, A., & Golzari, S. E. (2013). Effects of ginger (*Zingiber officinale*) on plasma glucose level, HbA1c and insulin sensitivity in type 2 diabetic patients. *International journal of food sciences and nutrition*, 64(6), 682–686. <https://doi.org/10.3109/09637486.2013.775223>
- Maithili Karpaga Selvi, N., Sridhar, M. G., Swaminathan, R. P., & Sripradha, R. (2015). Efficacy of Turmeric as Adjuvant Therapy in Type 2 Diabetic Patients. *Indian journal of clinical biochemistry: IJCB*, 30(2), 180–186. <https://doi.org/10.1007/s12291-014-0436-2>
- Makhdoomi Arzati, M., Mohammadzadeh Honarvar, N., Saedisomeolia, A., Anvari, S., Effatpanah, M., Makhdoomi Arzati, R., Yekaninejad, M. S., Hashemi, R., & Djalali, M. (2017). The Effects of Ginger on Fasting Blood Sugar, Hemoglobin A1c, and Lipid Profiles in Patients with Type 2 Diabetes. *International journal of endocrinology and metabolism*, 15(4), e57927. <https://doi.org/10.5812/ijem.57927>
- Mang, B., Wolters, M., Schmitt, B., Kelb, K., Lichtinghagen, R., Stichtenoth, D. O., & Hahn, A. (2006). Effects of a cinnamon extract on plasma glucose, HbA1c, and serum lipids in diabetes mellitus type 2. *European Journal of Clinical Investigation*, 36(5), 340–344. <https://doi.org/10.1111/j.1365-2362.2006.01629.x>
- Mani, U. V., Mani, I., Biswas, M., & Kumar, S. N. (2011). An open-label study on the effect of flax seed powder (*Linum usitatissimum*) supplementation in the management of diabetes mellitus. *Journal of dietary supplements*, 8(3), 257–265. <https://doi.org/10.3109/19390211.2011.593615>

- Marks, B. L., Ward, A., Morris, D. H., Castellani, J., & Rippe, J. M. (1995). Fat-free mass is maintained in women following a moderate diet and exercise program. *Medicine and science in sports and exercise*, 27(9), 1243–1251.
- Mathern, J. R., Raatz, S. K., Thomas, W., & Slavin, J. L. (2009). Effect of Fenugreek Fiber on Satiety, Blood Glucose and Insulin Response and Energy Intake in Obese Subjects. *Phytotherapy Research*, 23(11), 1543–1548. <https://doi.org/10.1002/ptr.2795>
- McClain, A. D., van den Bos, W., Matheson, D., Desai, M., McClure, S. M., & Robinson, T. N. (2014). Visual illusions and plate design: the effects of plate rim widths and rim coloring on perceived food portion size. *International journal of obesity* (2005), 38(5), 657–662. <https://doi.org/10.1038/ijo.2013.169>
- Meriga, B., Parim, B., Chunduri, V. R., Naik, R. R., Nemani, H., Suresh, P., Ganapathy, S., & Sathibabu Uddandrao, V. V. (2017). Antiobesity potential of Piperonal: promising modulation of body composition, lipid profiles and obesogenic marker expression in HFD-induced obese rats. *Nutrition & metabolism*, 14, 72. <https://doi.org/10.1186/s12986-017-0228-9>
- Mozaffari-Khosravi, H., Talaei, B., Jalali, B. A., Najarzadeh, A., & Mozayan, M. R. (2014). The effect of ginger powder supplementation on insulin resistance and glycemic indices in patients with type 2 diabetes: a randomized, double-blind, placebo-controlled trial. *Complementary therapies in medicine*, 22(1), 9–16. <https://doi.org/10.1016/j.ctim.2013.12.017>
- Muckelbauer, R., Libuda, L., Clausen, K., Toschke, A. M., Reinehr, T., & Kersting, M. (2009). Promotion and Provision of Drinking Water in Schools for Overweight Prevention: Randomized, Controlled Cluster Trial. *PEDIATRICS*, 123(4), e661–e667. <https://doi.org/10.1542/peds.2008-2186>
- Murabito, J. M., Pedley, A., Massaro, J. M., Vasan, R. S., Esliger, D., Blease, S. J., Hoffman, U., & Fox, C. S. (2015). Moderate-to-vigorous physical activity with accelerometry is associated with visceral adipose tissue in adults. *Journal of the American Heart Association*, 4(3), e001379. <https://doi.org/10.1161/JAHA.114.001379>
- Newmark, L. M. (2015, July). *Milk Nutrients Augment Muscle Growth and Recovery ... Milk Genomics*. <https://milkgenomics.org/article/milk-nutrients-augment-muscle-growth-and-recovery/>.
- Nilakanthan, S., Metri, K., Raghuram, N., & Hongasandra, N. (2016). Effect of 6 months intense Yoga practice on lipid profile, thyroxine medication and serum TSH level in women suffering from hypothyroidism: A pilot study. *Journal of complementary & integrative medicine*, 13(2), 189–193. <https://doi.org/10.1515/jcim-2014-0079>
- Nogara, L., Naber, N., Pate, E., Canton, M., Reggiani, C., & Cooke, R. (2016). Piperine's mitigation of obesity and diabetes can be explained by its up-regulation of the metabolic rate of resting muscle. *Proceedings of the National Academy of Sciences of the United States of America*, 113(46), 13009–13014. <https://doi.org/10.1073/pnas.1607536113>

- Ohkawara, K., Tanaka, S., Miyachi, M., Ishikawa-Takata, K., & Tabata, I. (2007). A dose–response relation between aerobic exercise and visceral fat reduction: systematic review of clinical trials. *International Journal of Obesity*, 31(12), 1786–1797. <https://doi.org/10.1038/sj.ijo.0803683>
- Osakabe, N., Baba, S., Yasuda, A., Iwamoto, T., Kamiyama, M., Takizawa, T., ... Kondo, K. (2001). Daily cocoa intake reduces the susceptibility of low-density lipoprotein to oxidation as demonstrated in healthy human volunteers. *Free Radical Research*, 34(1), 93–99. <https://doi.org/10.1080/10715760100300091>
- Pan, A., Malik, V. S., Hao, T., Willett, W. C., Mozaffarian, D., & Hu, F. B. (2013). Changes in water and beverage intake and long-term weight changes: results from three prospective cohort studies. *International journal of obesity* (2005), 37(10), 1378–1385. <https://doi.org/10.1038/ijo.2012.225>
- Park, U. H., Jeong, H. S., Jo, E. Y., Park, T., Yoon, S. K., Kim, E. J., Jeong, J. C., & Um, S. J. (2012). Piperine, a component of black pepper, inhibits adipogenesis by antagonizing PPAR $\gamma$  activity in 3T3-L1 cells. *Journal of agricultural and food chemistry*, 60(15), 3853–3860. <https://doi.org/10.1021/jf204514a>
- Patade, A., Devareddy, L., Lucas, E. A., Korlagunta, K., Daggy, B. P., & Arjmandi, B. H. (2008). Flaxseed Reduces Total and LDL Cholesterol Concentrations in Native American Postmenopausal Women. *Journal of Women's Health*, 17(3), 355–366. <https://doi.org/10.1089/jwh.2007.0359>
- Pivari, F., Mingione, A., Brasacchio, C., & Soldati, L. (2019). Curcumin and Type 2 Diabetes Mellitus: Prevention and Treatment. *Nutrients*, 11(8), 1837. <https://doi.org/10.3390/nu11081837>
- Popkin, B. M., Barclay, D. V., & Nielsen, S. J. (2005). Water and Food Consumption Patterns of U.S. Adults from 1999 to 2001. *Obesity Research*, 13(12), 2146–2152. <https://doi.org/10.1038/oby.2005.266>
- Qin, B., Panickar, K. S., & Anderson, R. A. (2010). Cinnamon: potential role in the prevention of insulin resistance, metabolic syndrome, and type 2 diabetes. *Journal of diabetes science and technology*, 4(3), 685–693. <https://doi.org/10.1177/193229681000400324>
- Ranasinghe, P., Jayawardana, R., Galappaththy, P., Constantine, G. R., de Vas Gunawardana, N., & Katulanda, P. (2012). Efficacy and safety of 'true' cinnamon (*Cinnamomum zeylanicum*) as a pharmaceutical agent in diabetes: a systematic review and meta-analysis. *Diabetic medicine : a journal of the British Diabetic Association*, 29(12), 1480–1492. <https://doi.org/10.1111/j.1464-5491.2012.03718.x>
- Rein, D., Lotito, S., Holt, R. R., Keen, C. L., Schmitz, H. H., & Fraga, C. G. (2000). Epicatechin in Human Plasma: In Vivo Determination and Effect of Chocolate Consumption on Plasma Oxidation Status. *The Journal of Nutrition*, 130(8). <https://doi.org/10.1093/jn/130.8.2109s>

- Roberts, S. B. (2003). Glycemic index and satiety . *Nutrition in Clinical Care : an Official Publication of Tufts University*, 6(1), 20–26.
- Roberts, S. B. (2009). High-glycemic Index Foods, Hunger, and Obesity: Is There a Connection? *Nutrition Reviews*, 58(6), 163–169. <https://doi.org/10.1111/j.1753-4887.2000.tb01855.x>
- Rodriguez-Leyva, D., Dupasquier, C. M., McCullough, R., & Pierce, G. N. (2010). The cardiovascular effects of flaxseed and its omega-3 fatty acid, alpha-linolenic acid. *The Canadian journal of cardiology*, 26(9), 489–496. [https://doi.org/10.1016/s0828-282x\(10\)70455-4](https://doi.org/10.1016/s0828-282x(10)70455-4)
- Saxena, S., & Katare, C. (2014). Evaluation of flaxseed formulation as a potential therapeutic agent in mitigation of dyslipidemia. *Biomedical journal*, 37(6), 386–390. <https://doi.org/10.4103/2319-4170.126447>
- Shah, S. S., Shah, G. B., Singh, S. D., Gohil, P. V., Chauhan, K., Shah, K. A., & Chorawala, M. (2011). Effect of piperine in the regulation of obesity-induced dyslipidemia in high-fat diet rats. *Indian journal of pharmacology*, 43(3), 296–299. <https://doi.org/10.4103/0253-7613.81516>
- Shantakumari, N., Sequeira, S., & El deeb, R. (2013). Effects of a yoga intervention on lipid profiles of diabetes patients with dyslipidemia. *Indian heart journal*, 65(2), 127–131. <https://doi.org/10.1016/j.ihj.2013.02.010>
- Sharma, R. D., Raghuram, T. C., & Rao, N. S. (1990). Effect of fenugreek seeds on blood glucose and serum lipids in type I diabetes. *European journal of clinical nutrition*, 44(4), 301–306.
- Singh, P., Singh, B., Dave, R., & Udainiya, R. (2011). The impact of yoga upon female patients suffering from hypothyroidism. *Complementary therapies in clinical practice*, 17(3), 132–134. <https://doi.org/10.1016/j.ctcp.2010.11.004>
- Stookey, J. D., Constant, F., Popkin, B. M., & Gardner, C. D. (2008). Drinking Water Is Associated With Weight Loss in Overweight Dieting Women Independent of Diet and Activity. *Obesity*, 16(11), 2481–2488. <https://doi.org/10.1038/oby.2008.409>
- Vafa, M., Mohammadi, F., Shidfar, F., Sormaghi, M. S., Heidari, I., Golestan, B., & Amiri, F. (2012). Effects of cinnamon consumption on glycemic status, lipid profile and body composition in type 2 diabetic patients. *International journal of preventive medicine*, 3(8), 531–536.
- Van Walleghe, E. L., Orr, J. S., Gentile, C. L., & Davy, B. M. (2007). Pre-meal Water Consumption Reduces Meal Energy Intake in Older but Not Younger Subjects\*. *Obesity*, 15(1), 93–99. <https://doi.org/10.1038/oby.2007.506>
- Vij, V. A., & Joshi, A. S. (2013). Effect of 'water induced thermogenesis' on body weight, body mass index and body composition of overweight subjects. *Journal of clinical and*

diagnostic research : JCDR, 7(9), 1894–1896.  
<https://doi.org/10.7860/JCDR/2013/5862.3344>

- Vij, V. A., & Joshi, A. S. (2014). Effect of excessive water intake on body weight, body mass index, body fat, and appetite of overweight female participants. *Journal of natural science, biology, and medicine*, 5(2), 340–344. <https://doi.org/10.4103/0976-9668.136180>
- Wan, Y., Vinson, J. A., Etherton, T. D., Proch, J., Lazarus, S. A., & Kris-Etherton, P. M. (2001). Effects of cocoa powder and dark chocolate on LDL oxidative susceptibility and prostaglandin concentrations in humans. *The American Journal of Clinical Nutrition*, 74(5), 596–602. <https://doi.org/10.1093/ajcn/74.5.596>
- Wansink, B., & van Ittersum, K. (2013). Portion size me: plate-size induced consumption norms and win-win solutions for reducing food intake and waste. *Journal of experimental psychology. Applied*, 19(4), 320–332. <https://doi.org/10.1037/a0035053>
- Willis, L. H., Slentz, C. A., Bateman, L. A., Shields, A. T., Piner, L. W., Bales, C. W., Houmard, J. A., & Kraus, W. E. (2012). Effects of aerobic and/or resistance training on body mass and fat mass in overweight or obese adults. *Journal of applied physiology* (Bethesda, Md. : 1985), 113(12), 1831–1837. <https://doi.org/10.1152/jappphysiol.01370.2011>
- Yilmaz, Z., Piracha, F., Anderson, L., & Mazzola, N. (2017). Supplements for Diabetes Mellitus: A Review of the Literature. *Journal of pharmacy practice*, 30(6), 631–638. <https://doi.org/10.1177/0897190016663070>
- Zhang, D. W., Fu, M., Gao, S. H., & Liu, J. L. (2013). Curcumin and diabetes: a systematic review. *Evidence-based complementary and alternative medicine : eCAM*, 2013, 636053. <https://doi.org/10.1155/2013/636053>
- Zhu, J., Chen, H., Song, Z., Wang, X., & Sun, Z. (2018). Effects of Ginger (*Zingiber officinale* Roscoe) on Type 2 Diabetes Mellitus and Components of the Metabolic Syndrome: A Systematic Review and Meta-Analysis of Randomized Controlled Trials. *Evidence-based complementary and alternative medicine: eCAM*, 2018, 5692962. <https://doi.org/10.1155/2018/5692962>



# Immune System

- Abdel-Latif, M. M., & Abouzied, M. M. (2016). Molecular Mechanisms of Natural Honey Against *H. pylori* Infection Via Suppression of NF- $\kappa$ B and AP-1 Activation in Gastric Epithelial Cells. *Archives of Medical Research*, 47(5), 340–348. <https://doi.org/10.1016/j.arcmed.2016.09.002>
- Ahmed, S., Sulaiman, S. A., Baig, A. A., Ibrahim, M., Liaqat, S., Fatima, S., Jabeen, S., Shamim, N., & Othman, N. H. (2018). Honey as a Potential Natural Antioxidant Medicine: An Insight into Its Molecular Mechanisms of Action. *Oxidative medicine and cellular longevity*, 2018, 8367846. <https://doi.org/10.1155/2018/8367846>
- Al-Snafi, Ali. (2016). The pharmacological activities of *Cuminum cyminum* -A review. *IOSR Journal of Pharmacy*. 6. 46-65.
- Arreola, R., Quintero-Fabián, S., López-Roa, R. I., Flores-Gutiérrez, E. O., Reyes-Grajeda, J. P., Carrera-Quintanar, L., & Ortuño-Sahagún, D. (2015). Immunomodulation and anti-inflammatory effects of garlic compounds. *Journal of immunology research*, 2015, 401630. <https://doi.org/10.1155/2015/401630>
- Asha'ari, Z. A., Ahmad, M. Z., Jihan, W. S., Che, C. M., & Leman, I. (2013). Ingestion of honey improves the symptoms of allergic rhinitis: evidence from a randomized placebo-controlled trial in the East coast of Peninsular Malaysia. *Annals of Saudi medicine*, 33(5), 469–475. <https://doi.org/10.5144/0256-4947.2013.469>
- Bhimani, N. T., Kulkarni, N. B., Kowale, A., & Salvi, S. (2011). Effect of Pranayama on stress and cardiovascular autonomic function. *Indian journal of physiology and pharmacology*, 55(4), 370–377.
- Biswas, N. R., Gupta, S. K., Das, G. K., Kumar, N., Mongre, P. K., Haldar, D., & Beri, S. (2001). Evaluation of Ophthacare eye drops - a herbal formulation in the management of various ophthalmic disorders. *Phytotherapy Research*, 15(7), 618–620. <https://doi.org/10.1002/ptr.896>
- Butt, M. S., Pasha, I., Sultan, M. T., Randhawa, M. A., Saeed, F., & Ahmed, W. (2013). Black pepper and health claims: a comprehensive treatise. *Critical reviews in food science and nutrition*, 53(9), 875–886. <https://doi.org/10.1080/10408398.2011.571799>
- Cai, L., & Wu, C. D. (1996). Compounds from *Syzygium aromaticum* possessing growth inhibitory activity against oral pathogens. *Journal of natural products*, 59(10), 987–990. <https://doi.org/10.1021/np960451q>
- Cassata, C. (2020). *Why Is My Hay Fever Acting Up? I'm Stuck Indoors*. Healthline. <https://www.healthline.com/health-news/why-is-my-hay-fever-acting-up-im-stuck-indoors>

- Cell Press. (2011, October 17). Eating green veggies improves immune defenses. ScienceDaily. Retrieved April 17, 2021 from [www.sciencedaily.com/releases/2011/10/111013121509.htm](http://www.sciencedaily.com/releases/2011/10/111013121509.htm)
- Chang, J. S., Wang, K. C., Yeh, C. F., Shieh, D. E., & Chiang, L. C. (2013). Fresh ginger (*Zingiber officinale*) has anti-viral activity against human respiratory syncytial virus in human respiratory tract cell lines. *Journal of ethnopharmacology*, 145(1), 146–151. <https://doi.org/10.1016/j.jep.2012.10.043>
- Cheng, C. H., Chang, S. J., Lee, B. J., Lin, K. L., & Huang, Y. C. (2006). Vitamin b6 supplementation increases immune responses in critically ill patients. *European Journal of Clinical Nutrition*, 60(10), 1207–1213. <https://doi.org/10.1038/sj.ejcn.1602439>
- Christine D. Wu, Grape Products and Oral Health, *The Journal of Nutrition*, Volume 139, Issue 9, September 2009, Pages 1818S–1823S, <https://doi.org/10.3945/jn.109.107854>
- Chung, S. H., Choi, S. H., Choi, J. A., Chuck, R. S., & Joo, C. K. (2012). Curcumin suppresses ovalbumin-induced allergic conjunctivitis. *Molecular Vision*, 18, 1966. <https://doi.org/10.5114/ceji.2019.87070>
- Cianciosi, D., Forbes-Hernández, T. Y., Afrin, S., Gasparrini, M., Reboredo-Rodriguez, P., Manna, P. P., Zhang, J., Bravo Lamas, L., Martínez Flórez, S., Agudo Toyos, P., Quiles, J. L., Giampieri, F., & Battino, M. (2018). Phenolic Compounds in Honey and Their Associated Health Benefits: A Review. *Molecules (Basel, Switzerland)*, 23(9), 2322. <https://doi.org/10.3390/molecules23092322>
- Cohen M. M. (2014). Tulsi - *Ocimum sanctum*: A herb for all reasons. *Journal of Ayurveda and integrative medicine*, 5(4), 251–259. <https://doi.org/10.4103/0975-9476.146554>
- Cortés-Rojas, D. F., de Souza, C. R., & Oliveira, W. P. (2014). Clove (*Syzygium aromaticum*): a precious spice. *Asian Pacific journal of tropical biomedicine*, 4(2), 90–96. [https://doi.org/10.1016/S2221-1691\(14\)60215-X](https://doi.org/10.1016/S2221-1691(14)60215-X)
- da Silveira e Sá, R., Andrade, L. N., & de Sousa, D. P. (2015). Sesquiterpenes from Essential Oils and Anti-Inflammatory Activity. *Natural product communications*, 10(10), 1767–1774.
- de Lima, R., Dos Reis, A. C., de Menezes, A., Santos, J., Filho, J., Ferreira, J., de Alencar, M., da Mata, A., Khan, I. N., Islam, A., Uddin, S. J., Ali, E. S., Islam, M. T., Tripathi, S., Mishra, S. K., Mubarak, M. S., & Melo-Cavalcante, A. (2018). Protective and therapeutic potential of ginger (*Zingiber officinale*) extract and [6]-gingerol in cancer: A comprehensive review. *Phytotherapy research : PTR*, 32(10), 1885–1907. <https://doi.org/10.1002/ptr.6134>
- Dhabhar F. S. (2014). Effects of stress on immune function: the good, the bad, and the beautiful. *Immunologic research*, 58(2-3), 193–210. <https://doi.org/10.1007/s12026-014-8517-0>

- Dhuley, J. (1999). Antioxidant effects of cinnamon (*Cinnamomum verum*) bark and greater cardamom (*Amomum subulatum*) seeds in rats fed high fat diet. *Indian Journal of Experimental Biology*, 37, 238–242.
- Do, M. T., Kim, H. G., Choi, J. H., Khanal, T., Park, B. H., Tran, T. P., Jeong, T. C., & Jeong, H. G. (2013). Antitumor efficacy of piperine in the treatment of human HER2-overexpressing breast cancer cells. *Food chemistry*, 141(3), 2591–2599. <https://doi.org/10.1016/j.foodchem.2013.04.125>
- Glaser, R., & Kiecolt-Glaser, J. (2005). How stress damages immune system and health. *Discovery medicine*, 5(26), 165–169.
- Gunawardena, D., Karunaweera, N., Lee, S., van Der Kooy, F., Harman, D. G., Raju, R., Bennett, L., Gyengesi, E., Sucher, N. J., & Münch, G. (2015). Anti-inflammatory activity of cinnamon (*C. zeylanicum* and *C. cassia*) extracts - identification of E-cinnamaldehyde and o-methoxy cinnamaldehyde as the most potent bioactive compounds. *Food & function*, 6(3), 910–919. <https://doi.org/10.1039/c4fo00680a>
- Gupta, S. C., Patchva, S., & Aggarwal, B. B. (2013). Therapeutic roles of curcumin: lessons learned from clinical trials. *The AAPS journal*, 15(1), 195–218. <https://doi.org/10.1208/s12248-012-9432-8>
- Hewlings, S. J., & Kalman, D. S. (2017). Curcumin: A Review of Its Effects on Human Health. *Foods (Basel, Switzerland)*, 6(10), 92. <https://doi.org/10.3390/foods6100092>
- Holmannová, D., Koláčková, M., & Krejsek, J. (2012). Vitamin C and its physiological role with respect to the components of the immune system. *Vnitřní lékařství*, 58(10), 743–749.
- Huang, Z., Liu, Y., Qi, G., Brand, D., & Zheng, S. G. (2018). Role of Vitamin A in the Immune System. *Journal of clinical medicine*, 7(9), 258. <https://doi.org/10.3390/jcm7090258>
- Jagetia, G. C., & Aggarwal, B. B. (2007). “Spicing Up” of the Immune System by Curcumin. *Journal of Clinical Immunology*, 27(1), 19–35. <https://doi.org/10.1007/s10875-006-9066-7>
- Jamshidi, N., & Cohen, M. M. (2017). The Clinical Efficacy and Safety of Tulsi in Humans: A Systematic Review of the Literature. *Evidence-Based Complementary and Alternative Medicine*, 2017, 1–13. <https://doi.org/10.1155/2017/9217567>
- Jayawardena, R., Ranasinghe, P., Ranawaka, H., Gamage, N., Dissanayake, D., & Misra, A. (2020). Exploring the Therapeutic Benefits of Pranayama (Yogic Breathing): A Systematic Review. *International journal of yoga*, 13(2), 99–110. [https://doi.org/10.4103/ijoy.IJOY\\_37\\_19](https://doi.org/10.4103/ijoy.IJOY_37_19)
- Josling, P. (2001). Preventing the common cold with a garlic supplement: A double-blind, placebo-controlled survey. *Advances in Therapy*, 18(4), 189–193. <https://doi.org/10.1007/bf02850113>

- Kamatou, G. P., Vermaak, I., Viljoen, A. M., & Lawrence, B. M. (2013). Menthol: a simple monoterpene with remarkable biological properties. *Phytochemistry*, 96, 15–25. <https://doi.org/10.1016/j.phytochem.2013.08.005>
- Kim, Y., Kim, D. M., & Kim, J. Y. (2017). Ginger Extract Suppresses Inflammatory Response and Maintains Barrier Function in Human Colonic Epithelial Caco-2 Cells Exposed to Inflammatory Mediators. *Journal of food science*, 82(5), 1264–1270. <https://doi.org/10.1111/1750-3841.13695>
- Kochupillai, V. (2005). Effect of Rhythmic Breathing (Sudarshan Kriya and Pranayam) on Immune Functions and Tobacco Addiction. *Annals of the New York Academy of Sciences*, 1056(1), 242–252. <https://doi.org/10.1196/annals.1352.039>
- Krup, V., Prakash L, H., & A, H. (2013). Pharmacological Activities of Turmeric (*Curcuma longa* linn): A Review. *Journal of Homeopathy & Ayurvedic Medicine*, 02(04). <https://doi.org/10.4172/2167-1206.1000133>
- Kumar, S., Vasudeva, N., & Sharma, S. (2012). GC-MS analysis and screening of antidiabetic, antioxidant and hypolipidemic potential of *Cinnamomum tamala* oil in streptozotocin induced diabetes mellitus in rats. *Cardiovascular diabetology*, 11, 95. <https://doi.org/10.1186/1475-2840-11-95>
- Kunnumakkara, A. B., Sailo, B. L., Banik, K., Harsha, C., Prasad, S., Gupta, S. C., Bharti, A. C., & Aggarwal, B. B. (2018). Chronic diseases, inflammation, and spices: how are they linked? *Journal of translational medicine*, 16(1), 14. <https://doi.org/10.1186/s12967-018-1381-2>
- Kurup, V. P., & Barrios, C. S. (2008). Immunomodulatory effects of curcumin in allergy. *Molecular Nutrition & Food Research*, 52(9), 1031–1039. <https://doi.org/10.1002/mnfr.200700293>
- Kyo, E., Uda, N., Kasuga, S., & Itakura, Y. (2001). Immunomodulatory Effects of Aged Garlic Extract. *The Journal of Nutrition*, 131(3). <https://doi.org/10.1093/jn/131.3.1075s>
- Lackova, Z., Buchtelova, H., Buchtova, Z., Klejdus, B., Heger, Z., Brtnicky, M., Kynicky, J., Zitka, O., & Adam, V. (2017). Anticarcinogenic Effect of Spices Due to Phenolic and Flavonoid Compounds-In Vitro Evaluation on Prostate Cells. *Molecules (Basel, Switzerland)*, 22(10), 1626. <https://doi.org/10.3390/molecules22101626>
- Lee, B. J., Kim, Y. J., Cho, D. H., Sohn, N. W., & Kang, H. (2011). Immunomodulatory effect of water extract of cinnamon on anti-CD3-induced cytokine responses and p38, JNK, ERK1/2, and STAT4 activation. *Immunopharmacology and immunotoxicology*, 33(4), 714–722. <https://doi.org/10.3109/08923973.2011.564185>
- Liao, J. C., Deng, J. S., Chiu, C. S., Hou, W. C., Huang, S. S., Shie, P. H., & Huang, G. J. (2012). Anti-Inflammatory Activities of *Cinnamomum cassia* Constituents In Vitro and In Vivo. Evidence-based complementary and alternative medicine : eCAM, 2012, 429320. <https://doi.org/10.1155/2012/429320>

- Liu, Q., Meng, X., Li, Y., Zhao, C. N., Tang, G. Y., & Li, H. B. (2017). Antibacterial and Antifungal Activities of Spices. *International journal of molecular sciences*, 18(6), 1283. <https://doi.org/10.3390/ijms18061283>
- Lu, Q. Y., Summanen, P. H., Lee, R. P., Huang, J., Henning, S. M., Heber, D., Finegold, S. M., & Li, Z. (2017). Prebiotic Potential and Chemical Composition of Seven Culinary Spice Extracts. *Journal of food science*, 82(8), 1807–1813. <https://doi.org/10.1111/1750-3841.13792>
- Mahluji, S., Ostadrahimi, A., Mobasser, M., Ebrahimzade Attari, V., & Payahoo, L. (2013). Anti-inflammatory effects of zingiber officinale in type 2 diabetic patients. *Advanced pharmaceutical bulletin*, 3(2), 273–276. <https://doi.org/10.5681/apb.2013.044>
- Mashhadi, N. S., Ghiasvand, R., Askari, G., Hariri, M., Darvishi, L., & Mofid, M. R. (2013). Anti-oxidative and anti-inflammatory effects of ginger in health and physical activity: review of current evidence. *International journal of preventive medicine*, 4(Suppl 1), S36–S42.
- Mondal, S., & Pahan, K. (2015). Cinnamon ameliorates experimental allergic encephalomyelitis in mice via regulatory T cells: implications for multiple sclerosis therapy. *PLoS One*, 10(1), e0116566. <https://doi.org/10.1371/journal.pone.0116566>
- Mondal, S., Varma, S., Bamola, V. D., Naik, S. N., Mirdha, B. R., Padhi, M. M., Mehta, N., & Mahapatra, S. C. (2011). Double-blinded randomized controlled trial for immunomodulatory effects of Tulsi (*Ocimum sanctum* Linn.) leaf extract on healthy volunteers. *Journal of ethnopharmacology*, 136(3), 452–456. <https://doi.org/10.1016/j.jep.2011.05.012>
- Moutia, M., Habti, N., & Badou, A. (2018). In Vitro and In Vivo Immunomodulator Activities of *Allium sativum* L. *Evidence-Based Complementary and Alternative Medicine*, 2018. <https://doi.org/10.1155/2018/4984659>
- Nagababu, E., Rifkind, J. M., Boindala, S., & Nakka, L. (2010). Assessment of antioxidant activity of eugenol in vitro and in vivo. *Methods in molecular biology* (Clifton, N.J.), 610, 165–180. [https://doi.org/10.1007/978-1-60327-029-8\\_10](https://doi.org/10.1007/978-1-60327-029-8_10)
- Nantz, M. P., Rowe, C. A., Muller, C. E., Creasy, R. A., Stanilka, J. M., & Percival, S. S. (2012). Supplementation with aged garlic extract improves both NK and  $\gamma\delta$ -T cell function and reduces the severity of cold and flu symptoms: a randomized, double-blind, placebo-controlled nutrition intervention. *Clinical nutrition* (Edinburgh, Scotland), 31(3), 337–344. <https://doi.org/10.1016/j.clnu.2011.11.019>
- Niphade, S. R., Asad, M., Chandrakala, G. K., Toppo, E., & Deshmukh, P. (2009). Immunomodulatory activity of *Cinnamomum zeylanicum* bark. *Pharmaceutical Biology*, 47(12), 1168–1173. <https://doi.org/10.3109/13880200903019234>
- Nuñez, L., & Aquino, M. D. (2012). Microbicide activity of clove essential oil (*Eugenia caryophyllata*). *Brazilian journal of microbiology* : [publication of the Brazilian Society for Microbiology], 43(4), 1255–1260. <https://doi.org/10.1590/S1517-83822012000400003>

- Nzeako, B. C., Al-Kharousi, Z. S., & Al-Mahrooqi, Z. (2006). Antimicrobial activities of clove and thyme extracts. *Sultan Qaboos University medical journal*, 6(1), 33–39.
- Ooi, L. S., Li, Y., Kam, S.-L., Wang, H., Wong, E. Y., & Ooi, V. E. (2006). Antimicrobial Activities of Cinnamon Oil and Cinnamaldehyde from the Chinese Medicinal Herb *Cinnamomum cassia* Blume. *The American Journal of Chinese Medicine*, 34(03), 511–522. <https://doi.org/10.1142/s0192415x06004041>
- Pahan K. (2015). Prospects of Cinnamon in Multiple Sclerosis. *Journal of multiple sclerosis*, 2(3), 1000149. <https://doi.org/10.4172/2376-0389.1000149>
- Parker, T. L., Wang, X. H., Pazmiño, J., & Engeseth, N. J. (2007). Antioxidant Capacity and Phenolic Content of Grapes, Sun-Dried Raisins, and Golden Raisins and Their Effect on ex Vivo Serum Antioxidant Capacity. *Journal of Agricultural and Food Chemistry*, 55(21), 8472–8477. <https://doi.org/10.1021/jf071468p>
- Pasupuleti, V. R., Sammugam, L., Ramesh, N., & Gan, S. H. (2017). Honey, Propolis, and Royal Jelly: A Comprehensive Review of Their Biological Actions and Health Benefits. *Oxidative Medicine and Cellular Longevity*, 2017, 1–21. <https://doi.org/10.1155/2017/1259510>
- Patil, V. M., Das, S., & Balasubramanian, K. (2016). Quantum Chemical and Docking Insights into Bioavailability Enhancement of Curcumin by Piperine in Pepper. *The journal of physical chemistry. A*, 120(20), 3643–3653. <https://doi.org/10.1021/acs.jpca.6b01434>
- Qian, B., Shen, S., Zhang, J., & Jing, P. (2017). Effects of Vitamin B6 Deficiency on the Composition and Functional Potential of T Cell Populations. *Journal of immunology research*, 2017, 2197975. <https://doi.org/10.1155/2017/2197975>
- Qorbanpour, M., Fahim, T., Javandel, F., Nosrati, M., Paz, E., Seidavi, A., Ragni, M., Laudadio, V., & Tufarelli, V. (2018). Effect of Dietary Ginger (*Zingiber officinale* Roscoe) and Multi-Strain Probiotic on Growth and Carcass Traits, Blood Biochemistry, Immune Responses and Intestinal Microflora in Broiler Chickens. *Animals : an open access journal from MDPI*, 8(7), 117. <https://doi.org/10.3390/ani8070117>
- Radomska-Leśniewska, D. M., Osiecka-Iwan, A., Hyc, A., Gózdź, A., Dąbrowska, A. M., & Skopiński, P. (2019). Therapeutic potential of curcumin in eye diseases. *Central-European journal of immunology*, 44(2), 181–189. <https://doi.org/10.5114/ceji.2019.87070>
- Rao, P. V., & Gan, S. H. (2014). Cinnamon: a multifaceted medicinal plant. *Evidence-based complementary and alternative medicine: eCAM*, 2014, 642942. <https://doi.org/10.1155/2014/642942>
- Rathore, S., Saxena, S., & Singh, B. (2013). Potential health benefits of major seed spices. *International Journal of Seed Spices*, 3(2).

- Samarghandian, S., Farkhondeh, T., & Samini, F. (2017). Honey and Health: A Review of Recent Clinical Research. *Pharmacognosy research*, 9(2), 121–127. <https://doi.org/10.4103/0974-8490.204647>
- Schwetz, S., Olze, H., Melchisedech, S., Grigorov, A., & Latza, R. (2004). Efficacy of Pollen Blocker Cream in the Treatment of Allergic Rhinitis. *Archives of Otolaryngology–Head & Neck Surgery*, 130(8), 979. <https://doi.org/10.1001/archotol.130.8.979>
- Shahbazi Y. (2015). Chemical Composition and In Vitro Antibacterial Activity of Mentha spicata Essential Oil against Common Food-Borne Pathogenic Bacteria. *Journal of pathogens*, 2015, 916305. <https://doi.org/10.1155/2015/916305>
- Shakeri, F., Eftekhar, N., Roshan, N. M., Rezaee, R., Moghimi, A., & Boskabady, M. H. (2019). Rosmarinic acid affects immunological and inflammatory mediator levels and restores lung pathological features in asthmatic rats. *Allergologia et immunopathologia*, 47(1), 16–23. <https://doi.org/10.1016/j.aller.2018.04.004>
- Shan, B., Cai, Y. Z., Sun, M., & Corke, H. (2005). Antioxidant Capacity of 26 Spice Extracts and Characterization of Their Phenolic Constituents. *Journal of Agricultural and Food Chemistry*, 53(20), 7749–7759. <https://doi.org/10.1021/jf051513y>
- Sharma, V. K., Trakroo, M., Subramaniam, V., Rajajeyakumar, M., Bhavanani, A. B., & Sahai, A. (2013). Effect of fast and slow pranayama on perceived stress and cardiovascular parameters in young health-care students. *International journal of yoga*, 6(2), 104–110. <https://doi.org/10.4103/0973-6131.113400>
- Shoba, G., Joy, D., Joseph, T., Majeed, M., Rajendran, R., & Srinivas, P. S. (1998). Influence of piperine on the pharmacokinetics of curcumin in animals and human volunteers. *Planta medica*, 64(4), 353–356. <https://doi.org/10.1055/s-2006-957450>
- Singh, H. B., Srivastava, M., Singh, A. B., & Srivastava, A. K. (1995). Cinnamon bark oil, a potent fungitoxicant against fungi causing respiratory tract mycoses. *Allergy*, 50(12), 995–999. <https://doi.org/10.1111/j.1398-9995.1995.tb02515.x>
- Srinivasan K. (2014). Antioxidant potential of spices and their active constituents. *Critical reviews in food science and nutrition*, 54(3), 352–372. <https://doi.org/10.1080/10408398.2011.585525>
- Vijayakumar, R. S., Surya, D., & Nalini, N. (2004). Antioxidant efficacy of black pepper (*Piper nigrum* L.) and piperine in rats with high fat diet induced oxidative stress. *Redox Report*, 9(2), 105–110. <https://doi.org/10.1179/135100004225004742>
- Yaffe, P. B., Power Coombs, M. R., Doucette, C. D., Walsh, M., & Hoskin, D. W. (2015). Piperine, an alkaloid from black pepper, inhibits growth of human colon cancer cells via G1 arrest and apoptosis triggered by endoplasmic reticulum stress. *Molecular carcinogenesis*, 54(10), 1070–1085. <https://doi.org/10.1002/mc.22176>
- Yaribeygi, H., Panahi, Y., Sahraei, H., Johnston, T. P., & Sahebkar, A. (2017). The impact of stress on body function: A review. *EXCLI journal*, 16, 1057–1072. <https://doi.org/10.17179/excli2017-480>

Zehsaz, F., Farhangi, N., & Mirheidari, L. (2014). The effect of *Zingiber officinale* R. rhizomes (ginger) on plasma pro-inflammatory cytokine levels in well-trained male endurance runners. *Central-European journal of immunology*, 39(2), 174–180. <https://doi.org/10.5114/ceji.2014.43719>

Zhou, H.-li, Deng, Y.-mei, & Xie, Q.-min. (2006). The modulatory effects of the volatile oil of ginger on the cellular immune response in vitro and in vivo in mice. *Journal of Ethnopharmacology*, 105(1-2), 301–305. <https://doi.org/10.1016/j.jep.2005.10.022>



## Digestive & Urinary

- Abbasi, P., Mojalli, M., Kianmehr, M., & Zamani, S. (2019). Effect of acupressure on constipation in patients undergoing hemodialysis: A randomized double-blind controlled clinical trial. *Avicenna journal of phytomedicine*, 9(1), 84–91.
- Agah, S., Taleb, A. M., Moeini, R., Gorji, N., & Nikbakht, H. (2013). Cumin extract for symptom control in patients with irritable bowel syndrome: a case series. *Middle East journal of digestive diseases*, 5(4), 217–222.
- Allen, S. J., Martinez, E. G., Gregorio, G. V., & Dans, L. F. (2010). Probiotics for treating acute infectious diarrhoea. *Cochrane Database of Systematic Reviews*, 1–10. <https://doi.org/10.1002/14651858.cd003048.pub3>
- Altarac, S., & Papeš, D. (2013). Use of d-mannose in prophylaxis of recurrent urinary tract infections (UTIs) in women. *BJU International*, 113(1), 9–10. <https://doi.org/10.1111/bju.12492>
- Amalraj, A., & Gopi, S. (2016). Biological activities and medicinal properties of Asafoetida: A review. *Journal of traditional and complementary medicine*, 7(3), 347–359. <https://doi.org/10.1016/j.jtcme.2016.11.004>
- Arslan, G. G., & Eşer, I. (2011). An examination of the effect of castor oil packs on constipation in the elderly. *Complementary therapies in clinical practice*, 17(1), 58–62. <https://doi.org/10.1016/j.ctcp.2010.04.004>
- Attaluri, A., Donahoe, R., Valestin, J., Brown, K., & Rao, S. S. (2011). Randomised clinical trial: dried plums (prunes) vs. psyllium for constipation. *Alimentary pharmacology & therapeutics*, 33(7), 822–828. <https://doi.org/10.1111/j.1365-2036.2011.04594.x>
- Baek, H. I., Ha, K. C., Kim, H. M., Choi, E. K., Park, E. O., Park, B. H., Yang, H. J., Kim, M. J., Kang, H. J., & Chae, S. W. (2016). Randomized, double-blind, placebo-controlled trial of *Ficus carica* paste for the management of functional constipation. *Asia Pacific journal of clinical nutrition*, 25(3), 487–496. <https://doi.org/10.6133/apjcn.092015.06>
- Bar-Sela G, Cohen M, Ben-Arye E, Epelbaum R. The Medical Use of Wheatgrass: Review of the Gap Between Basic and Clinical Applications. *Mini Rev Med Chem*. 2015;15(12):1002-10. doi: 10.2174/138955751512150731112836. PMID: 26156538.
- Barr, W., & Smith, A. (2014). Acute Diarrhea in Adults. *American Family Physician*, 89(3), 180–189. <https://www.aafp.org/afp/2014/0201/p180.html#sec-4>
- Becker, B., Kuhn, U., & Hardewig-Budny, B. (2011). Double-blind, Randomized Evaluation of Clinical Efficacy and Tolerability of an Apple Pectin-Chamomile Extract in Children with Unspecific Diarrhea. *Arzneimittelforschung*, 56(06), 387–393. <https://doi.org/10.1055/s-0031-1296739>

- Ben-Arye, E., Goldin, E., Wengrower, D., Stamper, A., Kohn, R., & Berry, E. (2002). Wheat Grass Juice in the Treatment of Active Distal Ulcerative Colitis: A Randomized Double-blind Placebo-controlled Trial. *Scandinavian Journal of Gastroenterology*, 37(4), 444–449. <https://doi.org/10.1080/003655202317316088>
- Bergamin, P. A., & Kiosoglous, A. J. (2017). Non-surgical management of recurrent urinary tract infections in women. *Translational andrology and urology*, 6(Suppl 2), S142–S152. <https://doi.org/10.21037/tau.2017.06.09>
- Billing, J., & Sherman, P. W. (1998). Antimicrobial Functions of Spices: Why Some Like it Hot. *The Quarterly Review of Biology*, 73(1), 3–49. <https://www.jstor.org/stable/3036683?seq=1>
- Bisht, D. S., Menon, K., & Singhal, M. K. (2014). Comparative Antimicrobial Activity of Essential oils of *Cuminum cyminum* L. and *Foeniculum vulgare* Mill. seeds against *Salmonella typhimurium* and *Escherichia coli*. *Journal of Essential Oil Bearing Plants*, 17(4), 617–622. <https://doi.org/10.1080/0972060x.2014.956675>
- Boshtam, M., Moshtaghian, J., Naderi, G., Asgary, S., & Nayeri, H. (2011). Antioxidant effects of Citrus aurantifolia (Christm) juice and peel extract on LDL oxidation. *Journal of research in medical sciences : the official journal of Isfahan University of Medical Sciences*, 16(7), 951–955.
- Bradley, L. A., Richter, J. E., Pulliam, T. J., Haile, J. M., Scarinci, I. C., Schan, C. A., Dalton, C. B., & Salley, A. N. (1993). The relationship between stress and symptoms of gastroesophageal reflux: the influence of psychological factors. *The American journal of gastroenterology*, 88(1), 11–19.
- Chen, L. L., Shen, Y. C., Ke, C. C., Imtiyaz, Z., Chen, H. I., Chang, C. H., & Lee, M. H. (2021). Efficacy of cinnamon patch treatment for alleviating symptoms of overactive bladder: A double-blind, randomized, placebo-controlled trial. *Phytomedicine*, 80, 153380. <https://doi.org/10.1016/j.phymed.2020.153380>
- Chen, Y. H., Lin, Y. N., Chen, W. C., Hsieh, W. T., & Chen, H. Y. (2014). Treatment of stress urinary incontinence by cinnamaldehyde, the major constituent of the chinese medicinal herb ramulus cinnamomi. *Evidence-based complementary and alternative medicine: eCAM*, 2014, 280204. <https://doi.org/10.1155/2014/280204>
- Chen, Y. W., & Wang, H. H. (2014). The effectiveness of acupressure on relieving pain: a systematic review. *Pain management nursing : official journal of the American Society of Pain Management Nurses*, 15(2), 539–550. <https://doi.org/10.1016/j.pmn.2012.12.005>
- Cheong, K. B., Zhang, J. P., Huang, Y., & Zhang, Z. J. (2013). The effectiveness of acupuncture in prevention and treatment of postoperative nausea and vomiting--a systematic review and meta-analysis. *PloS one*, 8(12), e82474. <https://doi.org/10.1371/journal.pone.0082474>

- Chernyak, G. V., & Sessler, D. I. (2005). Perioperative acupuncture and related techniques. *Anesthesiology*, 102(5), 1031–1078. <https://doi.org/10.1097/00000542-200505000-00024>
- Choo, M. S., Piao, S., & Oh, S. J. (2018). The preventive effect of a free radical scavenger on oxidative stress after the relief of partial bladder outlet obstruction in a rat model. *PloS one*, 13(10), e0199800. <https://doi.org/10.1371/journal.pone.0199800>
- Chwalisz, K., & Garfield, R. (1997). Treatment of urinary incontinence with nitric oxide synthase substrates and/or nitric oxide donors.
- de Caestecker, J. (2001). ABC of the upper gastrointestinal tract: Oesophagus: Heartburn. *BMJ*, 323(7315), 736–739. <https://doi.org/10.1136/bmj.323.7315.736>
- Domenici, L., Monti, M., Bracchi, C., Giorgini, M., Colagiovanni, V., Muzii, L., & Benedetti Panici, P. (2016). D-mannose: a promising support for acute urinary tract infections in women. A pilot study. *European review for medical and pharmacological sciences*, 20(13), 2920–2925.
- Dundee, J. W., Chestnutt, W. N., Ghaly, R. G., & Lynas, A. G. (1986). Traditional Chinese acupuncture: a potentially useful antiemetic?. *British medical journal (Clinical research ed.)*, 293(6547), 583–584. <https://doi.org/10.1136/bmj.293.6547.583>
- Ebrahimi-Mameghani, M., Sabour, S., Khoshbaten, M., Arefhosseini, S. R., & Saghafi-Asl, M. (2017). Total diet, individual meals, and their association with gastroesophageal reflux disease. *Health promotion perspectives*, 7(3), 155–162. <https://doi.org/10.15171/hpp.2017.28>
- Ezzo, J., Richardson, M. A., Vickers, A., Allen, C., Dibble, S., Issell, B. F., ... Zhang, G. (2006). Acupuncture-point stimulation for chemotherapy-induced nausea or vomiting. *Cochrane Database of Systematic Reviews*. <https://doi.org/10.1002/14651858.cd002285.pub2>
- Fass, R., Naliboff, B. D., Fass, S. S., Peleg, N., Wendel, C., Malagon, I. B., & Mayer, E. A. (2008). The Effect of Auditory Stress on Perception of Intraesophageal Acid in Patients With Gastroesophageal Reflux Disease. *Gastroenterology*, 134(3), 696–705. <https://doi.org/10.1053/j.gastro.2007.12.010>
- Freires, I., Murata, R. M., Furletti, V. F., Sartoratto, A., Alencar, S. M., Figueira, G. M., de Oliveira Rodrigues, J. A., Duarte, M. C., & Rosalen, P. L. (2014). *Coriandrum sativum* L. (Coriander) essential oil: antifungal activity and mode of action on *Candida* spp., and molecular targets affected in human whole-genome expression. *PloS one*, 9(6), e99086. <https://doi.org/10.1371/journal.pone.0099086>
- Gamé, X., Rischmann, P., Arnal, J. F., & Malavaud, B. (2013). Nitric oxide pathway and female lower urinary tract. Physiological and pathophysiological role. *Progres en urologie: journal de l'Association française d'urologie et de la Société française d'urologie*, 23(11), 926–935. <https://doi.org/10.1016/j.purol.2013.07.005>

- Gažová, A., Valášková, S., Žufková, V., Castejon, A. M., & Kyselovič, J. (2018). Clinical study of effectiveness and safety of CELcomplex® containing Cucurbita Pepo Seed extract and Flax and Casuarina on stress urinary incontinence in women. *Journal of traditional and complementary medicine*, 9(2), 138–142. <https://doi.org/10.1016/j.jtcme.2017.10.005>
- Ghalayani, P., Emami, H., Pakravan, F., & Nasr Isfahani, M. (2014). Comparison of triamcinolone acetonide mucoadhesive film with licorice mucoadhesive film on radiotherapy-induced oral mucositis: A randomized double-blinded clinical trial. *Asia-Pacific Journal of Clinical Oncology*, 13(2). <https://doi.org/10.1111/ajco.12295>
- Giacosa, A., Guido, D., Grassi, M., Riva, A., Morazzoni, P., Bombardelli, E., Perna, S., Faliva, M. A., & Rondanelli, M. (2015). The Effect of Ginger (*Zingiber officinalis*) and Artichoke (*Cynara cardunculus*) Extract Supplementation on Functional Dyspepsia: A Randomised, Double-Blind, and Placebo-Controlled Clinical Trial. *Evidence-based complementary and alternative medicine : eCAM*, 2015, 915087. <https://doi.org/10.1155/2015/915087>
- Giacosa, A., Morazzoni, P., Bombardelli, E., Riva, A., Bianchi Porro, G., & Rondanelli, M. (2015). Can nausea and vomiting be treated with ginger extract?. *European review for medical and pharmacological sciences*, 19(7), 1291–1296.
- Gil, M. I., Tomás-Barberán, F. A., Hess-Pierce, B., Holcroft, D. M., & Kader, A. A. (2000). Antioxidant Activity of Pomegranate Juice and Its Relationship with Phenolic Composition and Processing. *Journal of Agricultural and Food Chemistry*, 48(10), 4581–4589. <https://doi.org/10.1021/jf000404a>
- Goldenberg, J. Z., Lytvyn, L., Steurich, J., Parkin, P., Mahant, S., & Johnston, B. C. (2015). Probiotics for the prevention of pediatric antibiotic-associated diarrhea. *The Cochrane database of systematic reviews*, (12), CD004827. <https://doi.org/10.1002/14651858.CD004827.pub4>
- Grøntved, A., Brask, T., Kambskard, J., & Hentzer, E. (1988). Ginger root against seasickness. A controlled trial on the open sea. *Acta oto-laryngologica*, 105(1-2), 45–49. <https://doi.org/10.3109/00016488809119444>
- Guillon, F., & Champ, M. M.-J. (2002). Carbohydrate fractions of legumes: uses in human nutrition and potential for health. *British Journal of Nutrition*, 88(S3), 293–306. <https://doi.org/10.1079/bjn2002720>
- Haruma, K., Kinoshita, Y., Sakamoto, S., Sanada, K., Hiroi, S., & Miwa, H. (2015). Lifestyle Factors and Efficacy of Lifestyle Interventions in Gastroesophageal Reflux Disease Patients with Functional Dyspepsia: Primary Care Perspectives from the LEGEND Study. *Internal Medicine*, 54(7), 695–701. <https://doi.org/10.2169/internalmedicine.54.3056>
- Hempel, S., Newberry, S. J., Maher, A. R., Wang, Z., Miles, J. N., Shanman, R., Johnsen, B., & Shekelle, P. G. (2012). Probiotics for the prevention and treatment of antibiotic-associated diarrhea: a systematic review and meta-analysis. *JAMA*, 307(18), 1959–1969. <https://doi.org/10.1001/jama.2012.3507>

- Holloway, R. H., Lyrenas, E., Ireland, A., & Dent, J. (1997). Effect of intraduodenal fat on lower oesophageal sphincter function and gastro-oesophageal reflux. *Gut*, 40(4), 449–453. <https://doi.org/10.1136/gut.40.4.449>
- Hong, H., Kim, C. S., & Maeng, S. (2009). Effects of pumpkin seed oil and saw palmetto oil in Korean men with symptomatic benign prostatic hyperplasia. *Nutrition research and practice*, 3(4), 323–327. <https://doi.org/10.4162/nrp.2009.3.4.323>
- Hooton, T. M., Vecchio, M., Iroz, A., Tack, I., Dornic, Q., Seksek, I., & Lotan, Y. (2018). Effect of Increased Daily Water Intake in Premenopausal Women With Recurrent Urinary Tract Infections. *JAMA Internal Medicine*, 178(11), 1509. <https://doi.org/10.1001/jamainternmed.2018.4204>
- Hu, M. L., Rayner, C. K., Wu, K. L., Chuah, S. K., Tai, W. C., Chou, Y. P., Chiu, Y. C., Chiu, K. W., & Hu, T. H. (2011). Effect of ginger on gastric motility and symptoms of functional dyspepsia. *World journal of gastroenterology*, 17(1), 105–110. <https://doi.org/10.3748/wjg.v17.i1.105>
- Hunt, R., Dienemann, J., Norton, H. J., Hartley, W., Hudgens, A., Stern, T., & Divine, G. (2013). Aromatherapy as Treatment for Postoperative Nausea. *Anesthesia & Analgesia*, 117(3), 597–604. <https://doi.org/10.1213/ane.0b013e31824a0b1c>
- Iwakiri, K., Kobayashi, M., Kotoyori, M., Yamada, H., Sugiura, T., & Nakagawa, Y. (1996). Relationship between postprandial esophageal acid exposure and meal volume and fat content. *Digestive diseases and sciences*, 41(5), 926–930. <https://doi.org/10.1007/BF02091532>
- Jabeen, Q., Bashir, S., Lyoussi, B., & Gilani, A. H. (2009). Coriander fruit exhibits gut modulatory, blood pressure lowering and diuretic activities. *Journal of Ethnopharmacology*, 122(1), 123–130. <https://doi.org/10.1016/j.jep.2008.12.016>
- Jin, Z., Lee, G., Kim, S., Park, C. S., Park, Y. S., & Jin, Y. H. (2014). Ginger and its pungent constituents non-competitively inhibit serotonin currents on visceral afferent neurons. *The Korean journal of physiology & pharmacology: official journal of the Korean Physiological Society and the Korean Society of Pharmacology*, 18(2), 149–153. <https://doi.org/10.4196/kjpp.2014.18.2.149>
- Johri R. K. (2011). *Cuminum cyminum* and *Carum carvi*: An update. *Pharmacognosy reviews*, 5(9), 63–72. <https://doi.org/10.4103/0973-7847.79101>
- Jood, S., Mehta, U., Singh, R., & Bhat, C. M. (1985). Effect of processing on flatus-producing factors in legumes. *Journal of Agricultural and Food Chemistry*, 33(2), 268–271. <https://doi.org/10.1021/jf00062a028>
- Kavuri, V., Raghuram, N., Malamud, A., & Selvan, S. R. (2015). Irritable Bowel Syndrome: Yoga as Remedial Therapy. *Evidence-based complementary and alternative medicine: eCAM*, 2015, 398156. <https://doi.org/10.1155/2015/398156>

- Kavuri, V., Selvan, P., Malamud, A., Raghuram, N., & Selvan, S. R. (2015). Remedial yoga module remarkably improves symptoms in irritable bowel syndrome patients: A 12-week randomized controlled trial. *European Journal of Integrative Medicine*, 7(6), 595–608. <https://doi.org/10.1016/j.eujim.2015.11.001>
- Khan, I., Samson, S. E., & Grover, A. K. (2017). Antioxidant Supplements and Gastrointestinal Diseases: A Critical Appraisal. *Medical principles and practice : international journal of the Kuwait University, Health Science Centre*, 26(3), 201–217. <https://doi.org/10.1159/000468988>
- Kim, J. S., & Kim, B. W. (2019). Are Diet and Micronutrients Effective in Treating Gastroesophageal Reflux Disease Especially in Women?. *Journal of neurogastroenterology and motility*, 25(1), 1–2. <https://doi.org/10.5056/jnm18198>
- Koromyslova, A. D., White, P. A., & Hansman, G. S. (2015). Treatment of norovirus particles with citrate. *Virology*, 485, 199–204. <https://doi.org/10.1016/j.virol.2015.07.009>
- Kroeger, N., Beldegrun, A. S., & Pantuck, A. J. (2013). Pomegranate Extracts in the Management of Men's Urologic Health: Scientific Rationale and Preclinical and Clinical Data. *Evidence-Based Complementary and Alternative Medicine*, 2013, 1–9. <https://doi.org/10.1155/2013/701434>
- Krueger D. A. (2012). Composition of pomegranate juice. *Journal of AOAC International*, 95(1), 163–168. <https://doi.org/10.5740/jaoacint.11-178>
- Ku, S. H. U. N., Wey, L. S., Steinberg, M. P., Nelson, A. I., & Hymowitz, T. (1976). Extraction of oligosaccharides during cooking of whole soybeans. *Journal of Food Science*, 41(2), 361–364. <https://doi.org/10.1111/j.1365-2621.1976.tb00619.x>
- Kubo, I., Fujita, K.-ichi, Kubo, A., Nihei, K.-ichi, & Ogura, T. (2004). Antibacterial Activity of Coriander Volatile Compounds against *Salmonella choleraesuis*. *Journal of Agricultural and Food Chemistry*, 52(11), 3329–3332. <https://doi.org/10.1021/jf0354186>
- Kulkarni, S. D., Tilak, J. C., Acharya, R., Rajurkar, N. S., Devasagayam, T. P., & Reddy, A. V. (2006). Evaluation of the antioxidant activity of wheatgrass (*Triticum aestivum* L.) as a function of growth under different conditions. *Phytotherapy Research*, 20(3), 218–227. <https://doi.org/10.1002/ptr.1838>
- Kuttner, L., Chambers, C. T., Hardial, J., Israel, D. M., Jacobson, K., & Evans, K. (2006). A randomized trial of yoga for adolescents with irritable bowel syndrome. *Pain research & management*, 11(4), 217–223. <https://doi.org/10.1155/2006/731628>
- Larijani, B., Esfahani, M. M., Moghimi, M., Shams Ardakani, M. R., Keshavarz, M., Kordafshari, G., Nazem, E., Hasani Ranjbar, S., Mohammadi Kenari, H., & Zargarani, A. (2016). Prevention and Treatment of Flatulence From a Traditional Persian Medicine Perspective. *Iranian Red Crescent medical journal*, 18(4), e23664. <https://doi.org/10.5812/ircmj.23664>

- Ledeboer, M., Masclee, A. A., Batstra, M. R., Jansen, J. B., & Lamers, C. B. (1995). Effect of cholecystokinin on lower oesophageal sphincter pressure and transient lower oesophageal sphincter relaxations in humans. *Gut*, *36*(1), 39–44. <https://doi.org/10.1136/gut.36.1.39>
- Lee, Y. R., & Shin, H. S. (2017). Effectiveness of Ginger Essential Oil on Postoperative Nausea and Vomiting in Abdominal Surgery Patients. *The Journal of Alternative and Complementary Medicine*, *23*(3), 196–200. <https://doi.org/10.1089/acm.2015.0328>
- Lete, I., & Allué, J. (2016). The Effectiveness of Ginger in the Prevention of Nausea and Vomiting during Pregnancy and Chemotherapy. *Integrative medicine insights*, *11*, 11–17. <https://doi.org/10.4137/IMI.S36273>
- Lever, E., Cole, J., Scott, S. M., Emery, P. W., & Whelan, K. (2014). Systematic review: the effect of prunes on gastrointestinal function. *Alimentary pharmacology & therapeutics*, *40*(7), 750–758. <https://doi.org/10.1111/apt.12913>
- Levin, R. M., Leggett, R. E., Schuler, C., Rehfuss, A., & Hass, M. (2010). Oxidative Stress and Lower Urinary Tract Dysfunctions Primarily Found in Women. *Urological Science*, *21*(1), 8–18. [https://doi.org/10.1016/s1879-5226\(10\)60003-6](https://doi.org/10.1016/s1879-5226(10)60003-6)
- Lien, H. C., Sun, W. M., Chen, Y. H., Kim, H., Hasler, W., & Owyang, C. (2003). Effects of ginger on motion sickness and gastric slow-wave dysrhythmias induced by circularvection. *American Journal of Physiology-Gastrointestinal and Liver Physiology*, *284*(3). <https://doi.org/10.1152/ajpgi.00164.2002>
- Lua, P. L., & Zakaria, N. S. (2012). A brief review of current scientific evidence involving aromatherapy use for nausea and vomiting. *Journal of alternative and complementary medicine (New York, N.Y.)*, *18*(6), 534–540. <https://doi.org/10.1089/acm.2010.0862>
- Lukić, M., Segec, A., Segec, I., Pinotić, L., Pinotić, K., Atalić, B., Solić, K., & Vcev, A. (2012). The impact of the vitamins A, C and E in the prevention of gastroesophageal reflux disease, Barrett's oesophagus and oesophageal adenocarcinoma. *Collegium antropologicum*, *36*(3), 867–872.
- Mahmoud, Abobakr & Abd El-Baky, Rehab & Ahmed, Abo Bakr & Fadl, Gamal. (2016). Antibacterial Activity of Essential Oils and in Combination with Some Standard Antimicrobials against Different Pathogens Isolated from Some Clinical Specimens. *American Journal of Microbiological Research*. *4*. 16-25.
- Mala, K. N., Thomas, J., Syam, D. S., Maliakel, B., & Krishnakumar, I. M. (2018). Safety and Efficacy of Ferula asafoetida in Functional Dyspepsia: A Randomized, Double-Blinded, Placebo-Controlled Study. *Evidence-based complementary and alternative medicine : eCAM*, *2018*, 4813601. <https://doi.org/10.1155/2018/4813601>
- Mamaril, M. E., Windle, P. E., & Burkard, J. F. (2006). Prevention and Management of Postoperative Nausea and Vomiting: A Look at Complementary Techniques. *Journal of PeriAnesthesia Nursing*, *21*(6), 404–410. <https://doi.org/10.1016/j.jopan.2006.09.007>

- Marx, W., Ried, K., McCarthy, A. L., Vitetta, L., Sali, A., McKavanagh, D., & Isenring, L. (2017). Ginger-Mechanism of action in chemotherapy-induced nausea and vomiting: A review. *Critical reviews in food science and nutrition*, 57(1), 141–146. <https://doi.org/10.1080/10408398.2013.865590>
- Math, M. V., Khadkikar, R. M., & Kattimani, Y. R. (2013). Honey - a nutrient with medicinal property in reflux. *The Indian journal of medical research*, 138(6), 1020–1021.
- McFarland L. V. (2014). Use of probiotics to correct dysbiosis of normal microbiota following disease or disruptive events: a systematic review. *BMJ open*, 4(8), e005047. <https://doi.org/10.1136/bmjopen-2014-005047>
- McKeon, C., Smith, C., Hardy, J., & Chang, E. (2013). Acupuncture and acupressure for chemotherapy-induced nausea and vomiting: A systematic review. *Australian Acupuncture and Chinese Medicine Association*, 8(1), 2–27.
- Miyata, Y., Matsuo, T., Mitsunari, K., Asai, A., Ohba, K., & Sakai, H. (2019). A Review of Oxidative Stress and Urinary Dysfunction Caused by Bladder Outlet Obstruction and Treatments Using Antioxidants. *Antioxidants (Basel, Switzerland)*, 8(5), 132. <https://doi.org/10.3390/antiox8050132>
- Mohammadbeigi, R., Shahgeibi, S., Soufizadeh, N., Rezaie, M., & Farhadifar, F. (2011). Comparing the effects of ginger and metoclopramide on the treatment of pregnancy nausea. *Pakistan journal of biological sciences : PJBS*, 14(16), 817–820. <https://doi.org/10.3923/pjbs.2011.817.820>
- Mowrey, D. B., & Clayson, D. E. (1982). Motion sickness, ginger, and psychophysics. *Lancet (London, England)*, 1(8273), 655–657. [https://doi.org/10.1016/s0140-6736\(82\)92205-x](https://doi.org/10.1016/s0140-6736(82)92205-x)
- Naliboff, B. D., Mayer, M., Fass, R., Fitzgerald, L. Z., Chang, L., Bolus, R., & Mayer, E. A. (2004). The effect of life stress on symptoms of heartburn. *Psychosomatic medicine*, 66(3), 426–434. <https://doi.org/10.1097/01.psy.0000124756.37520.84>
- Nam, S. Y., Park, B. J., Cho, Y. A., & Ryu, K. H. (2019). Gender-specific Effect of Micronutrient on Non-erosive Reflux Disease and Erosive Esophagitis. *Journal of neurogastroenterology and motility*, 25(1), 82–90. <https://doi.org/10.5056/jnm18114>
- Nieto, N., López-Pedrosa, J. M., Mesa, M. D., Torres, M. I., Fernández, M. I., Ríos, A., ... Gil, Á. (2000). Chronic Diarrhea Impairs Intestinal Antioxidant Defense System in Rats at Weaning. *Digestive Diseases and Sciences*, 45(10), 2044–2050. <https://doi.org/10.1023/a:1005603019800>
- Nishimura, M., Ohkawara, T., Sato, H., Takeda, H., & Nishihira, J. (2014). Pumpkin Seed Oil Extracted From Cucurbita maxima Improves Urinary Disorder in Human Overactive Bladder. *Journal of traditional and complementary medicine*, 4(1), 72–74. <https://doi.org/10.4103/2225-4110.124355>



- Nocchi, L., Daly, D. M., Chapple, C., & Grundy, D. (2014). Induction of oxidative stress causes functional alterations in mouse urothelium via a TRPM8-mediated mechanism: implications for aging. *Aging Cell*, 13(3), 540–550. <https://doi.org/10.1111/ace1.12208>
- Nomiya, M., Sagawa, K., Yazaki, J., Takahashi, N., Kushida, N., Haga, N., Aikawa, K., Matsui, T., Oka, M., Fukui, T., Andersson, K. E., & Yamaguchi, O. (2012). Increased bladder activity is associated with elevated oxidative stress markers and proinflammatory cytokines in a rat model of atherosclerosis-induced chronic bladder ischemia. *Neurourology and urodynamics*, 31(1), 185–189. <https://doi.org/10.1002/nau.21191>
- Oh, H. G., Lee, H. Y., Seo, M. Y., Kang, Y. R., Kim, J. H., Park, J. W., Kim, O. J., Back, H. I., Kim, S. Y., Oh, M. R., Park, S. H., Kim, M. G., Jeon, J. Y., Hwang, M. H., Shin, S. J., & Chae, S. W. (2011). Effects of *Ficus carica* paste on constipation induced by a high-protein feed and movement restriction in beagles. *Laboratory animal research*, 27(4), 275–281. <https://doi.org/10.5625/lar.2011.27.4.275>
- Oikeh, E. I., Omoregie, E. S., Oviasogie, F. E., & Oriakhi, K. (2015). Phytochemical, antimicrobial, and antioxidant activities of different citrus juice concentrates. *Food science & nutrition*, 4(1), 103–109. <https://doi.org/10.1002/fsn3.268>
- Ozgili, G., Goli, M., & Simbar, M. (2009). Effects of Ginger Capsules on Pregnancy, Nausea, and Vomiting. *The Journal of Alternative and Complementary Medicine*, 15(3), 243–246. <https://doi.org/10.1089/acm.2008.0406>
- Panahi, Y., Khedmat, H., Valizadegan, G., Mohtashami, R., & Sahebkar, A. (2015). Efficacy and safety of Aloe vera syrup for the treatment of gastroesophageal reflux disease: a pilot randomized positive-controlled trial. *Journal of traditional Chinese medicine = Chung i tsa chih ying wen pan*, 35(6), 632–636. [https://doi.org/10.1016/s0254-6272\(15\)30151-5](https://doi.org/10.1016/s0254-6272(15)30151-5)
- Pandey, S., Patel, M. K., Mishra, A., & Jha, B. (2015). Physio-Biochemical Composition and Untargeted Metabolomics of Cumin (*Cuminum cyminum* L.) Make It Promising Functional Food and Help in Mitigating Salinity Stress. *PloS one*, 10(12), e0144469. <https://doi.org/10.1371/journal.pone.0144469>
- Patel, S., Patel, J., Patel, M., & Sen, D. (2015). Say yes to warm for remove harm: amazing wonders of two stages of water! *EUROPEAN JOURNAL OF PHARMACEUTICAL AND MEDICAL RESEARCH*, 2(4), 444–460. [https://www.ejpmr.com/home/abstract\\_id/220](https://www.ejpmr.com/home/abstract_id/220)
- Pereira, R. de. (2006). Regression of gastroesophageal reflux disease symptoms using dietary supplementation with melatonin, vitamins and aminoacids: comparison with omeprazole. *Journal of Pineal Research*, 41(3), 195–200. <https://doi.org/10.1111/j.1600-079x.2006.00359.x>
- Pituch, A., Walkowiak, J., & Banaszkiwicz, A. (2013). Butyric acid in functional constipation. *Przegląd gastroenterologiczny*, 8(5), 295–298. <https://doi.org/10.5114/pg.2013.38731>

- Pongrojpraw, C., Somprasit, D., & Chanthasenanont, A. (2007). A randomized comparison of ginger and dimenhydrinate in the treatment of nausea and vomiting in pregnancy. *Journal of the Medical Association of Thailand = Chotmaiher Thangphaet*, 90(9), 1703–1709. <https://pubmed.ncbi.nlm.nih.gov/17957907/>
- Porru, D., Parmigiani, A., Tinelli, C., Barletta, D., Choussos, D., Di Franco, C., ... Rovereto, B. (2014). Oral D-mannose in recurrent urinary tract infections in women: a pilot study. *Journal of Clinical Urology*, 7(3), 208–213. <https://doi.org/10.1177/2051415813518332>
- Rabbani, G. H., Ahmed, S., Hossain, M. I., Islam, R., Marni, F., Akhtar, M., & Majid, N. (2009). Green Banana Reduces Clinical Severity of Childhood Shigellosis. *Pediatric Infectious Disease Journal*, 28(5), 420–425. <https://doi.org/10.1097/inf.0b013e31819510b5>
- Rabbani, G. H., Albert, M. J., Rahman, H., & Chowdhury, A. K. (1999). Short-Chain Fatty Acids Inhibit Fluid and Electrolyte Loss Induced by Cholera Toxin in Proximal Colon of Rabbit In Vivo. <https://doi.org/https://doi.org/10.1023/A:1026650624193>
- Rabbani, G. H., Larson, C. P., Islam, R., Saha, U. R., & Kabir, A. (2010). Green banana-supplemented diet in the home management of acute and prolonged diarrhoea in children: a community-based trial in rural Bangladesh. *Tropical medicine & international health : TM & IH*, 15(10), 1132–1139. <https://doi.org/10.1111/j.1365-3156.2010.02608.x>
- Rabbani, G. H., Teka, T., Saha, S. K., Zaman, B., Majid, N., Khatun, M., Fuchs, G. J. (2004). Green Banana and Pectin Improve Small Intestinal Permeability and Reduce Fluid Loss in Bangladeshi Children with Persistent Diarrhea. *Digestive Diseases and Sciences*, 49(3), 475–484. <https://doi.org/10.1023/b:ddas.0000020507.25910.cf>
- Rabbani, G. H., Teka, T., Zaman, B., Majid, N., Khatun, M., & Fuchs, G. J. (2001). Clinical studies in persistent diarrhea: Dietary management with green banana or pectin in Bangladeshi children. *Gastroenterology*, 121(3), 554–560. <https://doi.org/10.1053/gast.2001.27178>
- Ramakrishna Rao, R., Platel, K., & Srinivasan, K. (2003). In vitro influence of spices and spice-active principles on digestive enzymes of rat pancreas and small intestine. *Nahrung/Food*, 47(6), 408–412. <https://doi.org/10.1002/food.200390091>
- Rath, S., & Padhy, R. N. (2014). Monitoring in vitro antibacterial efficacy of 26 Indian spices against multidrug resistant urinary tract infecting bacteria. *Integrative medicine research*, 3(3), 133–141. <https://doi.org/10.1016/j.imr.2014.04.002>
- Rather, M. A., Dar, B. A., Sofi, S. N., Bhat, B. A., & Qurishi, M. A. (2016). *Foeniculum vulgare*: A comprehensive review of its traditional use, phytochemistry, pharmacology, and safety. *Arabian Journal of Chemistry*, 9, S1574–S1583. <https://doi.org/10.1016/j.arabjc.2012.04.011>
- Raveendra, K. R., Jayachandra, Srinivasa, V., Sushma, K. R., Allan, J. J., Goudar, K. S., Shivaprasad, H. N., Venkateshwarlu, K., Geetharani, P., Sushma, G., & Agarwal, A.

- (2012). An Extract of Glycyrrhiza glabra (GutGard) Alleviates Symptoms of Functional Dyspepsia: A Randomized, Double-Blind, Placebo-Controlled Study. Evidence-based complementary and alternative medicine : eCAM, 2012, 216970. <https://doi.org/10.1155/2012/216970>
- Rivière, A., Selak, M., Lantin, D., Leroy, F., & De Vuyst, L. (2016). Bifidobacteria and Butyrate-Producing Colon Bacteria: Importance and Strategies for Their Stimulation in the Human Gut. *Frontiers in microbiology*, 7, 979. <https://doi.org/10.3389/fmicb.2016.00979>
- Rodriguez-Stanley, S., Ahmed, T., Zubaidi, S., Riley, S., Akbarali, H. I., Mellow, M. H., & Miner, P. B. (2004). Calcium Carbonate Antacids Alter Esophageal Motility in Heartburn Sufferers. *Digestive Diseases and Sciences*, 49(11-12), 1862–1867. <https://doi.org/10.1007/s10620-004-9584-1>
- Roy, S. K., Akramuzzaman, S. M., Haider, R., Khatun, M., Akbar, M. S., & Eeckels, R. (1994). Persistent diarrhoea: efficacy of a rice-based diet and role of nutritional status in recovery and nutrient absorption. *The British journal of nutrition*, 71(1), 123–134. <https://doi.org/10.1079/bjn19940117>
- Savarino, E., de Bortoli, N., Zentilin, P., Martinucci, I., Bruzzone, L., Furnari, M., Marchi, S., & Savarino, V. (2012). Alginate controls heartburn in patients with erosive and nonerosive reflux disease. *World journal of gastroenterology*, 18(32), 4371–4378. <https://doi.org/10.3748/wjg.v18.i32.4371>
- Schmid, R., Schick, T., Steffen, R., Tschopp, A., & Wilk, T. (1994). Comparison of Seven Commonly Used Agents for Prophylaxis of Seasickness. *Journal of travel medicine*, 1(4), 203–206. <https://doi.org/10.1111/j.1708-8305.1994.tb00596.x>
- Schwertner, H. A., & Rios, D. C. (2007). High-performance liquid chromatographic analysis of 6-gingerol, 8-gingerol, 10-gingerol, and 6-shogaol in ginger-containing dietary supplements, spices, teas, and beverages. *Journal of Chromatography B*, 856(1–2), 41–47. <https://doi.org/10.1016/j.jchromb.2007.05.011>
- Shetty, R. S., Singhal, R. S., & Kulkarni, P. R. (1994). Antimicrobial properties of cumin. *World journal of microbiology & biotechnology*, 10(2), 232–233. <https://doi.org/10.1007/BF00360896>
- Silva, F., Ferreira, S., Queiroz, J. A., & Domingues, F. C. (2011). Coriander (*Coriandrum sativum* L.) essential oil: its antibacterial activity and mode of action evaluated by flow cytometry. *Journal of medical microbiology*, 60(Pt 10), 1479–1486. <https://doi.org/10.1099/jmm.0.034157-0>
- Stacewicz-Sapuntzakis, M., Bowen, P. E., Hussain, E. A., Damayanti-Wood, B. I., & Farnsworth, N. R. (2001). Chemical Composition and Potential Health Effects of Prunes: A Functional Food? *Critical Reviews in Food Science and Nutrition*, 41(4), 251–286. <https://doi.org/10.1080/20014091091814>

- Stott A. (2016). Examining the efficacy of stimulating the PC6 wrist acupuncture point for preventing postoperative nausea and vomiting: A Cochrane review summary. *International journal of nursing studies*, 64, 139–141. <https://doi.org/10.1016/j.ijnurstu.2016.07.004>
- Subramoniam, A., Asha, V. V., Nair, S. A., Sasidharan, S. P., Sureshkumar, P. K., Rajendran, K. N., Karunakaran, D., & Ramalingam, K. (2012). Chlorophyll revisited: anti-inflammatory activities of chlorophyll a and inhibition of expression of TNF- $\alpha$  gene by the same. *Inflammation*, 35(3), 959–966. <https://doi.org/10.1007/s10753-011-9399-0>
- Surdea-Blaga, T., Negrutiu, D. E., Palage, M., & Dumitrascu, D. L. (2019). Food and Gastroesophageal Reflux Disease. *Current medicinal chemistry*, 26(19), 3497–3511. <https://doi.org/10.2174/0929867324666170515123807>
- Tavakoli, H. R., Mashak, Z., Moradi, B., & Sodagari, H. R. (2015). Antimicrobial Activities of the Combined Use of Cuminum Cyminum L. Essential Oil, Nisin and Storage Temperature Against Salmonella typhimurium and Staphylococcus aureus In Vitro. *Jundishapur journal of microbiology*, 8(4), e24838. [https://doi.org/10.5812/jjm.8\(4\)2015.24838](https://doi.org/10.5812/jjm.8(4)2015.24838)
- Tomotake, H., Koga, T., Yamato, M., Kasso, A., & Ota, F. (2006). Antibacterial Activity of Citrus Fruit Juices Against Vibrio Species. *Journal of Nutritional Science and Vitaminology*, 52(2), 157–160. <https://doi.org/10.3177/jnsv.52.157>
- Tsai, Y. S., Tong, Y. C., Cheng, J. T., Lee, C. H., Yang, F. S., & Lee, H. Y. (2006). Pumpkin Seed Oil and Phytosterol-F Can Block Testosterone/Prazosin-Induced Prostate Growth in Rats. *Urologia Internationalis*, 77(3), 269–274. <https://doi.org/10.1159/000094821>
- Tunaru, S., Althoff, T. F., Nüsing, R. M., Diener, M., & Offermanns, S. (2012). Castor oil induces laxation and uterus contraction via ricinoleic acid activating prostaglandin EP3 receptors. *Proceedings of the National Academy of Sciences of the United States of America*, 109(23), 9179–9184. <https://doi.org/10.1073/pnas.1201627109>
- van Marle, J., Aarsen, P. N., Lind, A., & van Weeren-Kramer, J. (1981). Deglycyrrhizinised liquorice (DGL) and the renewal of rat stomach epithelium. *European journal of pharmacology*, 72(2-3), 219–225. [https://doi.org/10.1016/0014-2999\(81\)90276-4](https://doi.org/10.1016/0014-2999(81)90276-4)
- Vejdani, R., Shalmani, H. R., Mir-Fattahi, M., Sajed-Nia, F., Abdollahi, M., Zali, M. R., ... Amin, G. (2006). The Efficacy of an Herbal Medicine, Carmint, on the Relief of Abdominal Pain and Bloating in Patients with Irritable Bowel Syndrome: A Pilot Study. *Digestive Diseases and Sciences*, 51(8), 1501–1507. <https://doi.org/10.1007/s10620-006-9079-3>
- Wanner, J., Bail, S., Jirovetz, L., Buchbauer, G., Schmidt, E., Gochev, V., Girova, T., Atanasova, T., & Stoyanova, A. (2010). Chemical composition and antimicrobial activity of cumin oil (*Cuminum cyminum*, Apiaceae). *Natural product communications*, 5(9), 1355–1358.

- Wong, W. K., Chien, W. T., & Lee, W. M. (2015). Self-administered acupressure for treating adult psychiatric patients with constipation: a randomized controlled trial. *Chinese medicine*, 10, 32. <https://doi.org/10.1186/s13020-015-0064-7>
- Yagi, H., Sato, R., Nishio, K., Arai, G., Soh, S., & Okada, H. (2017a). Effects of a supplement combining Pycnogenol® and l-arginine aspartate on lower urinary dysfunction compared with saw palmetto extract. *Journal of Traditional and Complementary Medicine*, 7(1), 117–120. <https://doi.org/10.1016/j.jtcme.2016.05.008>
- Yanakisawa, E., & Satoh, I. (2003). Study of Effectiveness of Mixed Processed Food Containing Cucurbita Pepo Seed Extract and Soybean Seed Extract on Stress Urinary Incontinence in Women. *Japanese Journal of Medicine and Pharmaceutical Science*, 14(3), 313–322.
- Yavari Kia, P., Safajou, F., Shahnazi, M., & Nazemiyeh, H. (2014). The effect of lemon inhalation aromatherapy on nausea and vomiting of pregnancy: a double-blinded, randomized, controlled clinical trial. *Iranian Red Crescent medical journal*, 16(3), e14360. <https://doi.org/10.5812/ircmj.14360>
- Yoshida N. (2007). Inflammation and oxidative stress in gastroesophageal reflux disease. *Journal of clinical biochemistry and nutrition*, 40(1), 13–23. <https://doi.org/10.3164/jcbtn.40.13>

## Miscellaneous

- A, Direkvand-Moghadam, K., Sayehmiri, A., Delpisheh, & Sattar, K. (2014). Epidemiology of Premenstrual Syndrome (PMS)-A Systematic Review and Meta-Analysis Study. *Journal of clinical and diagnostic research: JCDR*, 8(2), 106–109. <https://doi.org/10.7860/JCDR/2014/8024.4021>
- Abbasi, B., Kimiagar, M., Sadeghniaat, K., Shirazi, M. M., Hedayati, M., & Rashidkhani, B. (2012). The effect of magnesium supplementation on primary insomnia in elderly: A double-blind placebo-controlled clinical trial. *Journal of research in medical sciences: the official journal of Isfahan University of Medical Sciences*, 17(12), 1161–1169.
- Abdollahnejad, F., Mosaddegh, M., Kamalinejad, M., Mirnajafi-Zadeh, J., Najafi, F., & Faizi, M. (2015). Investigation of sedative and hypnotic effects of *Amygdalus communis* L. extract: behavioral assessments and EEG studies on rat. *Journal of Natural Medicines*, 70(2), 190–197. <https://doi.org/10.1007/s11418-015-0958-9>
- Agero, A. L., & Verallo-Rowell, V. M. (2004). A Randomized Double-Blind Controlled Trial Comparing Extra Virgin Coconut Oil with Mineral Oil as a Moisturizer for Mild to Moderate Xerosis. *Dermatitis (Formerly American Journal of Contact Dermatitis)*, 15(03), 109. <https://doi.org/10.2310/6620.2004.04006>
- Agha-Hosseini, M., Kashani, L., Aleyaseen, A., Ghoreishi, A., Rahmanpour, H., Zarrinara, A. R., & Akhondzadeh, S. (2008). Crocus sativus L. (saffron) in the treatment of premenstrual syndrome: a double-blind, randomised and placebo-controlled trial. *BJOG: An International Journal of Obstetrics and Gynaecology*, 115(4), 515–519. <https://doi.org/10.1111/j.1471-0528.2007.01652.x>
- Aly, R. (1996). Microbial infection of skin and nails. *Medical Microbiology* (Baron S ed.). Galveston.
- American Massage Therapy Association. (2011). *Massage Can Be Effective for Tension Headaches* | AMTA. <https://www.amtamassage.org/about/position-statements/massage-effective-for-tension-headaches/>
- An, R., & McCaffrey, J. (2016). Plain water consumption in relation to energy intake and diet quality among US adults, 2005-2012. *Journal of Human Nutrition and Dietetics*, 29(5), 624–632. <https://doi.org/10.1111/jhn.12368>
- Anderson, R. A. (2008). Chromium and polyphenols from cinnamon improve insulin sensitivity. *Proceedings of the Nutrition Society*, 67(1), 48–53. <https://doi.org/10.1017/s0029665108006010>
- Ansari R. M. (2016). Kapalabhati pranayama: An answer to modern day polycystic ovarian syndrome and coexisting metabolic syndrome?. *International journal of yoga*, 9(2), 163–167. <https://doi.org/10.4103/0973-6131.183705>

- Antonova, M., Wienecke, T., Olesen, J., & Ashina, M. (2013). Prostaglandins in migraine: update. *Current opinion in neurology*, 26(3), 269–275.  
<https://doi.org/10.1097/WCO.0b013e328360864b>
- Ballot, D., Baynes, R. D., Bothwell, T. H., Gillooly, M., MacFarlane, B. J., MacPhail, A. P., Lyons, G., Derman, D. P., Bezwoda, W. R., & Torrance, J. D. (1987). The effects of fruit juices and fruits on the absorption of iron from a rice meal. *The British journal of nutrition*, 57(3), 331–343. <https://doi.org/10.1079/bjn19870041>
- Barboza, J. N., da Silva Maia Bezerra Filho, C., Silva, R. O., Medeiros, J. V. R., & de Sousa, D. P. (2018). An Overview on the Anti-inflammatory Potential and Antioxidant Profile of Eugenol. *Oxidative Medicine and Cellular Longevity*, 2018, 1–9.  
<https://doi.org/10.1155/2018/3957262>
- Barr, W., & Smith, A. (2014). Acute Diarrhea in Adults. *American Family Physician*, 89(3), 180–189. <https://www.aafp.org/afp/2014/0201/p180.html#sec-4>
- Bergsson, G., Arnfinnsson, J., Steingrímsson, O., & Thormar, H. (2001). Killing of Gram-positive cocci by fatty acids and monoglycerides. Note. *APMIS*, 109(10), 670–678.  
<https://doi.org/10.1034/j.1600-0463.2001.d01-131.x>
- Boyle, N. B., Lawton, C., & Dye, L. (2017). The Effects of Magnesium Supplementation on Subjective Anxiety and Stress-A Systematic Review. *Nutrients*, 9(5), 429.  
<https://doi.org/10.3390/nu9050429>
- Cady, R. K., Goldstein, J., Nett, R., Mitchell, R., Beach, M. E., & Browning, R. (2011). A double-blind placebo-controlled pilot study of sublingual feverfew and ginger (LipiGesic™ M) in the treatment of migraine. *Headache*, 51(7), 1078–1086.  
<https://doi.org/10.1111/j.1526-4610.2011.01910.x>
- Cahn, B. R., Goodman, M. S., Peterson, C. T., Maturi, R., & Mills, P. J. (2017). Yoga, Meditation and Mind-Body Health: Increased BDNF, Cortisol Awakening Response, and Altered Inflammatory Marker Expression after a 3-Month Yoga and Meditation Retreat. *Frontiers in Human Neuroscience*, 11, 1–10.  
<https://doi.org/10.3389/fnhum.2017.00315>
- Campan, L. van, & Visser, F. (2019). The Effect of Curcumin in Patients with Chronic Fatigue Syndrome (or) Myalgic Encephalomyelitis Disparate Responses in Different Disease Severities. *Pharmacovigilance and Pharmacoepidemiology*, 22–27.  
<https://doi.org/10.33805/2638-8235.112>
- Chainani-Wu, N. (2003). Safety and Anti-Inflammatory Activity of Curcumin: A Component of Tumeric (*Curcuma longa*). *The Journal of Alternative and Complementary Medicine*, 9(1), 161–168. <https://doi.org/10.1089/107555303321223035>
- Chen, C. X., Barrett, B., & Kwekkeboom, K. L. (2016). Efficacy of Oral Ginger (*Zingiber officinale*) for Dysmenorrhea: A Systematic Review and Meta-Analysis. *Evidence-Based Complementary and Alternative Medicine*, 2016, 1–10.  
<https://doi.org/10.1155/2016/6295737>

- Cortés-Rojas, D. F., de Souza, C. R., & Oliveira, W. P. (2014). Clove (*Syzygium aromaticum*): a precious spice. *Asian Pacific journal of tropical biomedicine*, 4(2), 90–96. [https://doi.org/10.1016/S2221-1691\(14\)60215-X](https://doi.org/10.1016/S2221-1691(14)60215-X)
- Costello, R. B., Lentino, C. V., Boyd, C. C., O'Connell, M. L., Crawford, C. C., Sprengel, M. L., & Deuster, P. A. (2014). The effectiveness of melatonin for promoting healthy sleep: a rapid evidence assessment of the literature. *Nutrition journal*, 13, 106. <https://doi.org/10.1186/1475-2891-13-106>
- Daniel, P. M., Love, E. R., Moorhouse, S. R., & Pratt, O. E. (1981). The effect of insulin upon the influx of tryptophan into the brain of the rabbit. *The Journal of physiology*, 312, 551–562. <https://doi.org/10.1113/jphysiol.1981.sp013643>
- Das, G., Gopalakrishnan, A., Faisal, M., & Mallick, B. N. (2008). Stimulatory role of calcium in rapid eye movement sleep deprivation-induced noradrenaline-mediated increase in Na-K-ATPase activity in rat brain. *Neuroscience*, 155(1), 76–89. <https://doi.org/10.1016/j.neuroscience.2008.04.069>
- Davis, R. H., Donato, J. J., Hartman, G. M., & Haas, R. C. (1994). Anti-inflammatory and wound healing activity of a growth substance in Aloe vera. *Journal of the American Podiatric Medical Association*, 84(2), 77–81. <https://doi.org/10.7547/87507315-84-2-77>
- dela Peña, I. J. I., Kim, H. J., de la Peña, J. B., Kim, M., Botanas, C. J., You, K. Y., Woo, T., Lee, Y. S., Jung, J. C., Kim, K. M., & Cheong, J. H. (2016). A tryptic hydrolysate from bovine milk  $\alpha$ 1-casein enhances pentobarbital-induced sleep in mice via the GABAA receptor. *Behavioural Brain Research*, 313, 184–190. <https://doi.org/10.1016/j.bbr.2016.07.013>
- Dibazar, S. P., Fateh, S., & Daneshmandi, S. (2014). Clove (*Syzygium aromaticum*) ingredients affect lymphocyte subtypes expansion and cytokine profile responses: An in vitro evaluation. *Journal of Food and Drug Analysis*, 22(4), 448–454. <https://doi.org/10.1016/j.jfda.2014.04.005>
- Druce, M. R., Wren, A. M., Park, A. J., Milton, J. E., Patterson, M., Frost, G., ... Bloom, S. R. (2005). Ghrelin increases food intake in obese as well as lean subjects. *International Journal of Obesity*, 29(9), 1130–1136. <https://doi.org/10.1038/sj.ijo.0803001>
- Fakhr-Movahedi, A., Mirmohammadkhani, M., & Ramezani, H. (2018). Effect of milk-honey mixture on the sleep quality of coronary patients: A clinical trial study. *Clinical nutrition ESPEN*, 28, 132–135. <https://doi.org/10.1016/j.clnesp.2018.08.015>
- Fernstrom, J. D. (2012). Effects and Side Effects Associated with the Non-Nutritional Use of Tryptophan by Humans. *The Journal of Nutrition*, 142(12). <https://doi.org/10.3945/jn.111.157065>
- Ferracioli-Oda, E., Qawasmi, A., & Bloch, M. H. (2013). Meta-Analysis: Melatonin for the Treatment of Primary Sleep Disorders. *PLoS ONE*, 8(5). <https://doi.org/10.1371/journal.pone.0063773>



- Fessenden, R. (2021). *Honey – More than a sweetener, naturally - Dr Ron Fessenden*. Living Honey. <https://www.livinghoney.biz/the-honey-revolution.html>
- Gao, Y.-Y., Xu, D.-lian, Huang, li-J., Wang, R., & Tseng, S. (2012). Treatment of ocular itching associated with ocular demodicosis by 5% tea tree oil ointment. *Cornea*. <https://doi.org/doi: 10.1097/ICO.0b013e31820ce56c>
- Giddings, L. S. (1999). Calcium reduced PMS symptoms during the luteal phase of the menstrual cycle. *Evidence-Based Nursing*, 2(2), 43–43. <https://doi.org/10.1136/ebn.2.2.43>
- Goel, N., Kim, H., & Lao, R. P. (2005). An Olfactory Stimulus Modifies Nighttime Sleep in Young Men and Women. *Chronobiology International*, 22(5), 889–904. <https://doi.org/10.1080/07420520500263276>
- Gokhale, V., Lakshmeesha, T., Shetty, V., Rani, V., & Kumar, N. (2018). Influence of kapalabhathi pranayama on oxygen saturation and blood pressure. *International Journal of Medical and Health Research*, 4(9), 113–117.
- Grandner, M. A., Jackson, N., Gerstner, J. R., & Knutson, K. L. (2014). Sleep symptoms associated with intake of specific dietary nutrients. *Journal of sleep research*, 23(1), 22–34. <https://doi.org/10.1111/jsr.12084>
- Gupta, A., Vij, G., Sharma, S., Tirkey, N., Rishi, P., & Chopra, K. (2009). Curcumin, a polyphenolic antioxidant, attenuates chronic fatigue syndrome in murine water immersion stress model. *Immunobiology*, 214(1), 33–39. <https://doi.org/10.1016/j.imbio.2008.04.003>
- Hotta, M., Ohwada, R., Akamizu, T., Shibasaki, T., Takano, K., & Kangawa, K. (2009). Ghrelin increases hunger and food intake in patients with restricting-type anorexia nervosa: a pilot study. *Endocrine journal*, 56(9), 1119–1128. <https://doi.org/10.1507/endocrj.k09e-168>
- Huang, M. Y., Liao, M. H., Wang, Y. K., Huang, Y. S., & Wen, H. C. (2012). Effect of Lavender Essential Oil on LPS-Stimulated Inflammation. *The American Journal of Chinese Medicine*, 40(04), 845–859. <https://doi.org/10.1142/s0192415x12500632>
- Huang, W. C., Chiu, W. C., Chuang, H. L., Tang, D. W., Lee, Z. M., Wei, L., Chen, F. A., & Huang, C. C. (2015). Effect of curcumin supplementation on physiological fatigue and physical performance in mice. *Nutrients*, 7(2), 905–921. <https://doi.org/10.3390/nu7020905>
- Imparl-Radosevich, J., Deas, S., Polansky, M. M., Baedke, D. A., Ingebritsen, T. S., Anderson, R. A., & Graves, D. J. (1998). Regulation of PTP-1 and insulin receptor kinase by fractions from cinnamon: implications for cinnamon regulation of insulin signalling. *Hormone research*, 50(3), 177–182. <https://doi.org/10.1159/000023270>
- Intahphuak, S., Khonsung, P., & Panthong, A. (2010). Anti-inflammatory, analgesic, and antipyretic activities of virgin coconut oil. *Pharmaceutical biology*, 48(2), 151–157. <https://doi.org/10.3109/13880200903062614>

- Jaafarpour, M., Hatefi, M., Najafi, F., Khajavikhan, J., & Khani, A. (2015). The effect of cinnamon on menstrual bleeding and systemic symptoms with primary dysmenorrhea. *Iranian Red Crescent medical journal*, 17(4), e27032. [https://doi.org/10.5812/ircmj.17\(4\)2015.27032](https://doi.org/10.5812/ircmj.17(4)2015.27032)
- Jarvill-Taylor, K. J., Anderson, R. A., & Graves, D. J. (2001). A hydroxychalcone derived from Cinnamon functions as a mimetic for insulin IN 3T3-L1 Adipocytes. *Journal of the American College of Nutrition*, 20(4), 327–336. <https://doi.org/10.1080/07315724.2001.10719053>
- Jerath, R., Beveridge, C., & Barnes, V. A. (2019). Self-Regulation of Breathing as an Adjunctive Treatment of Insomnia. *Frontiers in psychiatry*, 9, 780. <https://doi.org/10.3389/fpsy.2018.00780>
- Jurenka J. S. (2009). Anti-inflammatory properties of curcumin, a major constituent of *Curcuma longa*: a review of preclinical and clinical research. *Alternative medicine review: a journal of clinical therapeutic*, 14(2), 141–153.
- Kabara, J. J., Swieczkowski, D. M., Conley, A. J., & Truant, J. P. (1972). Fatty acids and derivatives as antimicrobial agents. *Antimicrobial agents and chemotherapy*, 2(1), 23–28. <https://doi.org/10.1128/aac.2.1.23>
- Kashefi, F., Khajehei, M., Alavinia, M., Golmakani, E., & Asili, J. (2015). Effect of ginger (*Zingiber officinale*) on heavy menstrual bleeding: a placebo-controlled, randomized clinical trial. *Phytotherapy research : PTR*, 29(1), 114–119. <https://doi.org/10.1002/ptr.5235>
- Kasper, S., Gastpar, M., Müller, W. E., Volz, H. P., Möller, H. J., Dienel, A., & Schläfke, S. (2010). Silexan, an orally administered *Lavandula* oil preparation, is effective in the treatment of 'subsyndromal' anxiety disorder: a randomized, double-blind, placebo controlled trial. *International clinical psychopharmacology*, 25(5), 277–287. <https://doi.org/10.1097/YIC.0b013e32833b3242>
- Khadivzadeh, T., Najafi, M. N., Kargarfard, L., Ghazanfarpour, M., Dizavandi, F. R., & Khorsand, I. (2018). Effect of Fennel on the Health Status of Menopausal Women: A Systematic and Meta-analysis. *Journal of menopausal medicine*, 24(1), 67–74. <https://doi.org/10.6118/jmm.2018.24.1.67>
- Khayat, S., Kheirkhah, M., Behboodi Moghadam, Z., Fanaei, H., Kasaeian, A., & Javadimehr, M. (2014). Effect of treatment with ginger on the severity of premenstrual syndrome symptoms. *ISRN obstetrics and gynecology*, 2014, 792708. <https://doi.org/10.1155/2014/792708>
- Kirkham, S., Akilen, R., Sharma, S., & Tsiami, A. (2009). The potential of cinnamon to reduce blood glucose levels in patients with type 2 diabetes and insulin resistance. *Diabetes, obesity & metabolism*, 11(12), 1100–1113. <https://doi.org/10.1111/j.1463-1326.2009.01094.x>

- Kitano, N., Tsunoda, K., Tsuji, T., Osuka, Y., Jindo, T., Tanaka, K., & Okura, T. (2014). Association between difficulty initiating sleep in older adults and the combination of leisure-time physical activity and consumption of milk and milk products: a cross-sectional study. *BMC geriatrics*, 14, 118. <https://doi.org/10.1186/1471-2318-14-118>
- Klok, M. D., Jakobsdottir, S., & Drent, M. L. (2007). The role of leptin and ghrelin in the regulation of food intake and body weight in humans: a review. *Obesity Reviews*, 8(1), 21–34. <https://doi.org/10.1111/j.1467-789x.2006.00270.x>
- Knutsen, H. K., Alexander, J., Barregård, L., Bignami, M., Brüschweiler, B., Ceccatelli, S., ... Vlemingckx, C. (2018). Update of the Scientific Opinion on opium alkaloids in poppy seeds. *EFSA Journal*, 16(5). <https://doi.org/10.2903/j.efsa.2018.5243>
- Koerberle, A., Northoff, H., & Werz, O. (2009). Curcumin blocks prostaglandin E2 biosynthesis through direct inhibition of the microsomal prostaglandin E2 synthase-1. *Molecular cancer therapeutics*, 8(8), 2348–2355. <https://doi.org/10.1158/1535-7163.MCT-09-0290>
- Koulivand, P. H., Khaleghi Ghadiri, M., & Gorji, A. (2013). Lavender and the nervous system. *Evidence-based complementary and alternative medicine : eCAM*, 2013, 681304. <https://doi.org/10.1155/2013/681304>
- Koulivand, P. H., Khaleghi Ghadiri, M., & Gorji, A. (2013). Lavender and the nervous system. *Evidence-based complementary and alternative medicine : eCAM*, 2013, 681304. <https://doi.org/10.1155/2013/681304>
- Kulkarni, S. K., & Dhir, A. (2010). An overview of curcumin in neurological disorders. *Indian journal of pharmaceutical sciences*, 72(2), 149–154. <https://doi.org/10.4103/0250-474X.65012>
- Kulkarni, S. K., Bhutani, M. K., & Bishnoi, M. (2008). Antidepressant activity of curcumin: involvement of serotonin and dopamine system. *Psychopharmacology*, 201(3), 435–442. <https://doi.org/10.1007/s00213-008-1300-y>
- Kurup, V. P., & Barrios, C. S. (2008). Immunomodulatory effects of curcumin in allergy. *Molecular Nutrition & Food Research*, 52(9), 1031–1039. <https://doi.org/10.1002/mnfr.200700293>
- Larijani, B., Esfahani, M. M., Moghimi, M., Shams Ardakani, M. R., Keshavarz, M., Kordafshari, G., Nazem, E., Hasani Ranjbar, S., Mohammadi Kenari, H., & Zargarani, A. (2016). Prevention and Treatment of Flatulence From a Traditional Persian Medicine Perspective. *Iranian Red Crescent medical journal*, 18(4), e23664. <https://doi.org/10.5812/ircmj.23664>
- Larijani, B., Esfahani, M. M., Moghimi, M., Shams Ardakani, M. R., Keshavarz, M., Kordafshari, G., Nazem, E., Hasani Ranjbar, S., Mohammadi Kenari, H., & Zargarani, A. (2016). Prevention and Treatment of Flatulence From a Traditional Persian Medicine Perspective. *Iranian Red Crescent medical journal*, 18(4), e23664. <https://doi.org/10.5812/ircmj.23664>

- Lillehei, A. S., Halcón, L. L., Savik, K., & Reis, R. (2015). Effect of Inhaled Lavender and Sleep Hygiene on Self-Reported Sleep Issues: A Randomized Controlled Trial. *Journal of alternative and complementary medicine (New York, N.Y.)*, 21(7), 430–438. <https://doi.org/10.1089/acm.2014.0327>
- Lopresti, A. L., & Drummond, P. D. (2017). Efficacy of curcumin, and a saffron/curcumin combination for the treatment of major depression: A randomised, double-blind, placebo-controlled study. *Journal of affective disorders*, 207, 188–196. <https://doi.org/10.1016/j.jad.2016.09.047>
- Lopresti, A. L., Maes, M., Maker, G. L., Hood, S. D., & Drummond, P. D. (2014). Curcumin for the treatment of major depression: a randomised, double-blind, placebo controlled study. *Journal of affective disorders*, 167, 368–375. <https://doi.org/10.1016/j.jad.2014.06.001>
- Lopresti, A. L., Smith, S. J., Metse, A. P., & Drummond, P. D. (2020). Effects of saffron on sleep quality in healthy adults with self-reported poor sleep: a randomized, double-blind, placebo-controlled trial. *Journal of clinical sleep medicine : JCSM : official publication of the American Academy of Sleep Medicine*, 16(6), 937–947. <https://doi.org/10.5664/jcsm.8376>
- Maes, M., Mihaylova, I., & Bosmans, E. (2007). Not in the mind of neurasthenic lazybones but in the cell nucleus: patients with chronic fatigue syndrome have increased production of nuclear factor kappa beta. *Neuro Endocrinology Letters*, 28(4), 456–462. <https://pubmed.ncbi.nlm.nih.gov/17693979/>
- Maghbooli, M., Golipour, F., Moghimi Esfandabadi, A., & Yousefi, M. (2014). Comparison between the efficacy of ginger and sumatriptan in the ablative treatment of the common migraine. *Phytotherapy research : PTR*, 28(3), 412–415. <https://doi.org/10.1002/ptr.4996>
- Mang, B., Wolters, M., Schmitt, B., Kelb, K., Lichtinghagen, R., Stichtenoth, D. O., & Hahn, A. (2006). Effects of a cinnamon extract on plasma glucose, HbA1c, and serum lipids in diabetes mellitus type 2. *European Journal of Clinical Investigation*, 36(5), 340–344. <https://doi.org/10.1111/j.1365-2362.2006.01629.x>
- Mansour, M. S., Ni, Y. M., Roberts, A. L., Kelleman, M., Roychoudhury, A., & St-Onge, M. P. (2012). Ginger consumption enhances the thermic effect of food and promotes feelings of satiety without affecting metabolic and hormonal parameters in overweight men: a pilot study. *Metabolism: clinical and experimental*, 61(10), 1347–1352. <https://doi.org/10.1016/j.metabol.2012.03.016>
- Martins, L. B., Rodrigues, A. M., Rodrigues, D. F., dos Santos, L. C., Teixeira, A. L., & Ferreira, A. V. (2018). Double-blind placebo-controlled randomized clinical trial of ginger (*Zingiber officinale* Rosc.) addition in migraine acute treatment. *Cephalalgia*, 39(1), 68–76. <https://doi.org/10.1177/0333102418776016>
- Meng, X., Li, Y., Li, S., Zhou, Y., Gan, R. Y., Xu, D. P., & Li, H. B. (2017). Dietary Sources and Bioactivities of Melatonin. *Nutrients*, 9(4), 367. <https://doi.org/10.3390/nu9040367>

- Moshiri, M., Vahabzadeh, M., & Hosseinzadeh, H. (2014). Clinical Applications of Saffron (*Crocus sativus*) and its Constituents: A Review. *Drug Research*, 65(06), 287–295. <https://doi.org/10.1055/s-0034-1375681>
- Müller, M., Pape, H. C., Speckmann, E. J., & Gorji, A. (2006). Effect of eugenol on spreading depression and epileptiform discharges in rat neocortical and hippocampal tissues. *Neuroscience*, 140(2), 743–751. <https://doi.org/10.1016/j.neuroscience.2006.02.036>
- Nemati A. (2013). The effect of pranayama on test anxiety and test performance. *International journal of yoga*, 6(1), 55–60. <https://doi.org/10.4103/0973-6131.105947>
- Nematy, M., Kamgar, M., Mohajeri, S. M., Tabatabaei Zadeh, S. A., Jomezadeh, M. R., Akbarieh Hasani, O., Kamali, N., Vojouhi, S., Baghban, S., Aghaei, A., Soukhtanloo, M., Hosseini, M., Gholamnezhad, Z., Rakhshandeh, H., Norouzy, A., Esmaily, H., Ghayour-Mobarhan, M., & Patterson, M. (2013). The effect of hydroalcoholic extract of *Coriandrum sativum* on rat appetite. *Avicenna journal of phytomedicine*, 3(1), 91–97.
- Nievergelt, A., Huonker, P., Schoop, R., Altmann, K. H., & Gertsch, J. (2010). Identification of serotonin 5-HT<sub>1A</sub> receptor partial agonists in ginger. *Bioorganic & medicinal chemistry*, 18(9), 3345–3351. <https://doi.org/10.1016/j.bmc.2010.02.062>
- Ozgoli, G., Goli, M., & Moattar, F. (2009). Comparison of Effects of Ginger, Mefenamic Acid, and Ibuprofen on Pain in Women with Primary Dysmenorrhea. *The Journal of Alternative and Complementary Medicine*, 15(2), 129–132. <https://doi.org/10.1089/acm.2008.0311>
- Parantainen, J., Vapaatalo, H., & Hokkanen, E. (1985). Relevance of prostaglandins in migraine. *Cephalalgia : an international journal of headache*, 5 Suppl 2, 93–97. <https://doi.org/10.1177/03331024850050S217>
- Péneau, S., Dauchet, L., Vergnaud, A. C., Estaquio, C., Kesse-Guyot, E., Bertrais, S., Latino-Martel, P., Hercberg, S., & Galan, P. (2008). Relationship between iron status and dietary fruit and vegetables based on their vitamin C and fiber content. *The American Journal of Clinical Nutrition*, 87(5), 1298–1305. <https://doi.org/10.1093/ajcn/87.5.1298>
- Pham, A. Q., Kourlas, H., & Pham, D. Q. (2007). Cinnamon Supplementation in Patients with Type 2 Diabetes Mellitus. *Pharmacotherapy*, 27(4), 595–599. <https://doi.org/10.1592/phco.27.4.595>
- Pirdadeh Beiranvand, S., Shams Beiranvand, N., Behboodi Moghadam, Z., Birjandi, M., Azhari, S., Rezaei, E., Nazar Salehnia, A., & Beiranvand, S. (2016). The effect of *Crocus sativus* (saffron) on the severity of premenstrual syndrome. *European Journal of Integrative Medicine*, 8(1), 55–61. <https://doi.org/10.1016/j.eujim.2015.06.003>
- Popkin, B. M., D'Anci, K. E., & Rosenberg, I. H. (2010). Water, hydration, and health. *Nutrition reviews*, 68(8), 439–458. <https://doi.org/10.1111/j.1753-4887.2010.00304.x>

- Pramanik, T., Pudasaini, B., & Prajapati, R. (2010). Immediate effect of a slow pace breathing exercise Bhramari pranayama on blood pressure and heart rate. *Nepal Medical College journal: NMCJ*, 12(3), 154–157.
- Pratt, I. S., Croager, E. J., & Rosenberg, M. (2012). The mathematical relationship between dishware size and portion size. *Appetite*, 58(1), 299–302.  
<https://doi.org/10.1016/j.appet.2011.10.010>
- Priastomo, Mukti & Adnyana, I Ketut & Sukrasno, Sukrasno. (2016). Anti-Fatigue Activity of Honey From *Apis mellifera*, *Apis cerana*, and *Trigona sp* in Mice. *ASIAN Academic Society International Conference Proceeding*.
- Proctor, M., & Farquhar, C. (2006). Diagnosis and management of dysmenorrhoea. *BMJ*, 332(7550), 1134–1138. <https://doi.org/10.1136/bmj.332.7550.1134>
- Pross, N., Demazières, A., Girard, N., Barnouin, R., Metzger, D., Klein, A., Perrier, E., & Guelinckx, I. (2014). Effects of changes in water intake on mood of high and low drinkers. *PloS one*, 9(4), e94754. <https://doi.org/10.1371/journal.pone.0094754>
- Pross, N., Demazières, A., Girard, N., Barnouin, R., Santoro, F., Chevillotte, E., Klein, A., & Le Bellego, L. (2013). Influence of progressive fluid restriction on mood and physiological markers of dehydration in women. *The British journal of nutrition*, 109(2), 313–321. <https://doi.org/10.1017/S0007114512001080>
- Qin, B., Panickar, K. S., & Anderson, R. A. (2010). Cinnamon: potential role in the prevention of insulin resistance, metabolic syndrome, and type 2 diabetes. *Journal of diabetes science and technology*, 4(3), 685–693.  
<https://doi.org/10.1177/193229681000400324>
- Quinn, C., Chandler, C., & Moraska, A. (2002). Massage therapy and frequency of chronic tension headaches. *American journal of public health*, 92(10), 1657–1661.  
<https://doi.org/10.2105/ajph.92.10.1657>
- Sanmukhani, J., Satodia, V., Trivedi, J., Patel, T., Tiwari, D., Panchal, B., Goel, A., & Tripathi, C. B. (2014). Efficacy and safety of curcumin in major depressive disorder: a randomized controlled trial. *Phytotherapy research : PTR*, 28(4), 579–585.  
<https://doi.org/10.1002/ptr.5025>
- Sasannejad, P., Saeedi, M., Shoeibi, A., Gorji, A., Abbasi, M., & Foroughipour, M. (2012). Lavender essential oil in the treatment of migraine headache: a placebo-controlled clinical trial. *European neurology*, 67(5), 288–291. <https://doi.org/10.1159/000335249>
- Sengupta P. (2012). Health Impacts of Yoga and Pranayama: A State-of-the-Art Review. *International journal of preventive medicine*, 3(7), 444–458.
- Sharma, V. K., Trakroo, M., Subramaniam, V., Rajajeyakumar, M., Bhavanani, A. B., & Sahai, A. (2013). Effect of fast and slow pranayama on perceived stress and cardiovascular parameters in young health-care students. *International journal of yoga*, 6(2), 104–110. <https://doi.org/10.4103/0973-6131.113400>

- Shobeiri, F., Araste, F. E., Ebrahimi, R., Jenabi, E., & Nazari, M. (2017). Effect of calcium on premenstrual syndrome: A double-blind randomized clinical trial. *Obstetrics & gynecology science*, 60(1), 100–105. <https://doi.org/10.5468/ogs.2017.60.1.100>
- Silber, B. Y., & Schmitt, J. A. (2010). Effects of tryptophan loading on human cognition, mood, and sleep. *Neuroscience and biobehavioral reviews*, 34(3), 387–407. <https://doi.org/10.1016/j.neubiorev.2009.08.005>
- Silva, G. L., Luft, C., Lunardelli, A., Amaral, R. H., Melo, D. A., Donadio, M. V., Nunes, F. B., de Azambuja, M. S., Santana, J. C., Moraes, C. M., Mello, R. O., Cassel, E., Pereira, M. A., & de Oliveira, J. R. (2015). Antioxidant, analgesic and anti-inflammatory effects of lavender essential oil. *Anais da Academia Brasileira de Ciencias*, 87(2 Suppl), 1397–1408. <https://doi.org/10.1590/0001-3765201520150056>
- Sørensen, L. B., Møller, P., Flint, A., Martens, M., & Raben, A. (2003). Effect of sensory perception of foods on appetite and food intake: a review of studies on humans. *International Journal of Obesity*, 27(10), 1152–1166. <https://doi.org/10.1038/sj.ijo.0802391>
- St-Onge, M. P., Mikic, A., & Pietrolungo, C. E. (2016). Effects of Diet on Sleep Quality. *Advances in nutrition (Bethesda, Md.)*, 7(5), 938–949. <https://doi.org/10.3945/an.116.012336>
- Takada, Y., Bhardwaj, A., Potdar, P., & Aggarwal, B. B. (2004). Nonsteroidal anti-inflammatory agents differ in their ability to suppress NF-κB activation, inhibition of expression of cyclooxygenase-2 and cyclin D1, and abrogation of tumor cell proliferation. *Oncogene*, 23(57), 9247–9258. <https://doi.org/10.1038/sj.onc.1208169>
- Takeda, A., Watanuki, E., & Koyama, S. (2017). Effects of Inhalation Aromatherapy on Symptoms of Sleep Disturbance in the Elderly with Dementia. *Evidence-based complementary and alternative medicine : eCAM*, 2017, 1902807. <https://doi.org/10.1155/2017/1902807>
- Tassone, F., Broglio, F., Destefanis, S., Rovere, S., Benso, A., Gottero, C., Maccario, M. (2003). Neuroendocrine and Metabolic Effects of Acute Ghrelin Administration in Human Obesity. *The Journal of Clinical Endocrinology & Metabolism*, 88(11), 5478–5483. <https://doi.org/10.1210/jc.2003-030564>
- Tsai, H. J., Kuo, T. B., Lee, G. S., & Yang, C. C. (2015). Efficacy of paced breathing for insomnia: enhances vagal activity and improves sleep quality. *Psychophysiology*, 52(3), 388–396. <https://doi.org/10.1111/psyp.12333>
- Tyagi, A., & Cohen, M. (2013). Oxygen Consumption Changes with Yoga Practices. *Journal of Evidence-Based Complementary & Alternative Medicine*, 18(4), 290–308. <https://doi.org/10.1177/2156587213492770>
- Valtonen, M., Niskanen, L., Kangas, A.-P., & Koskinen, T. (2005). Effect of melatonin-rich night-time milk on sleep and activity in elderly institutionalized subjects. *Nordic Journal of Psychiatry*, 59(3), 217–221. <https://doi.org/10.1080/08039480510023034>

- Vijaya Kumar, M., Sambaiah, K., & Lokesh, B. R. (1999). The anhydrous milk fat, ghee, lowers serum prostaglandins and secretion of leukotrienes by rat peritoneal macrophages. *Prostaglandins, Leukotrienes and Essential Fatty Acids (PLEFA)*, 61(4), 249–254. <https://doi.org/10.1054/plef.1999.0097>
- Wadikar, D. D., & Premavalli, K. S. (2011). Appetizer administration stimulates food consumption, weight gain and leptin levels in male Wistar rats. *Appetite*, 57(1), 131–133. <https://doi.org/10.1016/j.appet.2011.04.001>
- Wansink, B., & Kim, J. (2005). Bad Popcorn in Big Buckets: Portion Size Can Influence Intake as Much as Taste. *Journal of Nutrition Education and Behavior*, 37(5), 242–245. [https://doi.org/10.1016/s1499-4046\(06\)60278-9](https://doi.org/10.1016/s1499-4046(06)60278-9)
- Yadav, R. K., Sarvottam, K., Magan, D., & Yadav, R. (2015). A two-year follow-up case of chronic fatigue syndrome: substantial improvement in personality following a yoga-based lifestyle intervention. *Journal of alternative and complementary medicine (New York, N.Y.)*, 21(4), 246–249. <https://doi.org/10.1089/acm.2014.0055>
- Zisapel N. (2018). New perspectives on the role of melatonin in human sleep, circadian rhythms and their regulation. *British journal of pharmacology*, 175(16), 3190–3199. <https://doi.org/10.1111/bph.14116>